VITAL STATISTICS of LOUISIANA 1991

LOUISIANA DEPARTMENT OF HEALTH AND HOSPITALS
OFFICE OF PUBLIC HEALTH
DIVISION OF RECORDS AND STATISTICS
PUBLIC HEALTH STATISTICS

1991
VITAL STATISTICS of LOUISIANA

Edwin W. Edwards
Governor

J. Christopher Pilley
Secretary
Department of Health and Hospitals

Larry J. Hebert, M.D.
Assistant Secretary and State Health Officer
Office of Public Health

STATE OF LOUISIANA
Department of Health and Hospitals
Office of Public Health
Division of Records and Statistics
Public Health Statistics

IMPORTANT:
PRINT or TYPE, black ink or ribbon mandatory

377750

STATE OF LOUISIANA
CERTIFICATE OF DEATH

BIRTH No. _____ FILE No. 117

Name of decedent, for use by physician or institution

DECEDENT

1A. LAST NAME OF DECEDENT | 1B. FIRST NAME | 1C. MIDDLE NAME | 2A. DATE OF DEATH (Month, Day, Year)

2B. HOUR OF DEATH | 3. SEX | 4. RACE (Specify White, Black, etc.) | 5. MARITAL STATUS (Specify Married, Never Married, Widowed, Divorced) | 6. SURVIVING SPOUSE (If Wife, give Maiden Name)

7. DATE OF BIRTH (Month, Day, Year) | 8A. AGE YEARS | 8B. UNDER 1 YEAR MONTHS / DAYS | 8C. UNDER 1 DAY HOURS / MINUTES | 9. BIRTHPLACE (City and State or Foreign Country)

10. USUAL OCCUPATION (Kind of work done during most of working life. NEVER specify retired) | 11. KIND OF BUSINESS/INDUSTRY | 12. OF HISPANIC ORIGIN?

13. EVER IN U.S. ARMED FORCES? (YES or NO) | 14. SOCIAL SECURITY NUMBER | 15. DECEDENT'S EDUCATION (Specify ONLY HIGHEST grade completed) ELEMENTARY/SECONDARY (0-12) | COLLEGE (1-4, 5+)

PLACE OF DEATH

16A. PLACE OF DEATH (Check ONLY one. If death in NON-HOSPITAL facility check OTHER and specify on line 16D.) HOSPITAL 1 ☐ INPATIENT 2 ☐ ER / OUTPATIENT 3 ☐ DOA | NON-HOSPITAL 4 ☐ NURSING HOME 5 ☐ RESIDENCE 6 ☐ OTHER

16B. NAME OF FACILITY (If not in Facility, give Street Address or Location) | 16C. PLACE OF DEATH IN CITY LIMITS? (YES or NO)

17A. CITY, TOWN OR LOCATION OF DEATH | 17B. PARISH OF DEATH

RESIDENCE

18A. STREET ADDRESS (If rural, specify rural route number/box number) | 18B. PARISH OF RESIDENCE | 18C. STATE OF RESIDENCE

18D. USUAL RESIDENCE OF DECEDENT (City, town or location) | 18E. ZIP CODE | 18F. RESIDENCE INSIDE CITY LIMITS? (YES or NO)

PARENTS

19A. FATHER'S LAST NAME | FIRST | MIDDLE | 19B. FATHER'S PLACE OF BIRTH | 19C. STATE

20A. MOTHER'S LAST NAME | FIRST | MIDDLE | 20B. MOTHER'S PLACE OF BIRTH | 20C. STATE

INFORMANT

21A. TYPE OR PRINT NAME OF INFORMANT | 21B. INFORMANT'S ADDRESS | 21C. DATE (Month, Day, Year)

DISPOSITION

22A. METHOD OF DISPOSITION 1 ☐ BURIAL 2 ☐ CREMATION 3 ☐ REMOVAL 4 ☐ OTHER | 22B. DATE THEREOF (Month, Day, Year) | 22C. NAME AND LOCATION OF CEMETERY OR CREMATORIUM

23A. SIGNATURE AND ADDRESS OF FUNERAL DIRECTOR | 23B. FACILITY NUMBER | 23C. LICENSE NUMBER

24. ALTERATIONS

REGISTRAR

25A. BURIAL TRANSIT PERMIT | 25B. PARISH OF ISSUE | 25C. DATE OF ISSUE | 26. SIGNATURE OF LOCAL REGISTRAR

MANNER OF DEATH

27. MANNER OF DEATH 1 ☐ NATURAL 2 ☐ ACCIDENT 3 ☐ SUICIDE 4 ☐ HOMICIDE 5 ☐ PENDING INVESTIGATION 6 ☐ UNDETERMINED

28A. DATE OF INJURY (Month, Day, Year) | 28B. TIME OF INJURY | 28C. INJURY AT WORK (YES or NO) | 28D. DESCRIBE HOW INJURY OCCURRED

28E. PLACE OF INJURY (Specify at home, farm, factory, street, etc.) | 28F. LOCATION (Street Number or Rural Route, City, Parish, State)

CERTIFIER

29A. I CERTIFY THAT I ATTENDED THE DECEDENT FROM _____ TO _____ AND THAT DEATH OCCURRED ON THE DATE AND HOUR STATED ABOVE DUE TO THE CAUSES AND IN THE MANNER SO STATED. | 29B. SIGNATURE OF PHYSICIAN OR CORONER | 29C. DATE (Month, Day, Year)

29D. TYPE OR PRINT NAME AND TITLE OF PHYSICIAN OR CORONER | 29E. ADDRESS OF PHYSICIAN OR CORONER

CAUSE OF DEATH

30. PART I. ENTER THE DISEASES, INJURIES OR COMPLICATIONS THAT CAUSED THE DEATH. DO NOT ENTER THE MODE OF DYING, SUCH AS CARDIAC OR RESPIRATORY ARREST OR HEART FAILURE. LIST ONLY ONE CAUSE ON EACH LINE. | APPROXIMATE INTERVAL BETWEEN ONSET AND DEATH

IMMEDIATE CAUSE (Final disease or condition resulting in death.) a. _____ DUE TO (OR AS A CONSEQUENCE OF)

Sequentially list conditions, if any, leading to immediate cause. b. _____ DUE TO (OR AS A CONSEQUENCE OF)

Enter UNDERLYING CAUSE (Disease or injury that initiated events resulting in death) LAST. c. _____ DUE TO (OR AS A CONSEQUENCE OF)

d. _____

30. PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RESULTING IN THE UNDERLYING CAUSE IN PART I. ☐ Tobacco ☐ Other

31. IF DECEASED WAS FEMALE 10-49, WAS SHE PREGNANT IN THE LAST 90 DAYS? ☐ Yes ☐ No ☐ Unk.

32A. WAS AN AUTOPSY PERFORMED? ☐ Yes ☐ No

32B. WERE AUTOPSY FINDINGS AVAILABLE PRIOR TO COMPLETION OF CAUSE OF DEATH? ☐ Yes ☐ No

SPECIMEN

PHS 18 - (REV. 01/83)

OFFICE OF PUBLIC HEALTH - VITAL RECORDS REGISTRY

IMPORTANT: [illegible] T605110

CERTIFICATE OF LIVE BIRTH

STATE OF LOUISIANA

BIRTH NO. 117

THIS CHILD	1A. CHILD'S LAST NAME	1B. FIRST NAME	1C. SECOND NAME	2A. DATE OF BIRTH MONTH DAY YEAR
	2B. HOUR OF BIRTH M	3. SEX	4A. PLURALITY (Specify Single, Twin, Etc.)	4B. IF NOT SINGLE BIRTH SPECIFY FIRST BORN, SECOND, ETC. / 5. BIRTH WEIGHT
PLACE OF BIRTH	6A. PLACE OF BIRTH (City, Town, or Location)	6B. PARISH OF BIRTH	6C. PLACE OF BIRTH	
	6D. NAME OF HOSPITAL OR INSTITUTION		6E. PLACE OF BIRTH INSIDE CITY LIMITS (Specify Yes or No)	
USUAL RESIDENCE OF MOTHER	7A. USUAL RESIDENCE OF MOTHER (City, Town or Location)	7B. PARISH	7C. STATE	7D. ZIP
	7E. STREET ADDRESS		7F. IS RESIDENCE INSIDE CITY LIMITS? (Specify Yes or No)	
FATHER OF CHILD	8A. FATHER'S LAST NAME	8B. FIRST NAME	8C. SECOND NAME	8D. CITY AND STATE OF BIRTH / DATE OF BIRTH MONTH DAY YEAR
MOTHER OF CHILD	9A. MOTHER'S MAIDEN NAME	9B. FIRST NAME	9C. SECOND NAME	9D. CITY AND STATE OF BIRTH / DATE OF BIRTH MONTH DAY YEAR
INFORMANT'S CERTIFICATION	I certify that the above stated information is true and correct to the best of my knowledge.	10. SIGNATURE OF INFORMANT	Parent [ ] Other [ ]	11. DATE OF CERTIFICATION
	12A. ADDRESS OF INFORMANT			12B. RELATION TO CHILD
ATTENDANT'S CERTIFICATION	I certify that I attended this birth and that the child was born alive on the date stated above.	13. SIGNATURE AND ADDRESS OF ATTENDANT	M.D. D.O. C.N.M. OTHER MIDWIFE OTHER SPECIFY	14. DATE OF SIGNATURE
REGISTRAR'S CERTIFICATION	15A. DATE ACCEPTED BY LOCAL REGISTRAR	15B. SIGNATURE OF LOCAL REGISTRAR		15C. DATE FILED BY STATE REGISTRAR
SOCIAL SECURITY NO.	16. YES [ ] NO [ ] DO YOU WANT A SOCIAL SECURITY NUMBER FOR THIS CHILD?			

SPECIMEN

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

17. OF HISPANIC ORIGIN	18. RACE	19. AGE (Specify below)	20. EDUCATION
17A. FATHER	18A. FATHER	19A. FATHER	20A. FATHER
17B. MOTHER	18B. MOTHER	19B. MOTHER	20B. MOTHER

T605110

21. PREGNANCY HISTORY (Complete each section)		22. MOTHER MARRIED?	23. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
LIVE BIRTHS (Do not include this child)	OTHER TERMINATIONS	24. MONTH OF PREGNANCY PRENATAL CARE BEGAN	25. PRENATAL VISITS — Total Number (If none, so state)
21A. Now Living Number ___ / 21B. Now Dead Number ___	21D. (Specify zero if none) Number ___	26. CLINICAL ESTIMATE OF GESTATION (Weeks)	27. APGAR SCORE: 27A. 1 Minute / 27B. 5 Minutes
21C. DATE OF LAST LIVE BIRTH (Month, Year)	21E. DATE OF LAST OTHER TERMINATION (Month, Year)	28A. MOTHER TRANSFERRED PRIOR TO DELIVERY	
28B. INFANT TRANSFERRED?		29. DID CHILD DIE IN FACILITY?	35. CONGENITAL ANOMALIES OF CHILD (Check all that apply)

30A. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply) — 01–17, Other (Specify)

32. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply) — 01–15, Other (Specify)

30B. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)

Tobacco use during pregnancy .... Yes [ ] No [ ]

Average number of cigarettes per day ____

Alcohol use during pregnancy .... Yes [ ] No [ ]

Average number of drinks per week ____

Weight gained during pregnancy ____ lbs.

33. METHOD OF DELIVERY (Check all that apply) — 01–06

31. OBSTETRIC PROCEDURES (Check all that apply) — 01–07, Other (Specify)

34. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) — 01–09, Other (Specify)

35. (continued) — 01–22, Other (Specify)

36A. Mother's Social Security Number

36B. Father's Social Security Number

[illegible]

CONTENTS

INTRODUCTION ..... i - x
Summary of Vital Events in 1991 ..... xi - xii
Miscelaneous ..... xiii - xx
New Tables ..... xxi - xxxvi
Healthy People 2000 ..... Appendix

TABLES

PAGE NO.

NATALITY:

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence by Age and Race of Mother:
- By Parish and City 1
- By State Planning District and Health Service Area 9

Live Births by Mother's Usual Residence by Attendant, Race of Mother, and Sex of Child:
- By Parish and City of Residence 10
- By State Planning District and Health Service Area 16

Live Births and Immature Live Births by Hospital of Birth and Race 17

Percent of Live Births Under 2500 grams by Mother's Age, Residence, and Race of Child:
- By Parish and City of Residence 21
- By State Planning District and Health Services Area 29

Birth Weights Under 1500 and Under 2500 Grams as a Percentage of Total Births, by Race of Mother and Sex of Child:
- By Parish and City of Residence 30
- By State Planning District and Health Service Area 35

Live Births by Live Birth Order and Weight of Child, Louisiana Residents 36

Number and Percentage of Live Births by Weight Group, Race of Mother and Sex of Child, Louisiana Residents 36

Live Births by Birth Weight, Age of Mother, and Race of Mother Louisiana Residents 37

Live Births by Birth Order, Age and Race of Mother 38

Congenital Anomalies Specified on Birth Certificates, by Type of Anomaly and Age of Mother, Louisiana Residents 39

Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence, by Age and Race of Mother:
- By Parish and City 40
- By State Planning District and Health Service Area 48

Percent of Live Births Born to Unmarried Mothers by Age Residence and Race of Mother:
- By Parish and City of Residence 49
- By State Planning District and Health Service Area 57

PAGE NO.

FETAL MORTALITY:

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence, by Age and Race of Mother:
- By Parish and City 58
- By State Planning District and Health Service Area 66

Stillbirths by Selected Cause, Age and Race of Mother, Louisiana, Residents 67

Induced Terminations of Pregnancy by Weeks of Gestation, Race, Age and Marital Status, Occurring in Louisiana 70

Induced Terminations of Pregnancy by Weeks of Gestation and Type of Procedure, Occurring in Louisiana 71

Induced Terminations of Pregnancy by Reason for Abortion and Age, Occurring in Louisiana 71

MORTALITY:

Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Decedent's Usual Residence by Race, Sex, and Age:
- By Parish 72
- By State Planning Districts 82
- By Health Service Area 83

Hospital of Death, by Age at Death 86

Principal Causes of Death by Parish of Residence 93

Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race and Age, Louisiana Residents 95

Accidental Deaths Occurring in Louisiana, by Type and Location of Accident 107

Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence by Race of Child and Age at Death:
- By Parish 109
- By State Planning Districts and Health Service Areas 117

Infant Mortality Rates by Place of Residence, by Age at Death and Race:
- By Parish and City of Residence 118
- By State Planning District and Health Service Areas 126

Five Year Average Infant Mortality Rates, by Age at Death and Race:
- By Parish and City of Residence 127
- By State Planning District and Health Service Areas 135

Infant Deaths (Exclusive of Stillbirths) by Selected Causes, Sex, Race, and Age, Louisiana Residents 136

Maternal Deaths by Place of Occurrence, Reallocated to Mother's Usual Residence and by Race and Age of the Mother 144

Maternal Deaths by Cause, by Race and Age, Louisiana Residents 145

PAGE NO.

MORBIDITY:

Reportable Diseases by Parish of Residence 146
Reportable Diseases by Race and Age 152

MARRIAGE AND DIVORCE:

Marriages, Final Divorces, and Annulments Granted by Parish 157
Marriages by Month of Occurrence 158
Marriages by Race of Bride, by Race of Groom 158
Marriages by Previous Marital Status of Bride and Groom 158
Marriages by Age of Bride, and by Age of Groom 159

Introduction

"A vital statistics law is conceded the most fundamental health law that any state can enact... Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]". (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920-21).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Hospitals, Office of Public Health. Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Division of Records and Statistics, but there are many exceptions to this rule. Records of vital events occurring outside the State to resident of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications; and intercensal population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be close to 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 31 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are not as complete. Vital Records does not receive certificates from all Clerks of Court at present.

CAUSE OF DEATH CODING

CLASSIFICATION SYSTEM

World Health Organizatien regulations specify that member nations classify cause-of-death in accordance with the current revision of the International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD-9, has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as: " (a) the disease of injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"1.

Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in tables on pages viii and ix. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed detailed description of the construction of the ratios and a brief summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by

---

1. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357.

the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120 Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE OF DEATH RANKING

Cause of death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Oranization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Ill-defined Conditions"are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in the year designated to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g."tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

EXPLANATORY NOTES

MISSING DATA

Allocation have been made in this report when the following data items are missing:

1. "Sex" is allocated male or female depending on whether the last digit of the record identification number is even or odd , except in the case of death where the underlying cause is sex specific.

2. "Race" is allocated depending on the last digit of the record identification number, giving a 70% chance for white and 30% chance for black.

3. "Parish of Residence" is assumed to be "Parish of Occurrence" when residence parish is missing for infants dying under 1 year of age.

CITIES LOCATED IN TWO PARISHES

The following cities span parish boundaries:

1. Bossier City-
   Primarily in Bossier Parish, partly in Caddo Parish.

2. Shreveport-
   Primarily in Caddo Parish, partly in Bossier Parish.

3. Eunice-
   Primarily in St. Landry Parish partly in Acadia Parish.

4. De Ridder-
   Primarily in Beauregard Parish, partly in Vernon Parish.

In this report, the city is reported as a single entity in the primary parish and all events are allocated to that city. However, at the parish level the event is allocated to the actual parish. As an illustration, if a birth occurs in that portion of Shreveport in Bossier Parish, it is reported in the Shreveport city count printed below Caddo Parish, but is not included in the Caddo Parish birth count. It is included in the Bossier Parish birth count. There is a possibility that this reallocation may show more events in a city than in the parish where the city is primarily located.

WEIGHT EQUIVALENTS

Equivalents of the grams weight in terms of pounds and ounces are show in the following tables:

Under 500 grams = 1 pound 1ounce or less
500-999 grams = 1 pound 2 ounces - 2 pounds 3 ounces
1,000-1,499 grams = 2 pounds 4 ounces - 3 pounds 4 ounces
1,500-1,999 grams = 3 pounds 5 ounces - 4 pounds 6 ounces
2,000-2,499 grams = 4 pounds 7 ounces - 5 pounds 8 ounces
2,500-2,999 grams = 5 pounds 9 ounces - 6 pounds 9 ounces
3,000-3,499 grams = 6 pounds 10 ounces - 7 pounds 11 ounces
3,500-3,999 grams = 7 pounds 12 ounces - 8 pounds 13 ounces
4,000-4,499 grams = 8 pounds 14 ounces - 9 pounds 14 ounces
4,500-4,999 grams = 9 pounds 15 ounces - 11 pounds 0 ounces
5,000 grams or more = 11 pounds 1 ounce or more

COMPARABILITY OF NATIONAL AND STATE DATA

Number and rates published in state tables by the National Center for Health Statistics (NCHS) may vary slightly from data compiled by Louisiana Department of Health and Hospitals due to differences in editing of the data.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. Tables that include race classification are tabulated by white, black and other, where other includes all races not white or black. Beginning in 1989, birth data is being presented by race of mother rather than inferred race of child. This change make little difference in Louisiana.

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definte movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing under 2,500 grams (< 5 pounds 8 ounces) regardless of length of gestation.

PREMATURE BIRTH: a live birth, which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life. (The term "fetal death" was defined on an all-inclusive basis to end confusion arising from use of such terms as stillbirth, abortion, and miscarriage.)

SPONTANEOUS FETAL DEATH: a fetal death which is not an induced termination of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported on a Stillbirth certificate.

INDUCED TERMINATION OF PREGNANCY (INDUCED ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HEBDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium".

RATES AND RATIOS

BIRTH RATE = $\frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$

IMMATURE BIRTH RATIO = $\frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATIO = $\frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATE = $\frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$

FERTILITY RATE = $\frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$

AGE SPECIFIC FERTILITY RATE = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 *

* If divided by 1,000, the total fertility rate is an approximation of completed family size per woman (if, throughout their reproductive period, women were to experience the same age specific birthrates that were observed in the childbearing population in the current year.)

STILLBIRTH RATIO	=	number of reportable stillbirths / total number of live births	X	1,000 (or 100,000, as specified)
DEATH RATE	=	number of deaths / estimated population	X	1,000 (or 100,000, as specified)
AGE SPECIFIC DEATH RATE	=	number of deaths in specific age group / estimated population in that age group	X	1,000 (or 100,000 as specified)
AGE ADJUSTED DEATH RATE (Direct Method)	=	total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted) / total standard population	X	1,000 (or 100,000 as specified)
INFANT MORTALITY RATE	=	number of deaths under 1 year of age / total number of live births	X	1,000 (or 100,000 as specified)
HEBDOMADAL MORTALITY RATE	=	number of deaths under 7 days of age / total number of live births	X	1,000
NEONATAL MORTALITY RATE	=	number of deaths under 28 days of age / total number of live births	X	1,000
PERINATAL MORTALITY RATE	=	stillbirths + deaths of infants under 7 days old / total number of live births + stillbirths	X	1,000
MATERNAL MORTALITY RATE	=	number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium / total number of live births	X	100,000**

** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

Availability of Additional Data

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office.

Public use tapes (all identifiers removed) of birth and death data for 1965-1990 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

PUBLIC HEALTH STATISTICS
P. O. BOX 60630
NEW ORLEANS, LA 70160
or
Phone: (504) 568-5337

(*) COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 72 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis 004,006	54	56	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections 007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis 010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system 010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis 013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough 033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas 034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection 036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia 038	6,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis 045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles 055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis 070	783	567	1.3968	0.0820	5.9	1.5583	1.2179
Syphilis 090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-068,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-208	370,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx 140-149	8,209	8,114	1.0117	0.0067	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum 150-159	100,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs 160-165	91,191	91,121	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast 174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs 179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs 188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites 170-173,190-199	43,938	46,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia 204-208	15,161	15,054	1.0070	0.0054	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues 200-203	19,205	20,463	0.9385	0.0089	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature 210-239	5,703	4,719	1.2085	0.0781	2.2	1.2589	1.1575
Diabetes mellitus 250	34,478	34,508	0.9991	0.0067	0.9	1.0162	0.9820
Nutritional deficiencies 260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias 280-285	2,954	3,182	0.9286	0.0124	1.3	0.9538	0.9054
Meningitis 320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases 390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart 390-398,402,404-429	722,999	723,878	1.0128	0.0039	0.4	1.0202	1.0060
Rheumatic fever and rheumatic heart disease 390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease 402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease 404	4,872	4,020	1.2119	0.0438	3.6	1.2979	1.1260
Ischemic heart disease 410-414	587,520	646,072	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction 410	319,562	315,477	1.0003	0.0064	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease 411	4,924	4,028	1.2224	0.0681	5.4	1.3519	1.0929
Angina pectoris 413	195	186	1.0484	0.0686	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease 412,414	342,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium 424	5,184	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease 415-423,425-429	134,701	49,810	3.9035	0.0757	1.9	3.9539	3.4531
Hypertension with or without renal disease 401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases 430-438	189,593	186,823	1.0049	0.0068	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage 431-432	34,789	34,845	0.9960	0.0068	0.7	1.0102	0.9838
Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism 434.1	926	826	1.1211	0.0824	8.2	1.3022	0.9400
All other and late effects of cerebrovascular disease 430,433,436 438	117,530	118,148	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis 440	31,273	29,366	1.0649	0.0244	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries 441-448	18,563	26,432	0.7409	0.0289	1.3	0.7900	0.7218
Acute bronchitis and bronchiolitis 466	758	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza 480-487	97,315	91,866	0.9364	0.0067	0.7	0.9384	0.9134
Pneumonia 480-486	49,663	53,989	0.9199	0.0078	0.8	0.9347	0.9051
Influenza 487	7,862	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary disease and allied conditions 490-496	46,002	34,410	1.3846	0.0190	0.8	1.3141	1.3551
Bronchitis, chronic and unspecified 490-491	4,353	4,839	0.8363	0.0134	1.4	0.8646	0.8120
Emphysema 492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma 493	2,875	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions 494-496	21,388	[4]	[4]	[4]	[4]	[4]	[4]
Ulcer of stomach and duodenum 531-533	7,194	6,438	1.1182	0.0347	3.3	1.1875	1.0709
Appendicitis 540-543	754	762	1.0080	0.0284	2.8	1.0867	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560	5,583	5,919	0.9432	0.0189	1.8	0.9782	0.9102

See footnotes at end of table.

Reprint (continued)

(*) COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES—Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Chronic liver disease and cirrhosis 571	31,799	31,463	1.0110	0.0089	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder 574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis 580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome 580-581	425	1,758	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified 582-583,587	3,260	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause 584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney 590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate 600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium 630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome 630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium 640-676	368	374	0.9840	0.0464	4.8	1.0729	0.8951
Congenital anomalies 740-759	12,981	13,092	0.9884	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period 760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome 767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period 760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions 780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents E810-E825	47,567	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects E800-E807,E826-E949	52,887	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes E980-E999	4,811	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1] Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2] Ratio of deaths assigned according to the *Ninth Revision* to deaths assigned according to the *Eighth Revision*.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0854, with a standard error of 0.0118, a relative error of 1.1 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

(*) COMPARABILITY RATIOS FOR 18 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 5 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	48,288	48,288	1.0000	...	...	...	...
Certain gastrointestinal diseases 008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza 480-487	1,485	1,981	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies 740-759	8,404	8,346	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight 765	3,630	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma 767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia 768	1,177	3,598	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome 769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period 760-764,766,770-779	13,089	18,278	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome 798.0	4,334	...	...	...	...	...	...
All other causes Residual	6,791	12,431	0.5466	0.0081	1.1	0.5573	0.5358

[1] Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2] Ratio of deaths assigned according to the *Ninth Revision* to deaths assigned according to the *Eighth Revision*.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

(*) SOURCE: Reprint from Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Vol 28, No. 11, Supp. pp. 12-13. Hyattsville, MD., National Center for health Statistics.

Preliminary Estimates of The Population of Louisiana Parishes

The parish population estimates which appear on the following pages were prepared by the Research Division, College of Administration and Business, Louisiana Tech University. They were based on an average of (1) the regression (ratio - correlation) method, using a series of data including resident births, deaths, and school enrollment (grades 1 through 8); and (2) The administrative - records method, which utilizes Federal tax data, resident birth and death data, and data on medicare enrollees.

A detailed description of the methodology can be obtained from:

LOUISIANA TECH UNIVERSITY
Division of Business and Economic Research
College of Administration and Business
P.O Box 10318
Ruston, Louisiana 71272

Telephone (318) 257-3701

SUMMARY OF VITAL EVENTS IN 1991

LIVE BIRTHS

Since 1987, the number of births has followed a moderately decreasing trend, with 73,887 in 1988, 72,639 in 1989, 72,121 in 1990, and 72,080 in 1991. Between the time period 1979-81 and 1989-91 Louisiana's General Fertility Rate decreased from 80.8 to 71.7 per 1000 female population between 15-44 years old. Louisiana's Total Fertility Rate was 2.1 per women during the same time period. NOTE: Louisiana revised the birth certificate in 1989. The major impact of this revision on this report is in TABLE X "Congenital Anomalies". Prior to the revision, space was left on the certificate for writing which anomalies were noted. The new certificate uses a check box system with the check boxes the same as those listed in TABLE X. Please note that prior year congenital anomaly data are not directly comparable to these data. The result of this change has approximately doubled the number of anomalies reported.

FETAL DEATHS

REPORTABLE SPONTANEOUS TERMINATION OF PREGNANCY (STILLBIRTH)

There were 594 reported stillbirths in 1991, or 8.2 stillbirths per 1,000 live births.

INDUCED TERMINATION OF PREGNANCY (INDUCED ABORTION)

12,190 induced abortions were reported performed in Louisiana in 1991, or approximately 1 induced abortion for every 6 resident live births.

DEATHS

38,092 Louisiana resident deaths were recorded in 1991. NOTE: the Louisiana death certificate was revised in 1989. This revision included adding a fourth line for conditions leading to death in the cause of death portion of the certificate. This additional line increased the number of deaths with diabetes (ICD-9 250) as underlying cause approximately 50%, from 836 in 1988 to 1,232 in 1989. Interestingly, the increase in diabetes related mortality (any mention of diabetes on the death certificate) increased only slightly. The increase in deaths with diabetes as an underlying cause has been noted by other states who revised their certificates in the same way. One other underlying cause of death, other peripheral vascular disease (ICD-9 443), was also definitely increased by this change. Possibly increased are ICD-9 331 (other cerebral degeneration) and ICD-9 515 (postinflammatory pulmonary fibrosis).

INFANT DEATHS

754 Louisiana infants under 1 year of age died in 1991. The 1991 infant mortality rate was 10.5 deaths per 1,000 live births in 1991. National rates were 9.8 in 1989 and 9.2 in 1990.

MATERNAL DEATHS

12 maternal deaths were reported in 1991 (16.7 deaths per 100,000 live births). Comparable national rate was 7.9 in 1991.

REPORTABLE DISEASES

AIDS cases are no longer be reported by Public Health Statistics. Please call HIV/AIDS services at (504) 568-5508 for information.

MARRIAGES

39,161 marriages were recorded in 1991.

Table A
Preliminary July 1, 1991 Population Estimates for Louisiana Parishes

PARISH	POPULATION	PARISH	POPULATION
Acadia	56,370	Madison	12,495
Allen	21,669	Morehouse	32,118
Ascension	59,009	Natchitoches	36,948
Assumption	22,883	Orleans	497,230
Avoyelles	39,215	Ouachita	142,813
Beauregard	30,303	Plaquemines	25,660
Bienville	16,032	Point Coupee	22,609
Bossier	87,266	Rapides	132,468
Caddo	249,528	Red River	9,385
Calcasieu	169,644	Richland	20,686
Caldwell	9,834	Sabine	22,755
Cameron	9,289	St. Bernard	66,901
Catahoula	11,126	St. Charles	42,825
Claiborne	17,380	St. Helena	9,912
Concordia	20,964	St. James	21,163
DeSoto	25,473	St. John	40,532
East Baton Rouge	383,983	St. Landry	80,591
East Carroll	9,728	St. Martin	44,423
East Feliciana	19,362	St. Mary	58,644
Evangeline	33,501	St. Tammany	148,137
Franklin	22,496	Tangipahoa	87,022
Grant	17,540	Tensas	7,049
Iberia	68,875	Terrebonne	97,824
Iberville	31,169	Union	20,814
Jackson	15,713	Vermilion	50,197
Jefferson	451,543	Vernon	62,509
Jefferson Davis	30,863	Washington	43,322
Lafayette	166,729	Webster	42,104
Lafourche	86,737	West Baton Rouge	19,576
LaSalle	13,726	West Carroll	12,133
Lincoln	42,075	West Feliciana	12,920
Livingston	71,478	Winn	16,292
		STATE TOTAL	4,251,560

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

Table B
LOUISIANA RESIDENT DATA
1941 - 1991

YEAR	BIRTHS	DEATHS	INFANT DEATHS	STILL-BIRTHS	MATERNAL DEATHS	POPULATION (*) (in thousands)
1941	54396	23656	3155	NA	229	2484
1942	57912	22702	2808	NA	190	2546
1943	60770	23230	2738	NA	180	2565
1944	60260	23045	2808	1750	180	2508
1945	57363	21779	2474	1674	135	2429
1946	68549	21858	2549	1838	130	2556
1947	74166	23197	2762	1993	145	2579
1948	73104	23459	2773	1858	120	2596
1949	75302	23203	2809	1813	93	2634
1950	76108	23580	2617	1738	69	2697
1951	80256	24593	2615	1833	78	2769
1952	80476	24551	2664	1744	79	2842
1953	84108	25159	2740	1783	66	2866
1954	86225	24208	2600	1661	64	2883
1955	86031	24191	2718	1661	43	2946
1956	89333	26069	2719	1654	46	3032
1957	90786	28044	2929	1584	56	3115
1958	90175	28623	3112	1618	58	3155
1959	90814	28118	2986	1554	57	3208
1960	90126	29628	2881	1484	41	3260
1961	88892	28700	2689	1468	35	3287
1962	88005	30321	2747	1483	35	3345
1963	85334	30913	2590	1494	41	3377
1964	86060	31413	2562	1540	41	3446
1965	79533	34113	2429	1327	43	3496
1966	77223	32457	2225	1243	29	3550
1967	75199	31643	1990	1172	40	3581
1968	74098	34288	1882	1097	24	3603
1969	74770	33760	1837	1114	29	3619
1970	74615	33386	1811	972	27	3645
1971	73014	33081	1614	1010	18	3710
1972	68340	34292	1432	891	19	3762
1973	66413	34989	1365	842	13	3788
1974	65880	33618	1237	810	10	3820
1975	67792	33627	1235	764	13	3886
1976	69678	34512	1241	790	15	3951
1977	74989	34625	1359	877	9	4014
1978	74831	35172	1303	845	14	4069
1979	79183	34648	1230	857	11	4138
1980	82114	35544	1175	841	8	4206
1981	82167	35985	1129	800	13	4300
1982	84531	35744	1094	860	7	4383
1983	82416	36334	1108	767	6	4441
1984	81428	35865	984	745	6	4461
1985	81401	37041	966	764	9	4486
1986	77944	36287	925	680	6	4501
1987	73952	36428	870	605	6	4461
1988	73887	37582	808	632	10	4420
1989	72639	37503	834	627	12	4381
1990	72121	37375	796	627	8	4219
1991	72080	38092	754	594	12	4252

(*) SOURCE: U.S. Department of Commerce, Bureau of Census, Population Reports, Series P-25.-

Table C

(*) Live births by race of mother and of child, birth rates, and fertility rates by race and Hispanic origin of mother: United States, each division and State, 1990

[By place of residence. Birth rates per 1,000 enumerated population in each area; fertility rates per 1,000 women aged 15–44 years enumerated in each area]

Division and State	Number					Birth rate	Fertility rate			
		Race of mother		Race of child				Race of mother		
	All races[1]	White	Black	White	Black		All races[1]	White	Black	Hispanic origin[2]
United States	4,158,212	3,290,273	684,336	3,225,343	724,576	16.7	70.9	68.3	86.8	107.7
New England	201,173	178,444	16,765	175,316	18,985	15.2	62.8	60.6	93.7	103.5
Maine	17,359	17,019	96	16,863	183	14.1	60.5	60.3	88.6	72.6
New Hampshire	17,569	17,278	113	17,120	184	15.8	64.1	64.3	62.1	---
Vermont	8,273	8,203	21	8,166	38	14.7	60.5	60.8	45.1	29.4
Massachusetts	92,654	79,947	9,013	78,275	10,248	15.4	62.4	59.2	101.8	108.4
Rhode Island	15,195	13,374	1,158	13,105	1,341	15.1	63.6	60.3	105.5	127.0
Connecticut	50,123	42,623	6,364	41,787	7,011	15.2	64.2	62.0	83.7	93.8
Middle Atlantic	591,826	458,589	111,956	450,136	118,737	15.7	67.1	64.5	81.7	90.7
New York	297,576	220,726	63,315	216,808	66,340	16.5	69.1	67.4	77.9	91.1
New Jersey	122,289	94,352	23,097	92,610	24,504	15.8	67.0	64.6	81.8	87.4
Pennsylvania	171,961	143,511	25,544	140,718	27,893	14.5	63.9	60.5	92.8	97.2
East North Central	675,512	544,621	117,879	536,696	123,546	16.1	68.6	64.8	94.3	99.5
Ohio	166,913	139,183	25,955	137,060	27,678	15.4	65.9	63.0	89.0	70.0
Indiana	86,214	75,777	9,473	74,640	10,294	15.6	66.5	64.6	86.2	77.3
Illinois	195,790	147,241	43,320	144,789	45,164	17.1	73.0	68.3	98.2	110.5
Michigan	153,700	119,108	31,957	117,515	32,900	16.5	69.4	65.1	93.5	88.0
Wisconsin	72,895	63,312	7,174	62,692	7,510	14.9	64.7	61.0	110.3	86.2
West North Central	270,331	238,954	22,066	235,439	24,138	15.3	67.6	65.1	97.8	83.1
Minnesota	68,013	61,968	2,579	61,015	3,103	15.5	66.3	63.8	109.9	83.0
Iowa	39,409	37,692	1,048	37,356	1,277	14.2	64.8	64.1	91.3	82.0
Missouri	79,260	64,635	13,569	63,750	14,115	15.5	68.0	64.1	96.8	84.3
North Dakota	9,250	8,347	80	8,216	119	14.5	66.1	63.4	99.0	107.2
South Dakota	10,999	9,172	69	8,964	135	15.8	73.8	67.4	111.5	92.5
Nebraska	24,380	22,391	1,379	22,094	1,552	15.4	69.1	67.6	95.9	93.7
Kansas	39,020	34,749	3,342	34,044	3,837	15.7	70.3	68.8	96.6	90.8
South Atlantic	700,285	483,865	201,386	476,146	207,214	16.1	68.0	62.8	85.4	76.6
Delaware	11,113	8,360	2,583	8,248	2,674	15.7	68.9	65.3	86.1	83.9
Maryland	80,245	52,434	24,873	50,963	26,018	16.8	67.2	64.2	74.3	74.3
District of Columbia	11,850	1,827	9,083	1,736	9,150	19.5	71.7	31.8	87.7	94.4
Virginia	99,352	72,304	23,877	71,148	24,744	16.1	64.7	61.3	78.9	79.5
West Virginia	22,585	21,594	863	21,473	964	12.6	56.1	55.8	67.2	36.7
North Carolina	104,525	71,154	30,766	69,834	31,651	15.8	65.5	60.5	80.4	99.3
South Carolina	58,610	35,614	22,420	35,226	22,699	16.8	69.7	63.3	83.4	74.2
Georgia	112,666	70,571	40,505	69,655	41,260	17.4	69.7	63.2	85.6	86.8
Florida	199,339	150,007	46,416	147,863	48,054	15.4	71.5	65.7	103.2	74.4
East South Central	236,374	168,864	65,312	167,494	66,330	15.6	66.3	60.9	86.2	50.6
Kentucky	54,362	48,857	5,098	48,511	5,371	14.8	62.8	61.8	77.4	52.3
Tennessee	74,962	56,610	17,595	55,999	18,045	15.4	64.8	60.2	86.1	54.2
Alabama	63,487	41,100	21,867	40,834	22,046	15.7	67.3	60.9	84.7	57.2
Mississippi	43,563	22,297	20,752	22,150	20,868	16.9	72.9	61.5	90.5	30.4
West South Central	472,721	372,705	86,684	366,069	90,159	17.7	74.7	72.9	86.0	107.0
Arkansas	36,457	27,502	8,505	27,151	8,684	15.5	70.1	65.2	93.7	89.5
Louisiana	72,192	41,251	29,720	40,730	30,015	17.1	72.1	62.7	90.8	41.8
Oklahoma	47,649	37,800	5,100	35,628	5,540	15.1	67.5	65.2	88.2	---
Texas	316,423	266,152	43,359	262,560	45,920	18.6	77.2	77.1	81.5	108.5
Mountain	242,829	216,405	8,265	212,366	10,169	17.8	76.4	74.7	89.2	101.7
Montana	11,613	10,030	37	9,675	75	14.5	65.9	61.5	81.5	103.1
Idaho	16,433	15,952	43	15,759	92	16.3	74.2	74.4	62.2	124.9
Wyoming	6,985	6,578	67	6,474	107	15.4	67.4	66.0	81.0	84.8
Colorado	53,525	49,012	2,887	48,131	3,398	16.2	65.9	65.1	85.5	89.2
New Mexico	27,402	22,603	537	22,150	779	18.1	77.7	73.7	75.4	87.6
Arizona	68,995	59,206	2,567	58,134	3,174	18.8	82.3	79.7	94.3	118.7
Utah	36,277	34,445	220	33,941	386	21.1	92.0	91.6	83.5	102.4
Nevada	21,599	18,579	1,907	18,102	2,158	18.0	77.6	77.0	94.5	111.1
Pacific	767,161	627,826	54,023	605,681	65,298	19.6	81.8	82.9	84.2	127.8
Washington	79,251	70,666	2,908	68,237	4,146	16.3	68.7	68.3	80.3	113.3
Oregon	42,891	39,903	919	38,887	1,261	15.1	66.1	65.6	85.4	119.5
California	612,628	502,976	48,967	486,252	58,215	20.6	85.3	87.7	84.1	128.4
Alaska	11,902	8,085	535	7,619	716	21.6	86.3	76.0	94.3	74.7
Hawaii	20,489	6,196	674	4,686	960	18.5	79.2	68.0	104.4	124.3

[1] Includes races other than white and black.
[2] Persons of Hispanic origin may be of any race.

NOTE: Data by Hispanic origin not available for New Hampshire and Oklahoma, which did not report Hispanic origin of mother on the birth certificate.

(*) SOURCE: National Center for Health Statistics: Advance Report of Final Natality Statistics, 1990. Monthly Vital Statistics Report Vol. 41, No. 9, Supp. Table 6, p. 24 DHHS, Pub No. (PHS) 92-1120, Public Health Service, Hyattsville Md., February 25, 1993.

Table D

(*) Number and percent of births of low birth weight, by race of mother and of child: United States and each State, 1990

[By place of residence]

State	Number[1]					Percent[1]				
		Race of mother		Race of child			Race of mother		Race of child	
	All races[2]	White	Black	White	Black	All races[2]	White	Black	White	Black
United States	289,418	187,179	90,523	182,785	93,465	7.0	5.7	13.3	5.7	12.9
Alabama	5,334	2,546	2,758	2,531	2,768	8.4	6.2	12.6	6.2	12.6
Alaska	575	325	58	304	68	4.8	4.0	10.9	4.0	9.5
Arizona	4,375	3,645	294	3,575	335	6.4	6.2	11.5	6.2	10.6
Arkansas	2,986	1,825	1,120	1,796	1,135	8.2	6.6	13.2	6.6	13.1
California	35,558	25,783	6,097	24,758	6,720	5.8	5.1	12.5	5.1	11.5
Colorado	4,283	3,662	456	3,585	501	8.0	7.5	15.8	7.5	14.8
Connecticut	3,309	2,410	833	2,347	893	6.6	5.7	13.1	5.6	12.7
Delaware	849	493	345	487	352	7.6	5.9	13.4	5.9	13.2
District of Columbia	1,785	133	1,589	126	1,597	15.1	7.3	17.5	7.3	17.5
Florida	14,813	8,822	5,781	8,682	5,899	7.4	5.9	12.5	5.9	12.3
Georgia	9,747	4,352	5,273	4,272	5,343	8.7	6.2	13.0	6.1	13.0
Hawaii	1,445	347	82	260	107	7.1	5.6	12.2	5.5	11.1
Idaho	928	897	5	879	9	5.7	5.6	*	5.6	*
Illinois	14,785	8,148	6,270	7,949	6,435	7.6	5.5	14.5	5.5	14.3
Indiana	5,648	4,401	1,178	4,313	1,246	6.6	5.8	12.5	5.8	12.1
Iowa	2,124	1,950	136	1,927	152	5.4	5.2	13.0	5.2	11.9
Kansas	2,435	1,982	400	1,947	422	6.2	5.7	12.0	5.7	11.0
Kentucky	3,838	3,197	611	3,172	629	7.1	6.6	12.0	6.5	11.7
Louisiana	6,650	2,462	4,110	2,435	4,126	9.2	6.0	13.8	6.0	13.8
Maine	892	872	4	869	5	5.1	5.1	*	5.2	*
Maryland	6,229	2,821	3,224	2,699	3,310	7.8	5.4	13.0	5.3	12.8
Massachusetts	5,417	4,216	947	4,105	1,028	5.9	5.3	10.5	5.3	10.0
Michigan	11,586	6,740	4,681	6,635	4,743	7.6	5.7	14.7	5.7	14.5
Minnesota	3,437	2,875	352	2,812	394	5.1	4.6	13.7	4.6	12.7
Mississippi	4,159	1,458	2,673	1,444	2,682	9.6	6.5	12.9	6.5	12.9
Missouri	5,637	3,769	1,807	3,708	1,852	7.1	5.8	13.3	5.8	13.1
Montana	715	626	4	603	5	6.2	6.2	*	6.2	*
Nebraska	1,287	1,095	183	1,078	171	5.3	4.9	11.8	4.9	11.0
Nevada	1,563	1,206	269	1,181	279	7.2	6.5	14.1	6.5	12.9
New Hampshire	863	842	10	833	12	4.9	4.9	*	4.9	*
New Jersey	8,489	5,148	3,002	5,005	3,127	7.0	5.5	13.0	5.4	12.8
New Mexico	2,016	1,683	64	1,637	92	7.4	7.5	12.0	7.4	11.9
New York	22,568	13,251	8,444	12,980	8,666	7.6	6.0	13.4	6.0	13.1
North Carolina	8,344	4,207	3,947	4,111	4,013	8.0	5.9	12.8	5.9	12.7
North Dakota	506	456	4	450	7	5.5	5.5	*	5.5	*
Ohio	11,812	8,196	3,507	8,026	3,649	7.1	5.9	13.5	5.9	13.2
Oklahoma	3,106	2,291	579	2,150	609	6.6	6.1	11.5	6.1	11.1
Oregon	2,144	1,926	94	1,858	118	5.0	4.8	10.2	4.8	9.4
Pennsylvania	12,270	8,208	3,860	7,986	4,051	7.1	5.7	15.1	5.7	14.5
Rhode Island	927	754	117	738	132	6.2	5.7	10.3	5.7	10.0
South Carolina	5,107	2,184	2,883	2,154	2,901	8.7	6.1	12.9	6.1	12.8
South Dakota	557	465	5	453	7	5.1	5.1	*	5.1	*
Tennessee	6,152	3,703	2,402	3,662	2,430	8.2	6.5	13.7	6.5	13.5
Texas	21,936	15,834	5,627	15,570	5,824	6.9	6.0	13.0	5.9	12.7
Utah	2,074	1,955	28	1,920	33	5.7	5.7	12.8	5.7	8.6
Vermont	436	431	1	430	1	5.3	5.3	*	5.3	*
Virginia	7,158	4,040	2,943	3,966	2,999	7.2	5.6	12.3	5.6	12.1
Washington	4,177	3,481	337	3,367	403	5.3	4.9	11.6	4.9	9.8
West Virginia	1,599	1,477	114	1,463	126	7.1	6.8	13.2	6.8	13.1
Wisconsin	4,273	3,114	1,026	3,079	1,047	5.9	4.9	14.3	4.9	14.0
Wyoming	515	475	9	468	12	7.4	7.2	*	7.2	*

[1]Less than 2,500 grams (5 lb 8 oz).
[2]Includes races other than white and black.

(*) SOURCE: National Center for Health Statistics: Advance Report of Final Natality Statistics, 1990. Monthly Vital Statistics Report Vol. 41, No. 9, Supp. Table 14, p. 32, DHHS, Pub No. (PHS) 93-1120, Public Health Service, Hyattsville Md., February 25, 1993.

Table E
PERCENT LOW BIRTH WEIGHT(1)
BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA 1990 AND 1991, AND UNITED STATES 1990

AGE	ALL RACES(2)			WHITE			BLACK		
	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES
	1990	1991	1990	1990	1991	1990	1990	1991	1990
ALL AGES	9.3	9.4	7.0	6.0	6.2	5.7	13.9	13.8	12.9
Under 15	15.1	18.2	13.3	3.1	10.9	10.2	17.2	19.4	15.7
15-19	11.7	11.6	9.3	7.9	7.5	7.5	14.7	14.5	13.2
20-24	9.2	9.5	7.1	5.8	6.0	5.7	13.3	13.5	12.0
25-29	8.1	8.0	6.2	5.3	5.7	5.0	13.5	12.5	12.7
30-34	8.3	8.7	6.4	5.9	6.0	5.3	13.5	14.3	13.9
35-39	10.3	10.0	7.3	7.2	7.0	6.2	15.8	15.1	15.0
40 & Over	11.0	10.1	8.0	6.6	5.9	7.1	17.8	16.3	14.6

(1) Less than 2500 grams (5lb 8oz).
(2) Includes races other than white and black.

Table F

Live Birth Occurring in Charity Hospitals by Race of Child Louisiana, 1979-1991 (*)

TOTAL BIRTHS

Year and Race	Occurring in Louisiana	Occurring in Charity Hospitals	Percent of Births in Charity
1979			
Total	79344	21857	27.5
White	47934	5177	10.8
Black	30553	16335	53.5
1980			
Total	82208	21357	26.0
White	50277	5501	10.9
Black	30972	15531	50.1
1981			
Total	82177	21560	26.2
White	50455	5932	11.8
Black	30453	15226	50.0
1982			
Total	84604	25028	29.6
White	52299	7370	14.1
Black	30986	17189	55.5
1983			
Total	82394	26716	32.6
White	50172	8687	17.3
Black	30818	17389	56.4
1984			
Total	81496	26591	32.4
White	49315	8998	18.3
Black	30759	17005	55.3
1985			
Total	81649	26866	32.9
White	48765	9359	19.2
Black	31443	16963	53.9
1986			
Total	78093	25608	32.8
White	45812	8862	19.3
Black	30746	16119	52.4
1987			
Total	74312	24462	32.9
White	43078	8524	19.8
Black	29695	15239	51.3
1988			
Total	74230	23981	32.3
White	42674	7954	18.6
Black	30026	15406	51.3
1989			
Total	72639	20909	28.8
White	41140	5846	14.2
Black	30002	14526	48.4
1990			
Total	72121	18871	26.2
White	40656	4788	11.8
Black	30013	13730	45.8
1991			
Total	72080	17277	24.0
White	39903	3973	10.0
Black	30660	13006	42.4

(*)Total includes races other than white and black.

Table G

(*) Total and death rates, and infant and neonatal deaths and mortality rates for the United States, each division and State; and by race and sex, 1990

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
United States	2,148,463	863.8	38,351	9.2	24,309	5.8
Male	1,113,417	918.4	21,856	10.3	13,839	6.5
Female	1,035,046	812.0	16,495	8.1	10,470	5.2
White	1,853,254	888.0	24,883	7.8	15,751	4.8
Male	950,812	930.9	14,371	8.5	9,075	5.4
Female	902,442	846.9	10,512	6.6	6,676	4.2
All other	295,209	737.9	13,468	15.5	8,558	9.9
Male	162,605	851.5	7,485	17.0	4,764	10.8
Female	132,604	634.2	5,983	14.0	3,794	8.9
Black	265,498	871.0	12,290	18.0	7,905	11.6
Male	145,359	1008.0	6,811	19.6	4,405	12.7
Female	120,139	747.9	5,479	16.2	3,500	10.4
New England	114,551	867.4	1,457	7.2	992	4.9
Maine	11,106	904.5	108	6.2	79	4.6
New Hampshire	8,488	765.2	125	7.1	67	3.8
Vermont	4,595	816.5	53	6.4	30	3.6
Massachusetts	53,179	883.9	650	7.0	448	4.8
Rhode Island	9,576	954.3	123	8.1	89	5.9
Connecticut	27,607	839.9	398	7.9	279	5.6
Middle Atlantic	361,270	960.8	5,596	9.5	3,768	6.4
New York	168,936	939.0	2,851	9.8	1,931	6.5
New Jersey	70,383	910.5	1,102	9.0	749	6.1
Pennsylvania	121,951	1026.4	1,643	9.6	1,088	6.3
East North Central	372,874	887.6	6,814	10.1	4,370	6.5
Ohio	98,822	911.0	1,640	9.8	1,043	6.2
Indiana	49,569	894.1	831	9.6	530	6.1
Illinois	103,006	901.1	2,104	10.7	1,377	7.0
Michigan	78,744	847.1	1,841	10.7	1,075	7.0
Wisconsin	42,733	873.6	598	8.2	345	4.7
West North Central	161,089	912.2	2,279	8.4	1,361	5.0
Minnesota	34,776	794.9	496	7.3	295	4.3
Iowa	26,884	968.2	319	8.1	185	4.7
Missouri	50,377	984.5	748	9.4	451	5.7
North Dakota	5,678	888.9	74	8.0	51	8.5
South Dakota	6,326	908.9	111	10.1	59	5.4
Nebraska	14,769	935.7	202	8.3	120	4.9
Kansas	22,279	899.2	329	8.4	200	5.1
South Atlantic	392,113	900.0	7,461	10.7	4,978	7.1
Delaware	5,764	865.2	112	10.1	77	6.9
Maryland	38,413	803.4	766	9.5	502	6.3
District of Columbia	7,313	1205.0	245	20.7	180	15.2
Virginia	48,013	776.0	1,013	10.2	695	7.0
West Virginia	19,385	1080.9	223	9.9	143	6.3
North Carolina	57,315	864.7	1,109	10.6	764	7.3
South Carolina	29,715	852.2	683	11.7	465	7.9
Georgia	51,810	799.8	1,392	12.4	917	8.1
Florida	134,385	1038.7	1,918	9.6	1,235	6.2
East South Central	145,901	961.4	2,449	10.4	1,542	6.5
Kentucky	35,078	951.8	461	8.5	258	4.7
Tennessee	46,315	949.8	771	10.3	490	6.5
Alabama	39,381	974.6	688	10.8	462	7.3
Mississippi	25,127	976.5	529	12.1	332	7.6
West South Central	219,060	816.7	4,125	8.7	2,480	5.2
Arkansas	24,852	1048.7	336	9.2	195	5.3
Louisiana	37,571	890.3	799	11.1	484	6.7
Oklahoma	30,378	965.7	438	9.2	235	4.9
Texas	125,479	738.7	2,552	8.1	1,566	4.9
Mountain	97,023	710.3	2,068	8.6	1,193	4.9
Montana	6,861	858.6	105	9.0	53	4.6
Idaho	7,452	740.2	143	8.7	73	4.4
Wyoming	3,203	706.1	60	8.6	27	3.9
Colorado	21,583	655.1	472	8.8	278	5.2
New Mexico	10,625	701.3	246	9.0	145	5.3
Arizona	28,789	785.5	610	8.8	377	5.5
Utah	9,192	533.5	271	7.5	139	3.8
Nevada	9,318	775.3	181	8.4	103	4.8
Pacific	285,562	729.8	6,082	7.9	3,625	4.7
Washington	37,087	762.1	621	7.8	332	4.2
Oregon	25,136	884.3	354	8.3	180	4.2
California	214,369	720.3	4,844	7.9	2,966	4.8
Alaska	2,188	397.8	125	10.5	81	5.1
Hawaii	6,782	612.0	138	6.7	86	4.2

[1]Per 100,000 population in each race-sex group and area.
[2]Per 1,000 live births in each race-sex group and area. Beginning in 1989, race for live births is tabulated according to race of mother.

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

(*) SOURCE: National Center for Health Statistics: Advance Report of Final Mortality Statistics, 1990. Monthly Vital Statistics Report Vol. 41, No. 7, Supp. Table 25, p. 43 DHHS, Pub No. (PHS) 93-1120, Public Health Service, Hyattsville Md., January 7, 1993.

Table H

(*) Deaths and death rates for major causes of death for the United States, each division and State; and by race and sex, 1990.

(Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the Ninth Revision ICD 1975)

Race, sex, and area	Diseases of heart (390–398, 402, 404–429)		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)		Cerebrovascular diseases (430–438)		Accidents and adverse effects (E800–E949)		Motor vehicle accidents (E810–E825)		Suicide (E950–E959)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
United States	720,058	289.5	505,322	203.2	144,088	57.9	91,983	37.0	46,814	18.8	30,906	12.4
Male	360,788	297.6	268,283	221.3	56,697	46.8	61,938	51.1	32,406	26.7	24,724	20.4
Female	359,270	281.8	237,039	186.0	87,391	68.6	30,045	23.6	14,408	11.3	6,182	4.8
White	637,364	305.4	441,585	211.6	124,526	59.7	76,934	36.9	39,651	19.0	28,086	13.5
Male	319,362	312.7	232,608	227.7	48,024	47.0	51,348	50.3	27,288	26.7	22,448	22.0
Female	318,002	295.4	208,977	196.1	76,502	71.8	25,586	24.0	12,363	11.6	5,638	5.3
All other	82,694	206.7	63,737	159.3	19,562	48.9	15,049	37.6	7,163	17.9	2,820	7.0
Male	41,426	216.9	35,675	186.8	8,673	45.4	10,590	55.5	5,118	26.8	2,276	11.9
Female	41,268	197.4	28,062	134.2	10,889	52.1	4,459	21.3	2,045	9.8	544	2.6
Black	75,111	246.4	57,077	187.2	17,407	57.1	12,419	40.7	5,580	18.2	2,111	6.9
Male	37,038	256.8	31,995	221.9	7,652	53.1	8,756	60.7	4,046	28.1	1,737	12.0
Female	38,073	237.0	25,082	156.1	9,754	60.7	3,663	22.8	1,514	9.4	374	2.3
New England	38,702	293.0	28,740	217.6	7,138	54.0	3,710	28.1	1,667	12.6	1,342	10.2
Maine	3,697	301.1	2,792	227.4	719	58.6	413	33.6	210	17.1	155	12.6
New Hampshire	2,792	251.7	2,122	191.3	561	50.6	326	29.4	184	14.8	149	13.4
Vermont	1,426	253.4	1,136	201.9	301	53.5	194	34.5	90	16.0	84	14.9
Massachusetts	17,754	295.1	13,444	223.5	3,301	54.9	1,543	25.6	680	11.3	528	8.8
Rhode Island	3,437	342.5	2,427	241.9	557	55.5	280	27.9	104	10.4	127	12.7
Connecticut	9,596	291.9	6,819	207.4	1,699	51.7	954	29.0	419	12.7	299	9.1
Middle Atlantic	130,782	347.8	86,196	229.2	20,463	54.4	11,280	30.0	5,185	13.8	3,572	9.5
New York	63,629	353.7	38,415	213.5	8,761	48.7	5,061	28.1	2,409	13.4	1,553	8.6
New Jersey	23,659	306.1	17,931	232.0	3,977	51.4	2,094	27.1	936	12.1	567	7.3
Pennsylvania	43,494	366.1	29,850	251.2	7,725	65.0	4,125	34.7	1,840	15.5	1,452	12.2
East North Central	129,171	307.5	88,818	211.4	24,984	59.5	14,534	34.6	7,157	17.0	4,787	11.3
Ohio	34,665	319.6	23,973	221.0	6,306	58.1	3,678	33.9	1,729	15.9	1,188	11.0
Indiana	16,968	306.1	11,662	210.3	3,698	66.7	2,058	37.1	1,088	19.6	728	13.1
Illinois	35,300	308.8	24,439	213.8	6,707	58.7	3,984	34.9	1,845	16.1	1,158	10.1
Michigan	27,626	297.2	18,449	198.5	5,108	55.0	3,162	34.0	1,687	18.1	1,073	11.5
Wisconsin	14,612	293.7	10,295	210.5	3,165	64.7	1,652	33.8	808	16.5	620	12.7
West North Central	55,171	312.4	36,845	208.6	12,040	68.2	6,750	38.2	3,275	18.5	2,271	12.9
Minnesota	10,777	246.3	8,122	185.6	2,837	64.8	1,485	33.5	660	15.1	548	12.5
Iowa	9,585	345.2	6,076	218.8	2,042	73.5	1,048	37.7	492	17.7	336	12.1
Missouri	17,824	348.3	11,608	226.8	3,446	67.3	2,171	42.4	1,082	21.1	708	13.8
North Dakota	1,949	305.1	1,339	209.6	426	66.7	233	36.5	120	18.8	73	11.4
South Dakota	2,330	334.8	1,365	196.1	508	73.0	327	47.0	163	23.4	91	13.1
Nebraska	5,039	319.3	3,299	209.0	1,074	68.0	578	36.5	283	17.9	220	13.9
Kansas	7,667	309.5	5,036	203.3	1,707	68.9	932	37.6	475	19.2	297	12.0
South Atlantic	128,259	294.4	93,831	215.4	26,832	61.6	17,525	40.2	9,384	21.5	5,950	13.7
Delaware	1,894	284.3	1,501	225.3	324	48.6	243	36.5	142	21.3	80	12.0
Maryland	11,902	248.9	9,832	205.6	2,229	46.6	1,419	29.7	702	14.7	486	10.2
District of Columbia	1,887	310.9	1,547	254.9	374	61.6	199	32.8	71	11.7	37	6.1
Virginia	15,399	248.9	11,624	187.9	3,520	56.9	2,194	35.5	1,059	17.1	799	12.9
West Virginia	7,099	395.8	4,408	245.8	1,182	65.9	844	47.1	472	26.3	219	12.2
North Carolina	18,564	280.1	13,229	199.6	4,459	67.3	2,914	44.0	1,467	22.1	929	14.0
South Carolina	9,333	267.7	6,791	194.8	2,425	69.5	1,668	47.8	942	27.0	434	12.4
Georgia	16,339	252.2	11,035	170.3	3,821	59.0	2,874	44.4	1,650	25.5	880	13.6
Florida	45,842	354.3	33,864	261.7	8,498	65.7	5,170	40.0	2,879	22.3	2,086	16.1
East South Central	49,494	326.1	32,901	216.8	10,730	70.7	7,832	51.6	4,186	27.5	2,005	13.2
Kentucky	11,882	322.4	8,426	228.6	2,429	65.9	1,693	45.9	858	23.3	549	14.9
Tennessee	15,498	317.8	10,493	215.1	3,588	73.6	2,321	47.6	1,210	24.8	653	13.4
Alabama	12,894	319.1	8,657	214.3	2,897	71.7	2,325	57.5	1,241	30.7	514	12.7
Mississippi	9,220	358.3	5,325	206.9	1,816	70.6	1,493	58.0	857	33.3	289	11.2
West South Central	70,850	265.3	49,686	186.1	15,122	56.6	10,827	40.5	5,688	21.3	3,449	12.9
Arkansas	7,991	339.9	5,702	242.6	2,076	88.3	1,184	50.4	633	26.9	293	12.5
Louisiana	12,422	294.4	8,695	206.0	2,396	56.8	1,927	45.7	979	23.2	558	13.2
Oklahoma	10,882	345.9	6,656	211.6	2,196	69.8	1,350	42.9	717	22.8	392	12.5
Texas	39,555	232.9	28,633	168.6	8,454	49.8	6,366	37.5	3,359	19.8	2,206	13.0
Mountain	28,720	210.3	22,140	162.1	6,054	44.3	5,708	41.8	3,088	22.6	2,521	18.5
Montana	1,979	247.7	1,621	202.9	493	61.7	398	49.8	205	25.7	167	20.9
Idaho	2,212	219.7	1,738	172.6	548	54.4	477	47.4	250	24.8	192	19.1
Wyoming	972	214.3	731	161.2	211	46.5	203	44.8	99	21.8	81	17.9
Colorado	6,144	186.5	4,935	149.8	1,325	40.2	1,128	34.2	574	17.4	554	16.8
New Mexico	3,003	198.2	2,265	149.5	554	36.6	798	52.7	455	30.0	283	18.7
Arizona	8,807	240.3	6,837	186.5	1,735	47.3	1,628	44.4	893	24.4	686	18.7
Utah	2,739	159.0	1,765	102.4	675	39.2	563	32.7	292	16.9	264	15.3
Nevada	2,864	238.3	2,248	187.0	513	42.7	513	42.7	320	26.6	294	24.5
Pacific	88,909	227.2	66,165	169.1	20,725	53.0	13,817	35.3	7,204	18.4	5,029	12.9
Washington	11,238	230.9	9,004	185.0	2,724	56.0	1,788	36.7	912	18.7	677	13.9
Oregon	7,599	267.4	6,050	212.9	1,883	66.2	1,143	40.2	559	19.7	449	15.8
California	67,560	227.0	48,986	164.6	15,485	52.0	10,172	34.2	5,454	18.3	3,708	12.5
Alaska	444	80.7	470	85.4	103	18.7	393	71.4	100	18.2	70	12.7
Hawaii	2,068	186.6	1,655	149.3	530	47.8	321	29.0	179	16.2	125	11.3

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

(*) SOURCE: National Center for Health Statistics: Advance Report of Final Mortality Statistics, 1990. Monthly Vital Statistics Report Vol. 41, No. 7, Supp. Table 15, p. 34 DHHS, Pub No. (PHS) 93-1120, Public Health Service, Hyattsville Md., January 7, 1993.

New Tables

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	66.89	33.26	40.28	42.16	49.19	50.96	52.25	49.17	62.03	75.11	78.39	75.40	69.11	78.95	33.33
	WHITE	78.70	27.27	50.00	51.52	59.59	62.08	64.23	60.85	73.45	84.32	86.89	85.85	81.33	100.00	50.00
	BLACK	51.15	34.30	37.38	37.39	42.37	42.17	41.42	40.84	48.72	58.20	61.82	59.79	53.08	66.67	20.00
	OTHER	65.83	0.00	0.00	42.86	47.06	60.61	50.00	51.00	61.11	71.19	72.70	60.32	47.37	-	-
ACADIA	ALL	68.80	20.00	46.15	40.91	50.00	55.17	55.56	52.04	69.94	80.00	75.00	58.70	77.78	0.00	-
	WHITE	75.43	0.00	33.33	46.15	44.44	63.41	63.41	56.25	75.21	83.76	84.31	74.19	100.00	-	-
	BLACK	51.49	33.33	57.14	33.33	61.54	35.29	40.91	44.12	56.52	64.58	50.00	26.67	33.33	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	ALL	68.27	25.00	37.50	50.00	44.44	50.00	68.18	53.73	66.67	85.96	76.92	66.67	100.00	0.00	-
	WHITE	74.83	0.00	20.00	50.00	20.00	57.14	77.78	50.00	73.08	89.47	86.36	100.00	100.00	-	-
	BLACK	60.00	33.33	66.67	50.00	75.00	45.45	61.54	57.14	57.89	78.95	64.71	42.86	-	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	ALL	59.05	0.00	66.67	11.11	44.44	50.00	53.33	44.44	57.97	69.41	69.23	43.75	66.67	-	-
	WHITE	67.80	0.00	0.00	16.67	46.67	58.33	60.00	47.73	68.69	76.47	80.49	40.00	100.00	-	-
	BLACK	34.41	0.00	100.00	0.00	33.33	33.33	40.00	36.84	31.58	37.50	27.27	50.00	50.00	-	-
	OTHER	50.00	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-	-
ASCENSION	ALL	71.05	50.00	42.86	33.33	33.33	44.90	69.39	49.67	66.76	80.90	79.87	73.68	71.43	100.00	-
	WHITE	81.28	-	33.33	66.67	50.00	68.00	76.67	65.06	74.90	89.07	86.40	89.19	100.00	100.00	-
	BLACK	48.04	50.00	50.00	0.00	9.09	20.83	57.89	30.88	49.14	58.62	54.55	45.00	33.33	-	-
	OTHER	50.00	-	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-
ASSUMPTION	ALL	71.01	100.00	-	100.00	47.06	72.73	68.18	65.08	67.74	73.08	75.44	78.26	75.00	-	-
	WHITE	80.00	-	-	100.00	71.43	85.71	87.50	83.87	68.52	87.04	83.87	84.62	50.00	-	-
	BLACK	60.76	100.00	-	100.00	30.00	66.67	16.67	46.88	65.79	59.18	65.38	70.00	100.00	-	-
	OTHER	50.00	-	-	-	-	-	-	-	100.00	0.00	-	-	-	-	-
AVOYELLES	ALL	64.19	33.33	46.67	61.54	35.29	44.44	52.63	47.88	64.95	76.07	67.37	60.61	50.00	-	-
	WHITE	77.35	-	66.67	40.00	44.44	61.90	70.00	60.94	76.98	87.76	80.00	76.47	50.00	-	-
	BLACK	45.49	33.33	16.67	75.00	25.00	29.17	33.33	34.38	40.91	58.46	50.00	46.67	50.00	-	-
	OTHER	66.67	-	-	-	-	-	-	-	100.00	-	-	0.00	-	-	-
BEAUREGARD	ALL	57.66	33.33	0.00	50.00	46.67	50.00	41.46	44.44	53.71	62.41	67.95	70.97	66.67	100.00	-
	WHITE	60.80	100.00	-	57.14	58.33	55.00	45.45	51.39	54.97	63.79	73.77	77.27	50.00	100.00	-
	BLACK	40.66	0.00	0.00	33.33	0.00	0.00	25.00	16.67	43.48	50.00	43.75	55.56	100.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	100.00	100.00	100.00	-	-	-	-
DE RIDDER*	ALL	56.31	33.33	0.00	25.00	42.86	57.14	38.89	39.47	53.57	54.90	73.68	72.22	50.00	-	-
	WHITE	64.52	100.00	-	0.00	75.00	66.67	50.00	57.14	56.76	56.67	87.50	80.00	0.00	-	-
	BLACK	41.77	0.00	0.00	33.33	0.00	0.00	25.00	17.65	44.44	47.37	50.00	62.50	100.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	100.00	100.00	-	-	-	-	-
BIENVILLE	ALL	43.60	40.00	42.86	50.00	16.67	30.00	6.67	23.81	40.23	50.75	51.43	75.00	50.00	-	-
	WHITE	38.18	0.00	-	-	-	40.00	12.50	23.08	57.14	64.71	66.67	85.71	50.00	-	-
	BLACK	32.14	50.00	42.86	50.00	16.67	20.00	0.00	24.14	28.85	36.36	35.29	60.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	ALL	69.57	40.00	20.00	57.69	54.55	38.33	52.17	47.20	64.94	78.80	80.95	75.86	77.78	-	-
	WHITE	80.73	-	33.33	76.92	60.87	58.06	64.10	62.39	77.85	84.91	88.14	84.21	100.00	-	-
	BLACK	42.93	40.00	16.67	38.46	47.62	17.86	34.48	31.07	34.81	55.56	61.22	56.25	60.00	-	-
	OTHER	52.63	-	-	-	-	0.00	100.00	50.00	0.00	83.33	20.00	75.00	-	-	-
BOSSIER CITY*	ALL	70.27	40.00	20.00	50.00	51.85	43.24	57.14	48.91	66.89	78.32	77.85	85.00	83.33	-	-
	WHITE	79.91	-	0.00	57.14	53.85	60.87	66.67	60.81	76.99	84.68	85.84	89.66	100.00	-	-
	BLACK	45.45	40.00	22.22	42.86	50.00	15.38	38.89	34.43	37.84	54.24	59.38	75.00	66.67	-	-
	OTHER	43.75	-	-	-	-	0.00	100.00	50.00	0.00	80.00	0.00	66.67	-	-	-
CADDO	ALL	57.99	25.00	32.76	28.28	40.40	42.93	41.94	39.49	51.67	67.96	74.57	70.94	75.00	-	0.00
	WHITE	77.62	0.00	37.50	42.86	57.50	52.11	55.68	53.07	69.27	84.84	90.03	87.50	100.00	-	-
	BLACK	41.55	25.81	32.00	24.36	34.23	37.80	35.60	33.93	39.78	46.71	50.20	54.31	60.00	-	0.00
	OTHER	75.00	-	-	-	-	-	-	-	66.67	71.43	80.00	83.33	-	-	-
SHREVEPORT*	ALL	56.38	20.69	35.29	27.47	37.12	41.67	40.56	38.06	50.04	66.71	73.61	70.00	72.22	-	-
	WHITE	78.66	0.00	50.00	35.29	51.85	48.98	55.88	50.91	70.03	86.38	91.18	87.50	100.00	-	-
	BLACK	41.31	21.43	34.04	25.68	33.33	38.66	34.81	34.03	39.68	46.08	49.78	55.14	61.54	-	-
	OTHER	73.91	-	-	-	-	-	-	-	66.67	71.43	80.00	80.00	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
CALCASIEU	ALL	71.61	25.00	50.00	61.90	45.33	58.20	64.92	58.85	66.06	77.75	83.30	77.11	72.00	100.00	-
	WHITE	78.68	33.33	72.73	63.16	55.81	57.32	71.77	64.52	74.54	83.81	87.35	84.55	81.25	100.00	-
	BLACK	55.29	20.00	27.27	60.87	31.25	57.89	51.52	48.82	47.64	61.65	69.90	64.81	55.56	100.00	-
	OTHER	70.00	-	-	-	-	100.00	100.00	100.00	75.00	60.00	83.33	0.00	-	-	-
LAKE CHARLES*	ALL	67.22	20.00	35.29	69.23	42.11	64.81	57.29	56.28	58.75	75.21	79.51	76.34	66.67	100.00	-
	WHITE	79.11	-	50.00	80.00	66.67	70.00	64.86	66.25	71.50	85.86	87.07	86.05	85.71	-	-
	BLACK	55.62	20.00	27.27	66.67	30.77	60.61	52.54	50.67	45.67	62.58	69.05	70.83	50.00	100.00	-
	OTHER	66.67	-	-	-	-	100.00	-	100.00	100.00	50.00	80.00	0.00	-	-	-
SULPHUR*	ALL	75.00	-	-	42.86	50.00	45.45	70.83	55.74	70.00	87.10	83.64	81.25	100.00	-	-
	WHITE	77.85	-	-	42.86	50.00	45.45	69.57	55.00	73.96	95.12	82.69	81.25	100.00	-	-
	BLACK	44.44	-	-	-	-	-	100.00	100.00	46.15	20.00	100.00	-	-	-	-
	OTHER	50.00	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-	-
CALDWELL	ALL	80.79	0.00	100.00	66.67	71.43	77.78	90.91	81.82	71.74	86.49	86.67	100.00	100.00	-	-
	WHITE	83.48	-	100.00	50.00	66.67	81.25	100.00	83.33	72.22	90.63	90.91	100.00	100.00	-	-
	BLACK	72.22	0.00	100.00	100.00	75.00	50.00	80.00	78.57	70.00	60.00	75.00	100.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	ALL	73.81	0.00	100.00	20.00	100.00	66.67	72.73	63.64	78.79	77.50	80.00	75.00	0.00	-	-
	WHITE	75.63	0.00	100.00	20.00	100.00	66.67	72.73	63.64	78.79	80.56	80.00	83.33	0.00	-	-
	BLACK	42.86	-	-	-	-	-	-	-	-	50.00	-	50.00	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	ALL	65.10	-	50.00	33.33	50.00	57.14	64.29	55.56	62.86	76.74	71.43	50.00	-	-	-
	WHITE	73.39	-	100.00	100.00	75.00	71.43	71.43	75.00	71.43	71.43	82.35	50.00	-	-	-
	BLACK	54.22	-	33.33	0.00	33.33	42.86	57.14	40.00	50.00	86.67	54.55	50.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	ALL	40.65	0.00	25.00	25.00	0.00	30.77	20.00	20.00	32.56	51.61	68.75	60.00	0.00	-	0.00
	WHITE	65.43	-	100.00	0.00	-	100.00	25.00	44.44	48.00	70.37	93.33	100.00	-	-	0.00
	BLACK	28.48	0.00	0.00	33.33	0.00	18.18	16.67	13.89	26.23	37.14	47.06	45.45	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	ALL	60.06	12.50	50.00	46.15	56.25	52.94	60.00	54.29	58.93	61.29	80.95	45.45	100.00	-	-
	WHITE	76.06	-	100.00	33.33	83.33	50.00	83.33	71.43	73.47	80.00	83.33	50.00	100.00	-	-
	BLACK	46.39	12.50	33.33	50.00	40.00	54.55	25.00	42.86	47.62	37.04	77.78	42.86	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	ALL	58.16	16.67	28.57	53.85	36.36	56.52	39.29	45.12	60.26	61.21	72.34	57.14	50.00	-	-
	WHITE	72.91	-	0.00	100.00	40.00	75.00	40.00	55.56	69.44	78.69	89.66	80.00	-	-	-
	BLACK	44.55	16.67	33.33	40.00	33.33	36.36	38.46	36.96	52.38	41.82	44.44	44.44	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	ALL	69.57	20.59	30.51	41.35	43.75	50.21	42.91	44.07	58.93	78.61	83.43	83.08	84.71	0.00	-
	WHITE	86.96	0.00	50.00	50.00	59.18	70.00	64.36	63.57	80.32	91.43	92.04	93.77	93.88	-	-
	BLACK	50.94	23.33	28.00	39.76	37.30	40.37	31.89	36.03	43.26	59.56	68.23	66.11	71.88	0.00	-
	OTHER	73.17	-	0.00	0.00	100.00	-	0.00	16.67	57.14	70.27	85.37	92.86	75.00	-	-
BATON ROUGE*	ALL	66.48	21.88	32.08	41.18	39.04	51.49	39.09	42.25	56.05	75.50	80.99	80.48	83.82	0.00	-
	WHITE	86.81	0.00	66.67	40.00	50.00	79.25	63.77	65.64	78.69	91.41	91.22	93.56	94.44	-	-
	BLACK	49.55	23.33	27.66	41.77	36.21	41.61	29.82	35.77	43.61	56.89	65.98	62.89	71.43	0.00	-
	OTHER	73.28	-	-	0.00	-	-	0.00	-	55.00	71.43	85.00	92.31	75.00	-	-
BAKER*	ALL	76.62	-	0.00	66.67	70.00	58.33	40.00	53.33	73.63	84.62	89.74	100.00	60.00	-	-
	WHITE	81.58	-	-	80.00	80.00	66.67	45.45	63.33	82.81	83.87	92.59	100.00	66.67	-	-
	BLACK	66.28	-	0.00	0.00	60.00	33.33	25.00	35.71	51.85	85.71	83.33	100.00	50.00	-	-
	OTHER	50.00	-	0.00	-	-	-	-	-	-	100.00	-	-	-	-	-
EAST CARROLL	ALL	60.00	66.67	40.00	38.46	70.00	52.94	54.55	50.82	57.35	68.89	75.00	44.44	50.00	-	100.00
	WHITE	80.00	-	-	0.00	-	100.00	-	50.00	90.00	71.43	88.89	-	-	-	-
	BLACK	56.22	66.67	40.00	41.67	70.00	50.00	54.55	50.85	51.72	67.74	68.42	44.44	50.00	-	100.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
E FELICIANA	ALL	59.26	50.00	33.33	50.00	50.00	44.44	50.00	47.73	52.68	58.90	88.64	55.56	75.00	-	-
	WHITE	73.33	50.00	0.00	100.00	75.00	0.00	100.00	66.67	69.23	64.86	95.65	85.71	100.00	-	-
	BLACK	47.53	-	50.00	42.86	37.50	57.14	25.00	40.63	38.33	52.78	80.95	36.36	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	ALL	64.88	50.00	50.00	55.56	58.62	46.67	40.63	49.57	60.63	75.79	78.46	52.94	66.67	-	-
	WHITE	75.20	100.00	-	50.00	76.47	66.67	41.18	60.00	67.18	88.00	85.00	62.50	100.00	-	-
	BLACK	49.80	0.00	50.00	60.00	33.33	16.67	40.00	38.18	51.11	52.31	70.83	44.44	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	ALL	70.03	40.00	100.00	45.45	83.33	62.96	62.96	66.67	69.67	76.83	72.09	62.50	0.00	100.00	-
	WHITE	81.15	-	-	33.33	81.82	90.00	85.71	81.58	77.27	86.67	83.87	80.00	0.00	-	-
	BLACK	57.23	40.00	100.00	50.00	85.71	47.06	38.46	55.10	60.71	64.86	41.67	33.33	-	100.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	ALL	65.73	0.00	75.00	80.00	63.64	71.43	41.18	60.78	63.53	66.10	74.19	76.47	75.00	-	-
	WHITE	73.60	0.00	66.67	80.00	60.00	75.00	50.00	63.64	71.64	77.78	84.00	83.33	100.00	-	-
	BLACK	36.00	-	100.00	-	100.00	50.00	0.00	50.00	33.33	28.57	33.33	60.00	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	ALL	74.33	50.00	45.45	73.08	63.27	56.52	68.42	63.49	70.05	82.51	80.43	71.43	77.78	100.00	-
	WHITE	84.07	100.00	66.67	69.23	88.00	61.90	83.87	77.42	81.52	86.29	86.09	93.48	75.00	-	-
	BLACK	60.48	42.86	37.50	76.92	37.50	52.00	52.17	50.54	56.91	73.45	70.77	45.71	100.00	100.00	-
	OTHER	64.71	-	-	-	-	-	33.33	33.33	50.00	100.00	75.00	33.33	-	-	-
NEW IBERIA*	ALL	72.13	57.14	37.50	77.78	60.71	50.00	64.86	60.33	67.58	79.66	81.72	75.00	100.00	100.00	-
	WHITE	83.11	100.00	50.00	85.71	85.71	54.55	78.95	75.47	78.95	84.03	90.91	92.59	100.00	-	-
	BLACK	58.30	50.00	33.33	72.73	35.71	47.37	56.25	50.00	55.34	68.52	67.65	55.56	100.00	100.00	-
	OTHER	60.00	-	-	-	-	-	0.00	-	50.00	100.00	75.00	33.33	-	-	-
IBERVILLE	ALL	62.54	0.00	0.00	50.00	57.14	42.86	51.28	46.39	57.53	70.59	77.50	66.67	33.33	-	-
	WHITE	80.42	-	0.00	100.00	66.67	55.56	68.75	65.71	72.00	88.89	93.75	82.35	-	-	-
	BLACK	50.15	0.00	0.00	28.57	50.00	36.84	39.13	35.48	48.18	53.93	66.67	56.00	33.33	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	ALL	51.87	-	25.00	40.00	57.14	14.29	38.89	36.59	51.43	56.00	63.64	100.00	100.00	100.00	-
	WHITE	54.24	-	50.00	50.00	66.67	0.00	46.15	43.48	50.00	59.38	64.29	100.00	100.00	-	-
	BLACK	47.76	-	0.00	33.33	50.00	25.00	20.00	27.78	54.17	50.00	62.50	-	-	100.00	-
	OTHER	50.00	-	-	-	-	-	-	-	-	50.00	-	-	-	-	-
JEFFERSON	ALL	74.09	34.62	40.63	41.86	51.53	57.09	58.46	53.40	67.29	80.52	84.34	83.12	77.92	100.00	0.00
	WHITE	81.83	50.00	50.00	42.42	58.24	65.00	68.09	61.43	74.21	86.75	89.50	88.26	83.02	100.00	-
	BLACK	56.98	30.00	36.96	40.98	48.42	49.57	45.45	45.65	56.41	61.16	66.54	69.16	73.68	-	0.00
	OTHER	63.09	-	-	50.00	12.50	16.67	66.67	31.82	56.58	70.00	72.37	62.07	40.00	-	-
KENNER*	ALL	70.66	14.29	50.00	38.89	51.43	46.67	45.61	46.75	58.42	81.32	81.85	83.00	76.92	-	-
	WHITE	80.84	33.33	75.00	33.33	71.43	59.26	53.33	55.84	68.54	89.29	89.25	86.67	70.00	-	-
	BLACK	48.48	0.00	40.00	42.86	48.15	29.41	36.00	39.53	41.38	57.50	56.00	72.73	100.00	-	-
	OTHER	66.00	-	-	50.00	0.00	0.00	50.00	33.33	77.78	65.00	75.00	66.67	-	-	-
GRETNA*	ALL	68.02	100.00	22.22	20.00	56.25	62.50	61.11	52.63	66.28	77.37	75.53	69.44	20.00	-	0.00
	WHITE	74.34	100.00	33.33	0.00	62.50	80.00	72.00	64.00	71.72	77.00	81.25	75.00	100.00	-	-
	BLACK	57.23	-	16.67	33.33	57.14	50.00	40.00	41.86	58.46	79.31	56.52	77.78	0.00	-	0.00
	OTHER	58.62	-	-	-	0.00	-	0.00	-	62.50	75.00	85.71	0.00	0.00	-	-
HARAHAN*	ALL	82.93	-	-	-	50.00	100.00	100.00	83.33	68.75	77.42	100.00	83.33	100.00	-	-
	WHITE	84.81	-	-	-	50.00	100.00	100.00	83.33	71.43	80.00	100.00	83.33	100.00	-	-
	BLACK	33.33	-	-	-	-	-	-	-	50.00	0.00	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	ALL	59.24	0.00	100.00	37.50	85.71	46.15	47.37	53.06	62.34	54.90	66.67	83.33	-	-	-
	WHITE	69.05	-	100.00	50.00	85.71	80.00	61.54	70.00	62.75	75.00	78.57	66.67	-	-	-
	BLACK	42.31	0.00	100.00	25.00	-	25.00	16.67	26.32	58.33	23.81	63.64	100.00	-	-	-
	OTHER	71.43	-	-	-	-	-	-	-	100.00	100.00	0.00	100.00	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
JEFF DAVIS	ALL	62.27	66.67	50.00	33.33	31.25	46.88	50.00	43.18	59.06	73.03	71.26	53.13	80.00	-	-
	WHITE	70.20	50.00	0.00	57.14	45.45	58.33	54.55	53.85	64.93	79.49	82.54	61.90	100.00	-	-
	BLACK	36.72	100.00	66.67	0.00	0.00	12.50	0.00	13.04	37.84	50.00	38.10	36.36	0.00	-	-
	OTHER	75.00	-	-	-	-	-	-	-	-	100.00	66.67	-	-	-	-
JENNINGS*	ALL	58.01	100.00	66.67	14.29	16.67	38.89	60.00	38.64	54.55	66.67	65.79	64.29	75.00	-	-
	WHITE	66.01	100.00	-	33.33	25.00	46.15	60.00	46.67	63.41	73.81	76.00	63.64	100.00	-	-
	BLACK	40.79	100.00	66.67	0.00	0.00	20.00	-	21.43	40.00	50.00	41.67	66.67	0.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	100.00	-	-	-	-
LAFAYETTE	ALL	80.58	50.00	53.85	40.63	46.55	50.54	67.89	55.03	74.09	86.07	90.72	89.74	79.31	100.00	-
	WHITE	86.95	-	50.00	46.15	54.84	59.26	71.83	62.29	82.33	91.44	92.44	92.57	85.71	-	-
	BLACK	65.37	50.00	55.00	36.84	37.04	38.46	60.53	46.15	58.74	70.64	84.67	80.70	62.50	100.00	-
	OTHER	83.33	-	-	-	-	-	-	-	100.00	80.00	75.00	100.00	-	-	-
LAFAYETTE*	ALL	80.08	45.45	58.82	38.89	47.37	50.82	61.11	53.40	73.08	85.22	91.85	92.31	78.95	100.00	-
	WHITE	88.02	-	66.67	33.33	55.56	63.64	65.00	61.00	83.15	91.87	94.01	95.28	92.31	-	-
	BLACK	65.13	45.45	57.14	41.67	40.00	35.71	56.25	46.23	59.50	70.39	85.57	82.86	50.00	100.00	-
	OTHER	88.89	-	-	-	-	-	-	-	100.00	100.00	66.67	100.00	-	-	-
LAFOURCHE	ALL	72.05	14.29	52.63	45.45	69.05	66.13	74.03	66.22	72.61	72.58	76.71	73.42	80.00	-	-
	WHITE	75.59	0.00	53.85	38.46	65.22	68.29	71.15	64.79	76.90	76.28	79.21	79.31	88.89	-	-
	BLACK	59.48	20.00	50.00	50.00	72.22	57.89	83.33	68.00	57.00	53.52	64.86	64.71	0.00	-	-
	OTHER	69.57	-	-	100.00	100.00	100.00	0.00	80.00	85.71	66.67	75.00	25.00	-	-	-
THIBODAUX*	ALL	61.46	25.00	60.00	40.00	64.29	73.33	66.67	64.91	58.59	60.92	64.10	73.33	-	-	-
	WHITE	65.99	-	50.00	0.00	50.00	66.67	57.14	52.63	64.00	70.00	68.18	83.33	-	-	-
	BLACK	57.89	25.00	66.67	66.67	66.67	77.78	72.73	71.05	53.06	50.00	62.50	66.67	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	ALL	67.78	100.00	50.00	80.00	50.00	66.67	57.14	59.52	67.95	75.76	75.00	55.56	100.00	-	-
	WHITE	78.17	-	80.00	75.00	66.67	66.67	70.00	71.43	85.00	74.19	73.33	71.43	100.00	-	-
	BLACK	30.56	100.00	0.00	100.00	33.33	66.67	25.00	35.71	12.50	100.00	100.00	0.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	ALL	46.11	20.00	0.00	15.38	20.00	34.78	27.59	24.69	34.48	57.86	67.95	59.38	36.36	-	-
	WHITE	61.62	-	0.00	20.00	20.00	30.00	45.45	31.25	53.25	73.20	76.00	62.50	0.00	-	-
	BLACK	28.06	20.00	0.00	12.50	20.00	38.46	16.67	20.41	19.59	32.79	50.00	50.00	57.14	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	100.00	-	-	-	-
RUSTON*	ALL	45.02	50.00	0.00	11.11	14.29	28.57	28.57	20.00	30.38	60.26	75.86	60.00	25.00	-	-
	WHITE	62.61	-	0.00	0.00	25.00	0.00	100.00	25.00	48.15	77.78	83.33	60.00	0.00	-	-
	BLACK	29.10	50.00	0.00	16.67	0.00	40.00	16.67	17.86	21.15	36.36	55.56	60.00	40.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	-	100.00	-	-	-	-
LIVINGSTON	ALL	76.33	0.00	33.33	57.58	67.57	68.66	71.83	66.82	72.29	82.53	87.27	77.78	100.00	-	-
	WHITE	79.11	-	33.33	62.07	75.00	70.00	76.92	70.74	75.31	84.57	87.50	78.05	100.00	-	-
	BLACK	46.60	0.00	-	25.00	44.44	57.14	16.67	38.46	38.89	50.00	84.62	75.00	-	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	-	-	-	-	-
MADISON	ALL	67.56	75.00	60.00	62.50	57.14	61.90	61.11	60.56	74.03	64.71	66.67	88.89	50.00	-	0.00
	WHITE	86.21	100.00	-	-	50.00	33.33	71.43	58.33	86.96	100.00	100.00	100.00	-	-	-
	BLACK	61.08	66.67	60.00	62.50	58.33	66.67	54.55	61.02	68.52	45.45	57.14	80.00	50.00	-	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	ALL	67.23	100.00	66.67	71.43	53.85	66.67	62.50	63.49	73.68	59.26	63.16	85.71	100.00	-	0.00
	WHITE	84.85	-	-	-	0.00	0.00	80.00	57.14	84.62	100.00	100.00	100.00	-	-	-
	BLACK	63.19	100.00	66.67	71.43	58.33	70.59	54.55	64.29	70.45	42.11	58.82	75.00	100.00	-	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	ALL	53.09	36.36	44.44	40.00	46.67	45.45	63.41	49.35	48.91	60.42	67.86	53.85	50.00	-	-
	WHITE	61.95	0.00	0.00	45.45	40.00	45.83	73.33	50.82	62.50	67.44	78.79	50.00	50.00	-	-
	BLACK	46.21	40.00	50.00	36.84	50.00	45.00	57.69	48.39	38.83	53.85	52.17	55.56	-	-	-
	OTHER	50.00	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-	-
BASTROP*	ALL	49.31	25.00	50.00	26.67	52.94	41.67	68.00	49.43	44.12	54.17	63.64	62.50	0.00	-	-
	WHITE	56.18	0.00	-	0.00	33.33	30.00	100.00	52.38	54.84	53.33	76.47	50.00	0.00	-	-
	BLACK	46.46	28.57	50.00	28.57	57.14	50.00	55.56	48.48	40.00	54.55	50.00	66.67	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
NATCHITOCHES	ALL	59.96	50.00	11.11	43.75	35.29	52.17	53.85	45.19	56.91	68.29	71.25	76.92	0.00	-	-
	WHITE	71.54	-	33.33	50.00	57.14	55.56	64.29	56.76	65.59	79.45	82.22	82.35	0.00	-	-
	BLACK	48.06	50.00	0.00	41.67	20.00	50.00	50.00	39.39	48.42	51.02	57.14	66.67	0.00	-	-
	OTHER	50.00	-	-	-	-	-	0.00	-	-	100.00	-	-	-	-	-
NATCHITOCHES*	ALL	59.33	0.00	16.67	60.00	25.00	50.00	50.00	43.33	52.38	68.75	75.47	81.25	0.00	-	-
	WHITE	79.09	-	100.00	100.00	50.00	50.00	57.14	61.54	68.97	84.85	88.00	90.00	-	-	-
	BLACK	48.15	0.00	0.00	55.56	20.00	50.00	50.00	39.13	46.05	51.61	64.29	66.67	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	ALL	58.02	38.24	40.12	36.48	40.59	44.21	46.63	42.66	54.18	64.93	69.51	70.99	59.80	100.00	0.00
	WHITE	81.50	-	50.00	38.46	52.94	69.23	70.27	61.39	67.47	84.63	87.86	85.38	88.24	-	-
	BLACK	52.23	39.39	39.63	36.30	40.05	43.00	45.19	41.70	52.15	58.45	59.70	62.78	47.54	100.00	0.00
	OTHER	62.59	0.00	-	50.00	-	33.33	33.33	35.71	64.41	69.77	63.75	60.00	28.57	-	-
OUACHITA	ALL	70.18	42.11	43.90	44.78	59.09	54.87	51.02	51.97	67.88	81.67	79.61	72.97	55.56	-	-
	WHITE	86.22	-	75.00	53.85	82.14	68.75	67.74	69.68	83.20	92.56	90.13	92.73	75.00	-	-
	BLACK	52.74	42.11	40.54	42.59	48.33	44.62	38.82	42.86	53.28	61.21	62.04	52.73	40.00	-	-
	OTHER	90.00	-	-	-	-	-	-	-	100.00	80.00	100.00	100.00	-	-	-
MONROE*	ALL	61.74	47.06	42.86	42.31	55.74	49.30	43.62	46.96	59.33	74.00	72.88	68.85	50.00	-	-
	WHITE	86.61	-	-	0.00	85.71	69.23	60.00	65.85	80.20	94.12	94.03	95.00	66.67	-	-
	BLACK	52.63	47.06	42.86	43.14	51.85	44.83	39.19	44.12	53.06	60.67	60.00	55.00	44.44	-	-
	OTHER	80.00	-	-	-	-	-	-	-	100.00	66.67	-	100.00	-	-	-
WEST MONROE*	ALL	70.18	0.00	75.00	50.00	52.94	61.90	64.00	60.27	69.57	81.25	72.00	60.00	0.00	-	-
	WHITE	79.24	-	75.00	60.00	69.23	73.33	73.68	71.43	78.10	85.00	78.95	90.00	-	-	-
	BLACK	39.77	0.00	-	0.00	0.00	33.33	33.33	23.53	42.42	57.14	50.00	30.00	0.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	-	-	-	-	-
PLAQUEMINES	ALL	70.59	33.33	0.00	33.33	71.43	64.29	77.78	63.83	70.55	73.81	80.00	47.62	50.00	-	-
	WHITE	75.84	0.00	0.00	0.00	75.00	50.00	75.00	57.14	75.58	78.65	87.50	46.15	66.67	-	-
	BLACK	61.15	40.00	0.00	50.00	66.67	71.43	88.89	70.83	65.38	57.58	58.82	42.86	0.00	-	-
	OTHER	64.71	-	-	-	-	100.00	0.00	50.00	50.00	100.00	50.00	100.00	-	-	-
POINTE COUPEE	ALL	61.30	0.00	0.00	37.50	27.27	33.33	58.82	39.62	56.25	76.34	70.59	66.67	0.00	-	-
	WHITE	82.28	0.00	-	100.00	66.67	75.00	66.67	71.43	75.51	89.58	86.84	87.50	-	-	-
	BLACK	44.62	0.00	0.00	28.57	12.50	18.18	54.55	28.21	41.94	62.22	50.00	53.85	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	ALL	65.43	50.00	26.92	29.41	44.78	45.97	41.10	40.82	63.32	76.65	76.56	76.12	84.62	66.67	-
	WHITE	75.90	0.00	33.33	26.32	59.26	56.00	50.00	50.00	71.73	84.11	85.00	85.56	90.00	100.00	-
	BLACK	47.98	53.33	25.00	31.25	35.00	39.19	32.39	34.18	49.21	58.33	57.29	54.76	50.00	0.00	-
	OTHER	74.07	-	-	-	-	-	0.00	-	60.00	78.57	75.00	100.00	100.00	-	-
ALEXANDRIA*	ALL	59.06	46.67	22.22	26.47	41.03	35.71	35.38	34.07	59.20	72.06	72.14	69.23	83.33	0.00	-
	WHITE	79.05	0.00	50.00	20.00	62.50	50.00	46.15	47.50	76.15	87.39	84.29	88.24	75.00	-	-
	BLACK	46.48	50.00	18.75	27.59	35.48	32.76	32.69	31.18	49.47	57.72	58.82	46.67	100.00	0.00	-
	OTHER	72.73	-	-	-	-	-	-	-	50.00	60.00	100.00	100.00	100.00	-	-
PINEVILLE*	ALL	68.33	-	50.00	28.57	71.43	50.00	51.85	50.94	68.18	76.06	77.55	57.14	100.00	100.00	-
	WHITE	72.57	-	0.00	28.57	100.00	40.00	57.14	50.00	70.79	83.33	82.93	66.67	100.00	100.00	-
	BLACK	51.67	-	100.00	-	50.00	66.67	33.33	53.33	55.00	53.33	50.00	0.00	-	-	-
	OTHER	66.67	-	-	-	-	-	-	-	100.00	50.00	-	-	-	-	-
RED RIVER	ALL	57.05	50.00	33.33	20.00	33.33	50.00	66.67	46.88	53.70	75.00	52.38	50.00	0.00	-	-
	WHITE	70.45	-	100.00	-	33.33	60.00	57.14	56.25	68.75	84.62	63.64	100.00	0.00	-	-
	BLACK	38.81	50.00	0.00	20.00	33.33	0.00	80.00	37.50	28.57	57.14	40.00	25.00	-	-	-
	OTHER	100.00	-	-	-	-	-	-	-	100.00	-	-	-	-	-	-
RICHLAND	ALL	65.93	50.00	50.00	50.00	57.14	61.54	56.25	55.42	64.10	75.56	73.08	56.25	100.00	-	-
	WHITE	83.06	-	100.00	66.67	75.00	80.00	71.43	74.19	79.66	88.89	92.86	70.00	100.00	-	-
	BLACK	48.02	50.00	44.44	45.45	33.33	50.00	44.44	44.23	48.28	54.29	50.00	33.33	-	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	-	-	-	-	-
SABINE	ALL	50.58	0.00	16.67	20.00	50.00	52.63	35.00	40.00	50.79	62.22	55.17	46.67	0.00	0.00	-
	WHITE	58.12	0.00	25.00	22.22	45.45	37.50	53.85	40.00	60.47	66.67	66.67	50.00	0.00	-	-
	BLACK	33.02	0.00	0.00	0.00	55.56	60.00	0.00	37.93	30.00	41.18	25.00	42.86	0.00	0.00	-
	OTHER	100.00	-	-	-	-	100.00	-	100.00	-	100.00	-	-	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
ST BERNARD	ALL	78.85	0.00	50.00	66.67	71.43	62.50	67.50	66.18	76.19	81.82	85.80	87.50	60.00	-	-
	WHITE	82.02	0.00	57.14	73.33	72.41	76.92	68.57	71.43	78.90	85.34	85.06	93.18	75.00	-	-
	BLACK	49.41	-	0.00	50.00	60.00	0.00	60.00	39.13	60.71	33.33	90.00	0.00	0.00	-	-
	OTHER	68.75	-	-	-	100.00	-	-	100.00	50.00	50.00	100.00	50.00	-	-	-
ST CHARLES	ALL	74.05	33.33	44.44	33.33	56.25	61.29	50.00	51.92	67.38	79.62	87.27	72.73	100.00	-	-
	WHITE	85.28	-	0.00	66.67	60.00	66.67	53.85	58.54	81.25	87.69	92.37	86.67	100.00	-	-
	BLACK	52.83	33.33	57.14	22.22	54.55	53.85	47.83	47.62	52.75	53.97	64.52	46.15	100.00	-	-
	OTHER	83.33	-	-	-	-	-	-	-	-	100.00	100.00	0.00	-	-	-
ST HELENA	ALL	69.85	50.00	66.67	50.00	100.00	33.33	66.67	59.26	65.45	82.76	76.92	85.71	66.67	-	-
	WHITE	79.63	100.00	0.00	-	100.00	33.33	75.00	55.56	72.73	91.67	100.00	100.00	100.00	-	-
	BLACK	63.41	0.00	100.00	50.00	100.00	33.33	60.00	61.11	60.61	76.47	66.67	50.00	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	ALL	55.31	0.00	42.86	60.00	44.44	33.33	42.86	41.51	51.00	61.24	64.81	64.00	0.00	-	-
	WHITE	67.81	-	-	-	50.00	0.00	33.33	28.57	69.23	68.18	77.78	57.14	-	-	-
	BLACK	47.06	0.00	42.86	60.00	42.86	37.50	45.45	43.48	39.34	53.97	51.85	66.67	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	ALL	57.75	0.00	0.00	28.57	27.27	30.00	35.90	31.46	44.04	70.83	69.86	68.00	33.33	-	-
	WHITE	72.29	0.00	-	66.67	25.00	55.56	56.25	53.13	56.70	78.82	80.81	81.25	100.00	-	-
	BLACK	34.72	0.00	0.00	0.00	28.57	19.05	21.74	19.30	30.53	48.48	43.18	44.44	20.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	100.00	100.00	100.00	-	-	-	-
ST LANDRY	ALL	60.80	12.50	41.18	25.81	72.09	36.99	38.95	42.47	55.60	70.22	76.30	70.51	46.15	-	-
	WHITE	72.50	0.00	50.00	37.50	68.42	52.00	52.27	54.00	68.24	77.93	85.85	87.18	42.86	-	-
	BLACK	49.66	16.67	38.46	21.74	75.00	29.17	27.45	35.22	43.95	60.56	66.67	53.85	50.00	-	-
	OTHER	50.00	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-	-
OPELOUSAS*	ALL	49.64	0.00	42.86	21.43	64.29	20.00	22.73	31.17	38.76	63.16	67.86	71.43	33.33	-	-
	WHITE	67.33	0.00	-	50.00	33.33	33.33	33.33	35.71	47.62	74.29	90.00	90.00	-	-	-
	BLACK	43.91	0.00	42.86	16.67	72.73	17.65	18.75	30.16	37.04	58.23	55.56	61.11	33.33	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	ALL	60.00	-	-	50.00	100.00	35.29	31.82	45.10	58.02	66.67	75.00	61.54	50.00	-	-
	WHITE	67.55	-	-	50.00	100.00	50.00	50.00	61.54	68.63	59.09	89.47	77.78	50.00	-	-
	BLACK	47.31	-	-	50.00	100.00	27.27	10.00	28.00	40.00	80.95	53.85	25.00	-	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	-	-	-	-	-
ST MARTIN	ALL	74.32	0.00	100.00	63.64	56.00	60.71	65.85	62.62	71.24	81.82	77.78	73.91	77.78	-	-
	WHITE	80.99	-	100.00	50.00	80.00	60.00	76.92	68.89	78.57	87.20	83.33	80.00	71.43	-	-
	BLACK	65.71	0.00	100.00	80.00	40.00	61.54	62.96	59.02	60.22	74.70	68.63	66.67	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	ALL	75.85	60.00	50.00	60.00	79.41	66.67	68.12	67.39	75.45	80.82	76.67	84.62	55.56	100.00	-
	WHITE	81.17	0.00	50.00	62.50	68.75	68.18	78.26	71.15	83.70	80.83	86.67	96.15	50.00	-	-
	BLACK	69.23	75.00	50.00	55.56	88.24	66.67	47.83	62.34	65.38	81.25	62.96	80.95	66.67	100.00	-
	OTHER	48.00	-	-	-	100.00	50.00	-	66.67	37.50	66.67	50.00	40.00	-	-	-
MORGAN CITY*	ALL	81.62	50.00	80.00	50.00	50.00	68.42	76.19	67.21	81.82	88.04	90.63	87.50	80.00	-	-
	WHITE	85.38	-	50.00	42.86	50.00	80.00	81.82	67.65	84.34	90.91	100.00	100.00	75.00	-	-
	BLACK	75.49	50.00	100.00	66.67	50.00	62.50	70.00	69.23	75.68	80.00	77.78	100.00	100.00	-	-
	OTHER	57.14	-	-	-	-	0.00	-	-	100.00	100.00	66.67	0.00	-	-	-
ST TAMMANY	ALL	74.17	0.00	50.00	56.00	50.00	46.48	48.72	49.11	62.43	81.78	85.63	85.37	83.87	100.00	0.00
	WHITE	78.79	0.00	62.50	50.00	52.63	51.85	54.22	53.33	68.83	85.25	87.10	86.84	83.33	100.00	0.00
	BLACK	47.55	0.00	25.00	61.54	47.06	25.00	35.29	39.29	39.17	53.75	68.75	66.67	100.00	-	-
	OTHER	85.71	-	-	-	0.00	100.00	-	50.00	0.00	100.00	100.00	66.67	-	-	-
SLIDELL*	ALL	74.57	0.00	0.00	50.00	57.14	30.77	37.14	40.58	68.31	83.10	88.79	84.09	80.00	-	-
	WHITE	81.27	-	0.00	75.00	50.00	37.50	47.83	47.83	79.05	85.25	92.55	87.50	75.00	-	-
	BLACK	48.54	0.00	-	0.00	75.00	20.00	16.67	26.09	38.89	68.42	71.43	50.00	100.00	-	-
	OTHER	60.00	-	-	-	-	-	-	-	0.00	100.00	100.00	50.00	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TANGIPAHOA	ALL	66.65	31.58	52.17	53.06	58.06	58.76	45.79	53.25	66.50	74.80	73.68	78.13	50.00	-	-
	WHITE	76.56	25.00	100.00	73.68	66.00	68.89	54.17	63.57	76.00	82.07	81.63	85.29	42.86	-	-
	BLACK	54.74	33.33	45.00	40.00	56.76	50.00	38.98	45.96	56.34	60.94	58.75	70.00	66.67	-	-
	OTHER	75.00	-	-	-	-	-	-	-	100.00	50.00	100.00	-	-	-	-
HAMMOND*	ALL	70.11	0.00	63.64	66.67	75.00	55.56	51.72	61.86	66.39	74.67	86.00	94.12	50.00	-	-
	WHITE	82.52	0.00	100.00	100.00	83.33	100.00	71.43	85.00	71.43	89.74	91.67	100.00	50.00	-	-
	BLACK	62.05	0.00	60.00	58.33	72.22	46.67	45.45	55.84	63.01	58.33	80.00	88.89	50.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	-	100.00	-	-	-	-
TENSAS	ALL	64.08	33.33	-	0.00	66.67	54.55	83.33	61.90	61.54	71.43	70.59	33.33	100.00	-	-
	WHITE	84.21	-	-	-	100.00	100.00	100.00	100.00	87.50	76.47	87.50	-	-	-	-
	BLACK	52.31	33.33	-	0.00	50.00	50.00	66.67	50.00	50.00	63.64	55.56	33.33	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	ALL	72.62	62.50	45.45	46.15	52.38	67.06	73.64	62.99	68.91	78.67	79.85	72.15	71.43	-	-
	WHITE	75.86	100.00	57.14	51.85	48.72	72.34	78.87	66.49	70.88	81.40	81.58	81.25	87.50	-	-
	BLACK	65.02	57.14	50.00	36.36	55.00	55.17	53.85	52.27	63.43	72.57	74.58	66.67	50.00	-	-
	OTHER	67.24	-	0.00	0.00	75.00	77.78	84.62	72.41	69.44	64.00	78.57	40.00	50.00	-	-
HOUMA*	ALL	68.73	50.00	25.00	53.85	40.63	58.82	70.59	57.14	64.54	77.39	76.79	64.86	77.78	-	-
	WHITE	72.07	-	50.00	64.71	41.18	71.43	79.31	65.82	64.63	80.14	77.78	68.42	83.33	-	-
	BLACK	65.02	50.00	0.00	37.50	38.46	50.00	50.00	44.44	63.95	76.71	75.76	72.73	50.00	-	-
	OTHER	58.62	-	0.00	0.00	50.00	50.00	83.33	57.14	66.67	45.45	71.43	42.86	100.00	-	-
UNION	ALL	60.90	66.67	100.00	25.00	33.33	58.82	33.33	40.68	55.96	74.07	78.72	45.45	50.00	-	-
	WHITE	72.77	0.00	-	0.00	100.00	46.15	30.77	41.94	74.60	82.26	90.91	45.45	100.00	-	-
	BLACK	39.09	100.00	100.00	33.33	11.11	100.00	37.50	39.29	30.43	47.37	50.00	-	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	ALL	74.28	40.00	44.44	66.67	60.00	64.29	60.00	60.68	71.07	81.28	78.91	78.26	77.78	-	-
	WHITE	80.72	33.33	0.00	88.89	57.14	68.18	60.61	63.75	79.77	88.37	81.58	88.57	77.78	-	-
	BLACK	60.41	50.00	57.14	33.33	66.67	50.00	58.33	54.05	51.52	66.67	77.78	62.50	-	-	-
	OTHER	16.67	-	-	-	-	-	-	-	0.00	16.67	33.33	0.00	-	-	-
ABBEVILLE*	ALL	63.88	25.00	40.00	50.00	66.67	57.14	70.59	60.00	55.95	70.59	70.21	81.82	75.00	-	-
	WHITE	76.92	0.00	-	75.00	100.00	66.67	70.00	73.68	76.19	81.25	76.00	100.00	75.00	-	-
	BLACK	55.93	50.00	40.00	33.33	50.00	50.00	71.43	50.00	37.50	70.97	75.00	100.00	-	-	-
	OTHER	13.33	-	-	-	-	-	-	-	0.00	0.00	33.33	0.00	-	-	-
VERNON	ALL	69.25	0.00	14.29	57.89	50.00	53.13	56.84	53.49	70.99	73.26	73.17	76.47	100.00	-	-
	WHITE	71.12	-	20.00	68.75	58.33	64.10	63.29	61.96	72.36	73.23	72.22	84.21	-	-	-
	BLACK	63.40	0.00	0.00	0.00	16.67	30.43	26.67	24.49	66.10	74.74	75.00	66.67	100.00	-	-
	OTHER	73.33	-	-	-	-	100.00	0.00	66.67	78.57	68.00	75.00	66.67	-	-	-
WASHINGTON	ALL	43.86	0.00	18.18	16.67	48.57	34.78	41.67	38.30	39.22	52.83	53.76	41.67	25.00	-	-
	WHITE	57.28	0.00	25.00	50.00	47.62	54.55	55.00	51.28	53.09	64.81	66.07	54.55	33.33	-	-
	BLACK	22.64	0.00	14.29	10.00	50.00	16.67	15.00	22.22	15.05	27.45	35.14	30.77	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	ALL	35.34	0.00	0.00	33.33	50.00	25.00	15.79	26.53	32.63	49.02	41.38	20.00	0.00	-	-
	WHITE	48.48	0.00	0.00	100.00	60.00	33.33	9.09	27.27	49.12	55.88	64.71	-	0.00	-	-
	BLACK	18.00	0.00	0.00	20.00	42.86	20.00	25.00	25.93	7.89	35.29	8.33	20.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	ALL	58.83	28.57	44.44	14.29	37.93	51.72	30.56	36.75	59.61	68.75	68.12	68.18	100.00	-	100.00
	WHITE	73.55	-	66.67	16.67	36.36	50.00	54.55	43.59	69.67	82.11	84.21	100.00	100.00	-	100.00
	BLACK	41.91	28.57	33.33	12.50	38.89	52.38	20.00	33.33	44.44	48.44	48.39	22.22	100.00	-	-
	OTHER	100.00	-	-	-	-	-	-	-	-	100.00	-	-	-	-	-
MINDEN*	ALL	51.04	33.33	33.33	22.22	28.57	41.67	29.41	31.03	57.53	60.87	56.00	50.00	-	-	-
	WHITE	70.65	-	50.00	33.33	50.00	50.00	66.67	50.00	67.65	78.13	85.71	100.00	-	-	-
	BLACK	38.93	33.33	25.00	16.67	20.00	37.50	21.43	23.81	48.72	45.95	44.44	28.57	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	ALL	66.28	50.00	33.33	33.33	66.67	73.33	28.00	44.90	53.33	77.14	82.81	84.62	66.67	-	-
	WHITE	76.06	-	-	-	100.00	87.50	33.33	51.85	66.00	85.07	91.43	85.71	50.00	-	-
	BLACK	54.49	50.00	33.33	33.33	50.00	57.14	14.29	36.36	41.82	63.16	72.41	83.33	75.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE 1
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
WEST CARROLL	ALL	59.02	100.00	25.00	0.00	66.67	33.33	53.85	41.67	56.45	72.34	58.33	66.67	75.00	-	-
	WHITE	63.43	-	25.00	0.00	50.00	28.57	50.00	37.04	65.22	75.68	62.50	80.00	100.00	-	-
	BLACK	46.94	100.00	-	0.00	100.00	50.00	66.67	55.56	31.25	60.00	50.00	50.00	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	ALL	62.60	-	0.00	0.00	57.14	25.00	60.00	34.62	55.56	72.73	81.82	83.33	50.00	-	-
	WHITE	82.81	-	-	0.00	33.33	50.00	100.00	55.56	76.47	94.74	91.67	85.71	-	-	-
	BLACK	43.28	-	0.00	0.00	75.00	16.67	0.00	23.53	36.84	42.86	70.00	80.00	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	ALL	45.09	-	0.00	37.50	0.00	11.11	38.46	23.68	43.01	53.33	55.56	80.00	100.00	-	-
	WHITE	47.10	-	0.00	50.00	0.00	0.00	0.00	9.52	47.37	58.33	60.00	66.67	100.00	-	-
	BLACK	41.86	-	-	25.00	0.00	50.00	55.56	41.18	36.11	45.83	42.86	100.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*CITIES INCLUDED IN PARISH TOTALS
WOMEN WITH MULTIPLE BIRTHS COUNTED ONCE.
ADEQUATE PRENATAL CARE DEFINED (MODIFIED KESSNER INDEX) AS
1. CARE MUST BEGIN IN FIRST TRIMESTER,
2. REQUIRED PRENATAL VISITS VARY WITH GESTATION AGE.
GESTATION AGE: 17 WEEKS MUST HAVE 2 OR MORE PRENATAL VISITS,
18-21 WEEKS - 3 OR MORE VISITS, 22-25 WEEKS - 4 OR MORE VISITS,
26-29 WEEKS - 5 OR MORE VISITS, 30-31 WEEKS - 6 OR MORE VISITS,
32-33 WEEKS - 7 OR MORE VISITS, 34-35 WEEKS - 8 OR MORE VISITS,
36 WEEKS OR OVER - 9 OR MORE VISITS.

TABLE 1 A
PERCENT OF WOMEN DELIVERING LIVE INFANTS AND HAVING ADEQUATE PRENATAL CARE
BY WOMAN'S AGE, RACE AND RESIDENCE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	RACE	ALL WOMEN	AGE IN YEARS												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	66.89	33.26	40.28	42.16	49.19	50.96	52.25	49.17	62.03	75.11	78.39	75.40	69.11	78.95	33.33
	WHITE	78.70	27.27	50.00	51.52	59.59	62.08	64.23	60.85	73.45	84.32	86.89	85.85	81.33	100.00	50.00
	BLACK	51.15	34.30	37.38	37.39	42.37	42.17	41.42	40.84	48.72	58.20	61.82	59.79	53.08	66.67	20.00
	OTHER	65.83	0.00	0.00	42.86	47.06	60.61	50.00	51.00	61.11	71.19	72.70	60.32	47.37	-	-
SPD 1	ALL	66.88	35.58	40.70	40.16	46.26	49.11	51.72	47.47	61.05	74.43	78.44	77.54	69.41	100.00	0.00
	WHITE	81.00	33.33	52.38	46.30	59.22	63.49	65.24	60.84	72.73	85.74	88.30	86.80	83.87	100.00	0.00
	BLACK	53.14	36.56	38.43	38.30	42.21	43.65	45.42	42.61	52.84	58.60	61.71	63.65	53.01	100.00	0.00
	OTHER	63.81	0.00	-	50.00	20.00	35.71	46.15	36.59	58.67	71.43	70.18	61.54	33.33	-	-
SPD 2	ALL	67.66	23.68	33.59	43.90	49.23	51.87	49.05	48.23	60.52	76.79	80.62	78.44	73.05	50.00	-
	WHITE	81.27	23.08	40.00	63.41	60.51	67.87	64.78	63.89	74.94	87.35	88.88	89.49	86.67	100.00	-
	BLACK	49.66	23.81	32.00	34.36	41.30	39.10	34.20	36.78	44.40	57.88	64.99	61.81	56.45	0.00	-
	OTHER	71.97	-	0.00	0.00	100.00	-	0.00	16.67	54.17	68.29	86.05	92.86	75.00	-	-
SPD 3	ALL	69.37	29.63	45.83	44.83	54.43	59.68	64.09	57.93	65.49	74.46	77.65	71.67	65.85	-	-
	WHITE	76.54	20.00	50.00	51.06	55.00	68.55	72.51	64.86	72.38	80.05	82.93	80.85	86.96	-	-
	BLACK	54.03	31.82	45.83	36.84	52.05	47.79	49.56	47.92	51.64	58.59	61.61	59.79	37.50	-	-
	OTHER	69.68	-	0.00	50.00	80.00	81.82	78.57	73.53	73.33	68.57	83.33	33.33	50.00	-	-
SPD 4	ALL	73.18	41.51	48.98	50.56	60.07	52.51	58.51	55.62	68.96	80.82	82.71	78.77	71.11	80.00	-
	WHITE	81.34	33.33	46.15	56.98	65.41	61.93	67.23	63.57	78.13	86.57	88.09	89.09	75.38	-	-
	BLACK	59.43	43.90	50.00	44.68	53.62	41.01	46.92	46.75	55.23	68.49	71.46	61.95	60.00	80.00	-
	OTHER	48.05	-	-	-	100.00	50.00	25.00	42.86	33.33	61.90	52.38	38.46	-	-	-
SPD 5	ALL	67.75	29.41	51.52	47.44	44.00	54.82	59.93	53.99	63.14	74.73	78.86	71.15	68.42	100.00	-
	WHITE	74.09	37.50	66.67	50.00	53.66	57.45	65.00	59.54	69.90	79.98	84.38	78.11	79.17	100.00	-
	BLACK	50.26	22.22	38.89	44.12	25.58	46.30	46.91	41.74	44.77	57.80	59.60	58.54	50.00	100.00	-
	OTHER	74.19	-	-	-	-	100.00	100.00	100.00	66.67	80.00	80.00	0.00	-	-	-
SPD 6	ALL	65.26	34.38	37.68	44.44	45.73	48.99	49.02	47.16	65.07	73.50	73.72	71.49	81.48	66.67	-
	WHITE	73.37	0.00	54.84	50.88	56.82	58.78	59.09	57.54	72.06	79.38	79.96	81.82	89.47	100.00	-
	BLACK	49.95	36.67	23.68	38.33	32.89	38.36	33.58	34.80	50.76	60.24	59.82	53.93	57.14	0.00	-
	OTHER	71.30	-	-	-	-	100.00	0.00	40.00	72.97	71.79	75.00	66.67	100.00	-	-
SPD 7	ALL	58.11	25.00	28.23	32.69	39.80	43.56	41.34	39.44	53.21	68.00	73.09	69.12	57.63	0.00	50.00
	WHITE	74.52	0.00	40.00	44.44	51.43	53.42	53.81	51.60	68.95	81.55	86.54	83.48	62.50	-	66.67
	BLACK	40.33	26.09	25.25	27.59	33.67	36.93	33.23	32.61	38.15	45.98	50.22	51.55	54.29	0.00	0.00
	OTHER	69.23	-	-	-	-	50.00	50.00	50.00	55.56	82.35	58.33	80.00	-	-	-
SPD 8	ALL	66.03	47.27	50.00	42.68	58.85	54.88	54.78	53.37	63.58	76.24	75.65	67.31	61.54	100.00	50.00
	WHITE	79.40	33.33	60.00	43.59	72.60	61.83	66.24	63.61	76.60	86.68	87.14	82.86	76.19	-	-
	BLACK	52.17	48.08	48.19	42.40	51.47	49.40	45.21	47.28	51.01	58.85	58.42	50.98	44.44	100.00	50.00
	OTHER	80.00	-	-	-	-	-	-	-	50.00	77.78	100.00	100.00	-	-	-
HSA 1	ALL	67.41	34.35	41.50	40.87	47.78	51.40	54.34	49.52	62.04	74.43	78.29	76.57	68.85	100.00	0.00
	WHITE	79.80	28.57	51.56	47.74	57.92	65.16	67.62	62.14	72.62	84.11	87.11	85.78	84.35	100.00	0.00
	BLACK	53.27	35.65	39.17	38.16	43.45	44.28	45.96	43.29	52.67	58.60	61.70	63.06	50.51	100.00	0.00
	OTHER	64.97	0.00	0.00	50.00	40.00	56.00	62.96	53.33	62.05	70.98	71.79	56.25	35.71	-	-
HSA 2	ALL	69.67	30.82	41.60	46.83	52.40	52.60	54.40	51.82	63.99	77.93	81.13	77.43	71.75	80.00	-
	WHITE	79.95	30.30	47.89	58.02	61.06	63.32	65.70	62.78	75.10	85.78	87.82	87.41	81.10	100.00	-
	BLACK	53.10	30.97	39.47	38.83	43.80	40.44	40.03	40.67	48.18	61.62	66.71	61.41	56.44	71.43	-
	OTHER	64.58	-	0.00	0.00	100.00	75.00	25.00	43.75	48.89	68.06	75.68	62.07	75.00	-	-
HSA 3	ALL	62.23	34.59	37.80	38.85	47.12	48.55	47.30	45.74	59.46	71.63	73.92	69.36	64.00	66.67	50.00
	WHITE	75.33	12.50	50.70	46.54	59.02	57.73	59.11	56.99	71.87	82.15	84.80	82.82	75.00	100.00	66.67
	BLACK	45.91	35.76	33.64	35.15	39.42	41.05	36.79	37.81	44.59	52.76	54.80	51.95	51.67	50.00	33.33
	OTHER	71.43	-	-	-	-	75.00	20.00	44.44	68.75	75.38	71.43	76.47	100.00	-	-

WOMEN WITH MULTIPLE BIRTHS COUNTED ONCE.
ADEQUATE PRENATAL CARE DEFINED (MODIFIED KESSNER INDEX) AS
1. CARE MUST BEGIN IN FIRST TRIMESTER,
2. REQUIRED PRENATAL VISITS VARY WITH GESTATION AGE.
GESTATION AGE: 17 WEEKS MUST HAVE 2 OR MORE PRENATAL VISITS,
18-21 WEEKS - 3 OR MORE VISITS, 22-25 WEEKS - 4 OR MORE VISITS,
26-29 WEEKS - 5 OR MORE VISITS, 30-31 WEEKS - 6 OR MORE VISITS,
32-33 WEEKS - 7 OR MORE VISITS, 34-35 WEEKS - 8 OR MORE VISITS,
36 WEEKS OR OVER - 9 OR MORE VISITS.

TABLE 2
MEDICAL RISK FACTORS FOR PREGNANCIES RESULTING IN A LIVE BIRTH
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

MEDICAL RISK FACTOR	RACE	TOTAL	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
NO MEDICAL RISK FACTOR NOTED	ALL	57745	334	682	1285	1918	2716	3435	10036	18173	16069	9456	3222	438	10	7
	WHITE	32590	45	152	441	769	1181	1633	4176	9629	10273	6223	1976	262	3	3
	BLACK	24144	287	528	837	1139	1506	1769	5779	8292	5483	2976	1154	162	7	4
	OTHER	1011	2	2	7	10	29	33	81	252	313	257	92	14	-	-
ANEMIA (HCT <30 / HGB <10)	ALL	2190	17	38	64	80	136	154	472	758	525	285	121	12	-	-
	WHITE	1021	-	12	14	25	47	54	152	343	297	161	64	4	-	-
	BLACK	1143	17	26	50	52	88	98	314	407	223	120	54	8	-	-
	OTHER	26	-	-	-	3	1	2	6	8	5	4	3	-	-	-
CARDIAC DISEASE	ALL	175	1	4	3	4	9	10	30	37	44	40	17	5	1	-
	WHITE	112	-	-	3	1	4	6	14	23	37	23	13	1	1	-
	BLACK	62	1	4	-	3	5	4	16	14	7	17	4	3	-	-
	OTHER	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ACUTE OR CHRONIC LUNG DISEASE	ALL	96	-	3	2	3	6	2	16	17	29	23	7	4	-	-
	WHITE	51	-	-	-	2	4	2	8	8	17	14	3	1	-	-
	BLACK	40	-	3	2	-	2	-	7	7	12	9	2	3	-	-
	OTHER	5	-	-	-	1	-	-	1	2	-	-	2	-	-	-
DIABETES	ALL	1418	-	-	3	18	21	33	75	269	420	400	203	45	6	-
	WHITE	954	-	-	-	7	14	27	48	206	287	262	127	22	2	-
	BLACK	432	-	-	3	11	7	5	26	59	125	126	69	23	4	-
	OTHER	32	-	-	-	-	-	1	1	4	8	12	7	-	-	-
GENITAL HERPES	ALL	297	2	2	5	8	6	11	32	83	92	65	21	2	-	-
	WHITE	221	1	-	1	5	2	5	13	57	71	59	18	2	-	-
	BLACK	74	1	2	4	3	4	6	19	26	19	6	3	-	-	-
	OTHER	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-
HYDRAMNIOS/OLIGOHYDRAMNIOS	ALL	257	-	3	5	10	12	11	41	77	68	57	12	2	-	-
	WHITE	137	-	-	2	4	5	7	18	41	36	38	3	1	-	-
	BLACK	115	-	3	3	5	7	4	22	36	30	18	8	1	-	-
	OTHER	5	-	-	-	1	-	-	1	-	2	1	1	-	-	-
HEMOGLOBINOPATHY	ALL	48	-	-	1	2	3	5	11	17	8	9	3	-	-	-
	WHITE	4	-	-	1	-	-	-	1	1	1	1	-	-	-	-
	BLACK	44	-	-	-	2	3	5	10	16	7	8	3	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSION, CHRONIC	ALL	584	2	2	2	5	13	12	34	87	149	167	108	32	4	1
	WHITE	224	-	-	1	-	5	6	12	34	76	52	39	10	-	1
	BLACK	356	2	2	1	5	7	6	21	53	71	114	69	22	4	-
	OTHER	4	-	-	-	-	1	-	1	-	2	1	-	-	-	-
HYPERTENSION, PREGNANCY ASSOCIATED	ALL	2064	25	36	59	88	110	113	406	603	515	360	127	28	-	-
	WHITE	1119	-	8	16	27	46	57	154	354	319	210	67	15	-	-
	BLACK	936	25	28	43	61	64	56	252	246	193	148	59	13	-	-
	OTHER	9	-	-	-	-	-	-	-	3	3	2	1	-	-	-
ECLAMPSIA	ALL	294	4	5	10	14	23	10	62	83	77	43	21	4	-	-
	WHITE	154	-	2	3	4	10	6	25	42	52	25	7	3	-	-
	BLACK	136	4	3	7	10	13	4	37	40	24	17	13	1	-	-
	OTHER	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
INCOMPETENT CERVIX	ALL	143	-	-	-	-	3	-	3	32	48	37	18	5	-	-
	WHITE	73	-	-	-	-	2	-	2	15	24	24	5	3	-	-
	BLACK	69	-	-	-	-	1	-	1	16	24	13	13	2	-	-
	OTHER	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PREVIOUS INFANT 4000+ GRAMS	ALL	495	-	1	-	-	5	6	12	95	150	150	78	10	-	-
	WHITE	398	-	-	-	-	2	4	6	70	131	125	60	6	-	-
	BLACK	89	-	-	-	-	3	2	5	25	18	23	14	4	-	-
	OTHER	8	-	1	-	-	-	-	1	-	1	2	4	-	-	-
PREVIOUS PRETERM OR SMALL FOR GESTATIONAL AGE INFANT	ALL	676	-	3	9	15	16	31	74	184	215	143	49	11	-	-
	WHITE	343	-	-	1	2	7	10	20	80	121	87	27	8	-	-
	BLACK	328	-	3	8	12	9	20	52	103	94	54	22	3	-	-
	OTHER	5	-	-	-	1	-	1	2	1	-	2	-	-	-	-

(CONTINUED)

TABLE 2
MEDICAL RISK FACTORS FOR PREGNANCIES RESULTING IN A LIVE BIRTH
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

MEDICAL RISK FACTOR	RACE	TOTAL	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
RENAL DISEASE	ALL	94	-	1	2	6	8	3	20	24	31	14	4	-	-	1
	WHITE	63	-	-	1	4	5	2	12	14	23	10	3	-	-	1
	BLACK	27	-	1	1	2	2	-	6	9	8	3	1	-	-	-
	OTHER	4	-	-	-	-	1	1	2	1	-	1	-	-	-	-
RH SENSITIZATION	ALL	402	3	3	5	15	11	20	54	116	117	79	27	6	-	-
	WHITE	286	1	-	2	8	7	12	29	82	85	61	24	4	-	-
	BLACK	114	2	3	3	7	4	8	25	33	31	18	3	2	-	-
	OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
UTERINE BLEEDING	ALL	469	-	2	8	12	16	19	57	148	123	94	40	7	-	-
	WHITE	309	-	1	2	6	7	11	27	97	92	68	22	3	-	-
	BLACK	151	-	1	6	6	9	8	30	50	29	24	15	3	-	-
	OTHER	9	-	-	-	-	-	-	-	1	2	2	3	1	-	-
OTHER	ALL	5891	58	97	139	207	254	340	1037	1650	1562	1027	451	102	3	1
	WHITE	3136	7	36	47	83	102	150	418	838	969	612	230	59	2	1
	BLACK	2666	51	60	92	122	152	188	614	797	569	390	204	40	1	-
	OTHER	89	-	1	-	2	-	2	5	15	24	25	17	3	-	-
UNKNOWN MEDICAL RISK FACTOR	ALL	176	3	1	6	4	14	8	33	60	53	20	5	1	-	1
	WHITE	85	1	1	4	2	4	3	14	30	25	10	4	1	-	-
	BLACK	87	2	-	2	2	9	5	18	29	27	9	1	-	-	1
	OTHER	4	-	-	-	-	1	-	1	1	1	1	-	-	-	-
TOBACCO AND ALCOHOL USE DURING PREGNANCY																
NO TOBACCO USE	ALL	61007	423	819	1430	2105	2905	3549	10808	18709	16661	10142	3665	577	16	6
	WHITE	33254	47	173	410	732	1105	1492	3912	9399	10617	6679	2254	337	6	3
	BLACK	26630	374	644	1013	1358	1772	2022	6809	9051	5698	3171	1293	221	10	3
	OTHER	1123	2	2	7	15	28	35	87	259	346	292	118	19	-	-
TOBACCO USE	ALL	9753	9	37	128	224	363	545	1297	3110	2907	1730	628	70	2	-
	WHITE	6537	7	30	110	183	301	434	1058	2196	1882	1040	318	35	1	-
	BLACK	3147	2	6	18	39	58	106	227	888	1012	680	302	35	1	-
	OTHER	69	-	1	-	2	4	5	12	26	13	10	8	-	-	-
UNKNOWN TOBACCO USE	ALL	477	4	3	10	13	29	25	80	144	135	74	29	7	1	3
	WHITE	269	1	3	6	8	18	14	49	78	75	47	15	3	-	1
	BLACK	200	3	-	4	5	10	11	30	63	58	25	14	4	1	2
	OTHER	8	-	-	-	-	1	-	1	3	2	2	-	-	-	-
NO ALCOHOL USE	ALL	69543	431	851	1549	2313	3240	4062	12015	21508	19213	11545	4179	628	18	6
	WHITE	39263	53	200	515	907	1392	1909	4923	11474	12347	7570	2528	358	7	3
	BLACK	29094	376	648	1027	1389	1816	2113	6993	9750	6509	3674	1527	251	11	3
	OTHER	1186	2	3	7	17	32	40	99	284	357	301	124	19	-	-
ALCOHOL USE	ALL	976	1	5	5	9	21	25	65	243	283	268	101	15	-	-
	WHITE	356	1	3	2	4	6	9	24	86	94	106	36	9	-	-
	BLACK	616	-	2	3	5	15	16	41	157	188	161	63	6	-	-
	OTHER	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-
UNKNOWN ALCOHOL USE	ALL	718	4	3	14	20	36	32	105	212	207	133	42	11	1	3
	WHITE	441	1	3	9	12	26	22	72	113	133	90	23	8	-	1
	BLACK	267	3	-	5	8	9	10	32	95	71	41	19	3	1	2
	OTHER	10	-	-	-	-	1	-	1	4	3	2	-	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE MEDICAL RISK FACTOR WAS NOTED ON SOME BIRTH CERTIFICATES.

TABLE 3
COMPLICATIONS OF LABOR AND / OR DELIVERY
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

COMPLICATION	RACE	TOTAL	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
NO COMPLICATION NOTED	ALL	50453	272	592	1052	1654	2284	2885	8467	15762	13894	8570	3025	450	9	4
	WHITE	28831	29	138	376	681	1019	1386	3600	8395	8995	5721	1826	260	4	1
	BLACK	20729	242	452	671	962	1243	1468	4796	7144	4639	2619	1105	176	5	3
	OTHER	893	1	2	5	11	22	31	71	223	260	230	94	14	-	-
FEBRILE (> 100 DEGREES F)	ALL	1119	10	20	25	52	71	77	245	367	301	144	49	2	-	1
	WHITE	566	-	5	3	18	24	29	79	181	184	94	27	1	-	-
	BLACK	530	10	15	21	34	46	48	164	180	111	44	19	1	-	1
	OTHER	23	-	-	1	-	1	-	2	6	6	6	3	-	-	-
MECONIUM,MODERATE/HEAVY	ALL	3435	33	69	101	151	175	244	740	1008	887	521	203	40	2	1
	WHITE	1321	-	10	20	37	48	82	197	374	412	230	91	15	1	1
	BLACK	2069	33	59	81	113	126	161	540	625	459	279	108	24	1	-
	OTHER	45	-	-	-	1	1	1	3	9	16	12	4	1	-	-
PREMATURE RUPTURE OF MEMBRANE (12 HOURS)	ALL	1503	7	16	37	59	70	86	268	458	399	252	103	14	-	2
	WHITE	749	2	-	11	19	23	33	92	211	244	132	58	9	-	1
	BLACK	734	5	16	26	40	41	52	175	238	150	119	41	5	-	1
	OTHER	20	-	-	-	-	-	1	1	9	5	1	4	-	-	-
ABRUPTIO PLACENTA	ALL	374	2	3	8	8	15	24	58	104	105	68	32	5	-	-
	WHITE	192	-	1	4	4	6	9	24	57	57	37	16	1	-	-
	BLACK	176	2	2	4	4	9	15	34	47	45	29	15	4	-	-
	OTHER	6	-	-	-	-	-	-	-	-	3	2	1	-	-	-
PLACENTA PREVIA	ALL	170	-	1	1	3	2	5	12	28	45	51	32	2	-	-
	WHITE	107	-	-	-	2	-	1	3	13	35	39	16	1	-	-
	BLACK	57	-	-	1	1	2	4	8	15	9	10	14	1	-	-
	OTHER	6	-	1	-	-	-	-	1	-	1	2	2	-	-	-
OTHER EXCESSIVE BLEEDING	ALL	182	2	2	4	6	10	11	33	46	50	37	12	2	-	-
	WHITE	98	1	-	1	1	5	6	13	26	35	18	4	1	-	-
	BLACK	80	1	2	3	5	5	5	20	19	15	17	7	1	-	-
	OTHER	4	-	-	-	-	-	-	-	1	-	2	1	-	-	-
SEIZURES DURING LABOR	ALL	24	-	2	2	2	3	2	11	6	2	2	2	1	-	-
	WHITE	8	-	1	-	-	1	1	3	2	1	-	1	1	-	-
	BLACK	16	-	1	2	2	2	1	8	4	1	2	1	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRECIPITOUS LABOR (< 3 HOURS)	ALL	1106	8	11	33	37	41	61	183	355	293	171	83	12	1	-
	WHITE	363	1	1	4	2	7	18	32	108	119	65	34	4	-	-
	BLACK	716	7	10	29	35	33	42	149	241	164	102	44	8	1	-
	OTHER	27	-	-	-	-	1	1	2	6	10	4	5	-	-	-
PROLONGED LABOR (> 20 HOURS)	ALL	355	3	8	8	16	19	18	69	112	100	46	22	2	1	-
	WHITE	165	-	2	1	6	4	3	16	48	56	32	12	1	-	-
	BLACK	187	3	6	7	9	14	15	51	64	43	14	10	1	1	-
	OTHER	3	-	-	-	1	1	-	2	-	1	-	-	-	-	-
DYSFUNCTIONAL LABOR	ALL	1159	5	17	24	46	55	62	204	385	334	163	56	12	-	-
	WHITE	674	1	6	6	20	27	30	89	228	216	100	29	11	-	-
	BLACK	473	4	11	18	25	28	31	113	156	111	61	27	1	-	-
	OTHER	12	-	-	-	1	-	1	2	1	7	2	-	-	-	-
BREECH/MALPRESENTATION	ALL	2100	7	16	36	35	84	101	272	531	665	403	194	26	2	-
	WHITE	1393	2	6	16	16	41	61	140	324	499	290	122	16	-	-
	BLACK	680	5	10	20	19	42	38	129	197	159	110	68	10	2	-
	OTHER	27	-	-	-	-	1	2	3	10	7	3	4	-	-	-
CEPHALOPELVIC DISPROPORTION	ALL	3268	34	36	66	94	154	199	549	967	1031	515	155	17	-	-
	WHITE	2279	9	19	30	57	91	133	330	670	752	387	116	15	-	-
	BLACK	945	25	17	35	36	61	66	215	289	263	116	35	2	-	-
	OTHER	44	-	-	1	1	2	-	4	8	16	12	4	-	-	-
CORD PROLAPSE	ALL	141	2	2	4	2	3	5	16	41	46	25	9	1	1	-
	WHITE	80	-	-	2	2	2	4	10	31	24	11	4	-	-	-
	BLACK	60	2	2	2	-	1	1	6	10	21	14	5	1	1	-
	OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-

(CONTINUED)

TABLE 3
COMPLICATIONS OF LABOR AND / OR DELIVERY
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

COMPLICATION	RACE	TOTAL	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
ANESTHETIC COMPLICATIONS	ALL	36	-	-	2	2	-	3	7	7	11	9	2	-	-	-
	WHITE	22	-	-	-	2	-	2	4	5	5	6	2	-	-	-
	BLACK	13	-	-	2	-	-	1	3	2	5	3	-	-	-	-
	OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
FETAL DISTRESS	ALL	2868	25	50	77	111	151	173	562	827	725	473	218	36	1	1
	WHITE	1398	2	9	14	38	51	66	178	422	417	253	103	22	-	1
	BLACK	1439	23	41	63	72	99	106	381	402	296	215	108	13	1	-
	OTHER	31	-	-	-	1	1	1	3	3	12	5	7	1	-	-
OTHER	ALL	8085	65	98	201	266	419	486	1470	2498	2192	1266	507	83	3	1
	WHITE	4360	12	28	65	92	166	210	561	1325	1314	794	311	41	2	-
	BLACK	3609	52	69	136	171	249	273	898	1147	838	444	189	39	1	1
	OTHER	116	1	1	-	3	4	3	11	26	40	28	7	3	-	-
UNKNOWN	ALL	267	3	4	7	7	17	13	48	81	77	45	10	2	-	1
	WHITE	141	1	2	4	2	3	5	16	45	44	25	8	2	-	-
	BLACK	121	2	2	3	5	13	8	31	35	32	18	2	-	-	1
	OTHER	5	-	-	-	-	1	-	1	1	1	2	-	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE COMPLICATION WAS NOTED ON SOME BIRTH CERTIFICATES.

TABLE 4
OBSTETRIC PROCEDURES
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

PROCEDURE	RACE	TOTAL	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
NONE	ALL	8296	68	130	210	313	429	538	1620	2831	2075	1142	471	85	4	-
	WHITE	3167	4	23	53	63	119	154	412	1015	930	569	204	32	1	-
	BLACK	4998	64	106	157	249	307	379	1198	1774	1106	546	256	51	3	-
	OTHER	131	-	1	-	1	3	5	10	42	39	27	11	2	-	-
AMNIOCENTESIS	ALL	935	2	7	10	10	12	28	67	161	169	179	288	68	1	-
	WHITE	586	-	2	1	6	3	18	30	82	106	111	211	45	1	-
	BLACK	325	2	5	9	4	9	9	36	75	59	61	69	23	-	-
	OTHER	24	-	-	-	-	-	1	1	4	4	7	8	-	-	-
ELECTRONIC FETAL MONITORING	ALL	53735	330	656	1187	1766	2461	3075	9145	16272	15030	9159	3300	478	14	7
	WHITE	31262	47	158	399	726	1108	1511	3902	8989	9923	6085	2025	282	5	4
	BLACK	21634	281	496	781	1029	1335	1540	5181	7090	4850	2856	1178	186	9	3
	OTHER	839	2	2	7	11	18	24	62	193	257	218	97	10	-	-
INDUCTION OF LABOR	ALL	4592	17	38	83	125	173	227	646	1341	1421	826	303	35	3	-
	WHITE	3282	3	13	39	73	97	141	363	967	1107	612	207	22	1	-
	BLACK	1264	14	25	43	52	75	84	279	365	300	203	88	13	2	-
	OTHER	46	-	-	1	-	1	2	4	9	14	11	8	-	-	-
STIMULATION OF LABOR	ALL	9112	52	110	189	279	409	524	1511	2806	2594	1533	532	80	3	1
	WHITE	5815	8	36	82	123	213	287	741	1722	1840	1080	364	59	1	-
	BLACK	3171	44	73	105	154	194	234	760	1060	713	422	149	20	2	1
	OTHER	126	-	1	2	2	2	3	10	24	41	31	19	1	-	-
TOCOLYSIS	ALL	877	3	8	18	29	42	48	145	270	248	156	53	2	-	-
	WHITE	519	1	1	2	9	25	21	58	151	177	100	31	1	-	-
	BLACK	347	2	7	16	20	17	27	89	116	65	56	20	1	-	-
	OTHER	11	-	-	-	-	-	-	-	3	6	-	2	-	-	-
ULTRASOUND	ALL	39224	186	380	759	1183	1697	2137	6156	11820	11068	7055	2544	380	10	5
	WHITE	25000	36	117	315	584	874	1199	3089	7204	7784	4947	1687	246	4	3
	BLACK	13519	150	262	440	588	804	908	3002	4445	3081	1931	781	121	6	2
	OTHER	705	-	1	4	11	19	30	65	171	203	177	76	13	-	-
OTHER	ALL	663	4	6	5	20	26	36	93	187	189	123	59	8	-	-
	WHITE	458	-	1	3	12	16	28	60	124	138	88	42	6	-	-
	BLACK	191	4	5	2	7	10	8	32	59	47	32	15	2	-	-
	OTHER	14	-	-	-	1	-	-	1	4	4	3	2	-	-	-
UNKNOWN	ALL	195	4	1	5	8	13	7	34	61	58	30	6	1	-	1
	WHITE	98	1	1	4	2	5	3	15	30	31	15	5	1	-	-
	BLACK	92	3	-	1	6	7	4	18	29	26	14	1	-	-	1
	OTHER	5	-	-	-	-	1	-	1	2	1	1	-	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE PROCEDURE WAS NOTED ON SOME BIRTH CERTIFICATES.

TABLE 5
METHOD OF DELIVERY
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

METHOD	RACE	TOTAL	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
VAGINAL	ALL	42041	298	587	1071	1537	2160	2608	7963	13619	11005	6503	2305	331	11	6
	WHITE	21295	32	114	340	538	844	1097	2933	6531	6410	3949	1263	169	5	3
	BLACK	19970	264	471	727	989	1293	1482	4962	6889	4362	2363	972	149	6	3
	OTHER	776	2	2	4	10	23	29	68	199	233	191	70	13	-	-
VAGINAL / FORCEPS	ALL	6670	31	77	130	237	298	449	1191	1976	1963	1082	370	55	1	1
	WHITE	4976	6	31	65	148	186	302	732	1490	1583	852	273	38	1	1
	BLACK	1597	25	46	64	86	111	144	451	462	348	208	86	17	-	-
	OTHER	97	-	-	1	3	1	3	8	24	32	22	11	-	-	-
VAGINAL / FORCEPS / VACUUM	ALL	111	2	1	1	4	8	3	17	39	31	14	7	1	-	-
	WHITE	74	-	-	-	1	6	2	9	23	24	13	5	-	-	-
	BLACK	35	2	1	1	2	2	1	7	16	6	1	2	1	-	-
	OTHER	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-
VAGINAL / VACUUM	ALL	1600	3	26	55	76	86	90	333	534	419	207	92	11	1	-
	WHITE	999	-	7	24	40	46	52	169	330	296	133	62	9	-	-
	BLACK	571	3	19	30	36	40	38	163	196	113	68	26	1	1	-
	OTHER	30	-	-	1	-	-	-	1	8	10	6	4	1	-	-
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	ALL	883	1	3	11	5	29	35	83	270	278	190	48	13	-	-
	WHITE	448	1	-	2	-	7	7	16	107	161	123	31	9	-	-
	BLACK	422	-	3	9	5	22	27	66	159	114	64	16	3	-	-
	OTHER	13	-	-	-	-	-	1	1	4	3	3	1	1	-	-
VAGINAL BIRTH AFTER PREVIOUS C-SECTION / FORCEPS	ALL	124	-	-	-	2	1	5	8	23	43	31	15	4	-	-
	WHITE	91	-	-	-	-	1	-	1	16	35	23	13	3	-	-
	BLACK	31	-	-	-	2	-	5	7	7	8	6	2	1	-	-
	OTHER	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
VAGINAL BIRTH AFTER PREVIOUS C-SECTION / FORCEPS / VACUUM	ALL	5	1	-	-	-	-	-	-	2	1	1	-	-	-	-
	WHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	BLACK	4	1	-	-	-	-	-	-	1	1	1	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VAGINAL BIRTH AFTER PREVIOUS C-SECTION / VACUUM	ALL	43	-	-	-	-	2	1	3	12	13	13	2	-	-	-
	WHITE	30	-	-	-	-	1	1	2	7	9	10	2	-	-	-
	BLACK	13	-	-	-	-	1	-	1	5	4	3	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIMARY C-SECTION	ALL	11984	96	154	268	410	583	709	2124	3522	3351	1958	789	140	4	-
	WHITE	7321	15	54	90	184	295	385	1008	2152	2288	1296	476	85	1	-
	BLACK	4500	81	100	177	224	281	320	1102	1334	1009	624	294	53	3	-
	OTHER	163	-	-	1	2	7	4	14	36	54	38	19	2	-	-
REPEAT C-SECTION	ALL	7581	1	10	26	66	113	206	421	1913	2539	1916	691	98	2	-
	WHITE	4741	-	-	3	11	33	91	138	992	1741	1349	460	61	-	-
	BLACK	2727	1	9	23	54	79	112	277	905	771	526	210	35	2	-
	OTHER	113	-	1	-	1	1	3	6	16	27	41	21	2	-	-
UNKNOWN	ALL	195	3	1	6	5	17	13	42	53	60	31	3	1	-	2
	WHITE	84	1	-	2	1	5	3	11	24	27	18	2	1	-	-
	BLACK	107	2	1	4	4	11	10	30	28	32	12	1	-	-	2
	OTHER	4	-	-	-	-	1	-	1	1	1	1	-	-	-	-

TABLE 6
ABNORMAL CONDITIONS OF THE NEWBORN
LOUISIANA RESIDENTS, 1991, BY AGE AND RACE OF MOTHER

CONDITION	RACE	TOTAL	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 +	UNK
NONE	ALL	66820	404	791	1443	2168	3071	3843	11316	20656	18508	11238	4065	608	18	7
	WHITE	37550	49	189	490	851	1318	1787	4635	10912	11804	7352	2439	349	6	4
	BLACK	28124	353	600	947	1301	1721	2019	6588	9471	6356	3591	1510	240	12	3
	OTHER	1146	2	2	6	16	32	37	93	273	348	295	116	19	-	-
ANEMIA (HCT < 39 / HGB < 13)	ALL	137	3	2	6	7	7	11	33	39	26	28	4	4	-	-
	WHITE	63	1	-	-	4	2	6	12	14	15	17	2	2	-	-
	BLACK	72	2	2	6	3	5	5	21	24	10	11	2	2	-	-
	OTHER	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
BIRTH INJURY	ALL	111	2	-	5	2	7	9	23	24	37	20	5	-	-	-
	WHITE	81	1	-	3	1	6	6	16	17	29	14	4	-	-	-
	BLACK	28	1	-	2	1	1	3	7	6	8	6	-	-	-	-
	OTHER	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
FETAL ALCOHOL SYNDROME	ALL	13	-	-	1	-	-	-	1	6	4	1	1	-	-	-
	WHITE	6	-	-	-	-	-	-	-	4	1	1	-	-	-	-
	BLACK	6	-	-	1	-	-	-	1	2	2	-	1	-	-	-
	OTHER	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HYALINE MEMBRANE DISEASE / RESPIRATORY DISTRESS SYNDROME	ALL	493	1	3	24	19	18	25	89	139	142	80	29	13	-	-
	WHITE	257	1	1	10	8	6	16	41	65	91	40	16	3	-	-
	BLACK	224	-	1	14	9	12	9	45	72	48	37	12	10	-	-
	OTHER	12	-	1	-	2	-	-	3	2	3	3	1	-	-	-
MECONIUM ASPIRATION SYNDROME	ALL	131	2	1	3	6	6	5	21	28	42	22	12	4	-	-
	WHITE	66	-	-	-	2	2	3	7	17	25	11	5	1	-	-
	BLACK	65	2	1	3	4	4	2	14	11	17	11	7	3	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSISTED VENTILATION LESS THAN 30 MINUTES	ALL	396	2	3	10	19	20	14	66	121	109	68	26	4	-	-
	WHITE	208	-	-	5	6	9	8	28	70	64	36	8	2	-	-
	BLACK	181	2	3	5	13	11	6	38	47	44	31	17	2	-	-
	OTHER	7	-	-	-	-	-	-	-	4	1	1	1	-	-	-
ASSISTED VENTILATION 30 MINUTES OR MORE	ALL	381	2	6	10	7	16	23	62	122	105	60	27	3	-	-
	WHITE	208	1	1	2	4	7	14	28	68	63	32	13	3	-	-
	BLACK	163	1	5	8	3	9	9	34	52	37	26	13	-	-	-
	OTHER	10	-	-	-	-	-	-	-	2	5	2	1	-	-	-
SEIZURES	ALL	80	1	1	3	2	5	3	14	20	25	13	6	1	-	-
	WHITE	44	-	-	-	1	2	3	6	11	16	8	2	1	-	-
	BLACK	35	1	1	3	1	3	-	8	9	9	4	4	-	-	-
	OTHER	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OTHER	ALL	3883	24	59	88	136	190	244	717	1148	1036	662	255	39	1	1
	WHITE	2197	3	16	22	52	86	120	296	631	678	410	154	24	1	-
	BLACK	1647	21	43	65	84	104	121	417	505	349	245	94	15	-	1
	OTHER	39	-	-	1	-	-	3	4	12	9	7	7	-	-	-
UNKNOWN	ALL	237	3	1	6	12	17	10	46	65	72	39	10	1	-	1
	WHITE	124	1	1	3	5	4	5	18	35	39	25	5	1	-	-
	BLACK	108	2	-	3	7	12	5	27	29	32	13	4	-	-	1
	OTHER	5	-	-	-	-	1	-	1	1	1	1	1	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONDITION WAS NOTED ON SOME BIRTH CERTIFICATES.

1991
Tables

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	72479	72080	17.0	ALL	439	863	1577	2356	3325	4143	12264	22208	19948	12131	4400	664	19	9
	41079	40506		WHITE	55	207	529	925	1431	1945	5037	11769	12727	7897	2630	380	7	4
	30176	30360		BLACK	382	653	1041	1413	1861	2158	7126	10145	6856	3926	1643	265	12	5
	1224	1214		OTHER	2	3	7	18	33	40	101	292	365	308	127	19	-	-
ACADIA	741	982	17.4	ALL	5	13	22	40	60	64	199	329	249	142	47	10	1	-
	535	713		WHITE	2	6	13	27	43	41	130	237	201	104	32	7	-	-
	206	269		BLACK	3	7	9	13	17	23	69	92	48	38	15	3	1	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	735	274	19.5	ALL	4	8	10	9	18	23	68	90	57	40	13	1	1	-
	531	153		WHITE	1	5	6	5	7	9	32	52	38	23	6	1	-	-
	204	121		BLACK	3	3	4	4	11	14	36	38	19	17	7	-	1	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	2	360	16.6	ALL	2	3	9	18	18	15	63	138	86	52	18	3	-	-
	2	265		WHITE	1	1	6	15	12	10	44	99	69	41	10	1	-	-
	-	93		BLACK	1	2	3	3	6	5	19	38	16	11	6	2	-	-
	-	2		OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ASCENSION	12	1094	18.5	ALL	4	14	12	27	49	49	151	370	342	161	58	7	1	-
	5	759		WHITE	-	6	6	16	25	30	83	254	253	126	38	4	1	-
	7	333		BLACK	4	8	6	11	24	19	68	116	88	34	20	3	-	-
	-	2		OTHER	-	-	-	-	-	-	-	-	1	1	-	-	-	-
ASSUMPTION	-	351	15.3	ALL	1	-	2	17	22	22	63	98	106	58	23	4	-	-
	-	186		WHITE	-	-	1	7	7	16	31	55	54	31	13	2	-	-
	-	163		BLACK	1	-	1	10	15	6	32	40	51	27	10	2	-	-
	-	2		OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-
AVOYELLES	270	629	16.0	ALL	3	15	13	17	45	39	129	197	164	97	35	4	-	-
	124	366		WHITE	-	9	5	9	21	21	65	126	99	57	17	2	-	-
	144	260		BLACK	3	6	8	8	24	18	64	69	65	40	17	2	-	-
	2	3		OTHER	-	-	-	-	-	-	-	2	-	-	1	-	-	-
BEAUREGARD	711	527	17.4	ALL	3	2	10	15	22	41	90	175	144	80	31	3	1	-
	564	430		WHITE	1	-	7	12	20	33	72	151	118	63	22	2	1	-
	146	92		BLACK	2	2	3	3	2	8	18	23	23	16	9	1	-	-
	1	5		OTHER	-	-	-	-	-	-	-	1	3	1	-	-	-	-
DE RIDDER*	698	210	22.1	ALL	3	2	4	7	7	18	38	56	54	39	18	2	-	-
	552	127		WHITE	1	-	1	4	6	10	21	37	32	25	10	1	-	-
	145	80		BLACK	2	2	3	3	1	8	17	18	20	14	8	1	-	-
	1	3		OTHER	-	-	-	-	-	-	-	1	2	-	-	-	-	-
BIENVILLE	1	254	15.8	ALL	5	7	4	6	10	15	42	89	69	35	12	2	-	-
	-	111		WHITE	1	-	-	-	5	8	13	35	35	18	7	2	-	-
	1	143		BLACK	4	7	4	6	5	7	29	54	34	17	5	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	935	1437	16.5	ALL	5	15	28	45	62	69	219	488	442	235	59	9	-	-
	777	1009		WHITE	-	3	15	23	32	39	112	331	343	180	39	4	-	-
	136	408		BLACK	5	12	13	22	29	29	105	135	92	50	18	5	-	-
	22	20		OTHER	-	-	-	-	1	1	2	2	7	5	4	-	-	-
BOSSIER CITY*	933	942	17.7	ALL	5	10	14	28	39	49	140	306	292	152	41	6	-	-
	776	679		WHITE	-	1	7	13	24	30	75	230	225	116	30	3	-	-
	135	246		BLACK	5	9	7	15	14	18	83	74	61	32	8	3	-	-
	22	17		OTHER	-	-	-	-	1	1	2	2	6	4	3	-	-	-
CADDO	6513	4116	16.5	ALL	33	58	99	152	199	283	791	1358	1014	656	238	25	-	1
	3098	1852		WHITE	1	8	21	40	72	88	229	541	561	398	112	10	-	-
	3387	2239		BLACK	32	50	78	112	127	195	562	811	446	252	120	15	-	1
	28	25		OTHER	-	-	-	-	-	-	-	6	7	6	6	-	-	-
SHREVEPORT*	6510	3506	17.6	ALL	30	51	91	133	168	253	696	1160	852	548	203	19	-	-
	3095	1391		WHITE	1	4	17	27	49	68	165	389	432	310	88	6	-	-
	3387	2091		BLACK	29	47	74	106	119	185	531	765	413	230	110	13	-	-
	28	24		OTHER	-	-	-	-	-	-	-	6	7	6	5	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
CALCASIEU	3037	2782	16.4	ALL	8	22	42	76	122	192	454	884	782	456	171	25	2	-
	2179	1926		WHITE	3	11	19	43	82	124	279	600	569	348	112	16	1	-
	838	836		BLACK	5	11	23	33	38	67	172	280	208	104	57	9	1	-
	20	20		OTHER	-	-	-	-	2	1	3	4	5	6	2	-	-	-
LAKE CHARLES[a]	2654	1348	19.0	ALL	5	17	26	39	54	97	233	423	367	206	98	15	1	-
	1821	659		WHITE	-	6	5	12	20	37	80	210	200	117	45	7	-	-
	816	677		BLACK	5	11	21	27	33	60	152	211	165	84	51	8	1	-
	17	12		OTHER	-	-	-	-	1	-	1	2	2	5	2	-	-	-
SULPHUR[a]	381	339	16.7	ALL	-	-	7	8	22	24	61	111	93	57	16	1	-	-
	357	310		WHITE	-	-	7	8	22	23	60	97	82	54	16	1	-	-
	21	27		BLACK	-	-	-	-	-	1	1	13	10	3	-	-	-	-
	3	2		OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-
CALDWELL	4	152	15.5	ALL	1	5	3	7	18	11	44	47	37	15	6	2	-	-
	1	115		WHITE	-	3	2	3	16	6	30	36	32	11	4	2	-	-
	3	37		BLACK	1	2	1	4	2	5	14	11	5	4	2	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	1	130	14.0	ALL	1	2	5	1	3	11	22	34	40	21	10	2	-	-
	1	123		WHITE	1	2	5	1	3	11	22	34	36	21	8	1	-	-
	-	7		BLACK	-	-	-	-	-	-	-	-	4	-	2	1	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	193	17.3	ALL	-	4	3	10	14	14	45	71	43	28	6	-	-	-
	-	109		WHITE	-	1	1	4	7	7	20	42	28	17	2	-	-	-
	-	84		BLACK	-	3	2	6	7	7	25	29	15	11	4	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	172	251	14.4	ALL	4	4	8	10	13	11	46	88	63	33	15	1	-	1
	57	84		WHITE	-	1	2	-	2	4	9	27	27	10	4	-	-	1
	115	167		BLACK	4	3	6	10	11	7	37	61	36	17	11	1	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	498	315	15.0	ALL	8	4	13	17	17	20	71	114	64	44	11	3	-	-
	197	144		WHITE	-	1	3	6	6	12	28	49	35	26	4	2	-	-
	301	171		BLACK	8	3	10	11	11	8	43	65	29	18	7	1	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	14	431	16.9	ALL	6	7	13	11	24	28	83	158	118	49	15	2	-	-
	2	204		WHITE	-	1	3	5	12	15	36	72	61	30	5	-	-	-
	12	227		BLACK	6	6	10	6	12	13	47	86	57	19	10	2	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	9642	6585	17.1	ALL	34	59	106	176	245	291	877	1822	1997	1291	475	88	1	-
	5486	3321		WHITE	4	8	20	49	81	102	260	757	1179	795	276	50	-	-
	4029	3140		BLACK	30	50	85	126	164	186	611	1044	781	455	184	34	1	-
	127	124		OTHER	-	1	1	1	-	3	6	21	37	41	15	4	-	-
BATON ROUGE[a]	8905	5296	23.9	ALL	32	53	88	146	205	245	735	1512	1559	1004	382	71	1	-
	4949	2326		WHITE	2	6	5	30	54	70	165	528	823	568	205	37	-	-
	3834	2853		BLACK	30	47	80	116	151	172	566	966	701	396	163	30	1	-
	122	117		OTHER	-	-	1	-	-	3	4	20	35	40	14	4	-	-
BAKER[a]	2	280	21.1	ALL	-	2	6	10	13	15	46	91	92	39	7	5	-	-
	2	191		WHITE	-	-	5	5	9	11	30	64	63	27	4	3	-	-
	-	87		BLACK	-	1	1	5	4	4	15	27	28	12	3	2	-	-
	-	2		OTHER	-	1	-	-	-	-	1	-	1	-	-	-	-	-
EAST CARROLL	-	228	23.4	ALL	6	10	14	10	18	11	63	69	48	30	9	2	-	1
	-	35		WHITE	-	-	1	-	1	-	2	10	14	9	-	-	-	-
	-	193		BLACK	6	10	13	10	17	11	61	59	34	21	9	2	-	1
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
E FELICIANA	2	302	15.6	ALL	2	4	8	12	9	12	45	114	73	46	18	4	-	-
	2	138		WHITE	2	2	1	4	2	4	13	52	37	25	7	2	-	-
	-	164		BLACK	-	2	7	8	7	8	32	62	36	21	11	2	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	554	619	18.5	ALL	4	6	18	30	31	32	117	222	191	65	17	3	-	-
	245	368		WHITE	2	-	8	17	18	17	60	131	126	40	8	1	-	-
	308	250		BLACK	2	6	10	13	13	15	57	91	85	24	9	2	-	-
	3	1		OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
FRANKLIN	10	361	16.0	ALL	5	4	11	18	27	28	88	122	83	44	17	1	1	-
	2	194		WHITE	-	-	3	11	10	14	38	66	46	32	11	1	-	-
	8	167		BLACK	5	4	8	7	17	14	50	56	37	12	6	-	1	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	252	14.4	ALL	1	4	5	11	14	17	51	86	60	33	17	4	-	-
	-	201		WHITE	1	3	5	10	12	14	44	68	46	27	12	3	-	-
	-	50		BLACK	-	1	-	1	2	2	6	18	14	6	5	1	-	-
	-	1		OTHER	-	-	-	-	-	1	1	-	-	-	-	-	-	-
IBERIA	799	1245	18.1	ALL	8	11	26	49	46	57	189	397	368	186	87	9	1	-
	567	729		WHITE	1	3	13	25	21	31	93	212	250	117	48	8	-	-
	212	499		BLACK	7	8	13	24	25	23	93	183	113	65	36	1	1	-
	20	17		OTHER	-	-	-	-	-	3	3	2	5	4	3	-	-	-
NEW IBERIA[a]	797	677	21.3	ALL	7	8	18	28	30	37	121	221	178	94	50	5	1	-
	566	377		WHITE	1	2	7	14	11	19	53	114	120	56	29	4	-	-
	211	285		BLACK	6	6	11	14	19	16	66	105	54	34	18	1	1	-
	20	15		OTHER	-	-	-	-	-	2	2	2	4	4	3	-	-	-
IBERVILLE	638	589	18.9	ALL	1	6	10	14	29	39	98	188	172	82	42	6	-	-
	188	243		WHITE	-	1	3	6	9	16	35	75	83	33	17	-	-	-
	448	345		BLACK	1	5	7	8	20	23	63	112	89	49	25	6	-	-
	2	1		OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
JACKSON	205	188	12.0	ALL	-	4	5	7	7	18	41	71	50	22	2	1	1	-
	53	118		WHITE	-	2	2	3	3	13	23	46	32	14	2	1	-	-
	150	68		BLACK	-	2	3	4	4	5	18	25	16	8	-	-	1	-
	2	2		OTHER	-	-	-	-	-	-	-	-	2	-	-	-	-	-
JEFFERSON	9156	7183	15.9	ALL	26	64	130	196	262	339	991	1869	2185	1479	554	77	1	1
	6163	4868		WHITE	6	18	66	92	140	188	504	1139	1621	1128	416	53	1	-
	2644	2012		BLACK	20	46	62	95	116	145	464	652	473	274	109	19	-	1
	349	303		OTHER	-	-	2	9	6	6	23	78	91	77	29	5	-	-
KENNER[a]	461	1232	17.1	ALL	7	14	18	35	45	58	170	305	384	250	103	13	-	-
	316	816		WHITE	3	4	9	7	27	30	77	178	284	187	77	10	-	-
	111	366		BLACK	4	10	7	27	17	26	87	118	80	51	23	3	-	-
	34	50		OTHER	-	-	2	1	1	2	6	9	20	12	3	-	-	-
GRETNA[a]	2284	545	31.3	ALL	1	9	10	16	24	36	95	173	138	96	36	5	-	1
	1067	342		WHITE	1	3	4	8	10	25	50	99	101	66	24	1	-	-
	1106	174		BLACK	-	6	6	7	14	10	43	66	29	23	9	3	-	1
	111	29		OTHER	-	-	-	1	-	1	2	8	8	7	3	1	-	-
HARAHAN[a]	-	82	8.2	ALL	-	-	-	2	3	1	6	16	31	22	6	1	-	-
	-	79		WHITE	-	-	-	2	3	1	6	14	30	22	6	1	-	-
	-	3		BLACK	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO[a]	-	214	19.0	ALL	1	2	8	7	13	19	49	78	52	27	7	-	-	-
	-	128		WHITE	-	1	4	7	5	13	30	52	28	14	4	-	-	-
	-	79		BLACK	1	1	4	-	8	6	19	24	22	11	2	-	-	-
	-	7		OTHER	-	-	-	-	-	-	-	2	2	2	1	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
JEFF DAVIS	419	544	17.6	ALL	3	4	12	16	32	24	88	175	152	89	32	5	-	-
	326	411		WHITE	2	1	7	11	24	22	65	137	117	65	21	4	-	-
	90	129		BLACK	1	3	5	5	8	2	23	38	34	21	11	1	-	-
	3	4		OTHER	-	-	-	-	-	-	-	-	1	3	-	-	-	-
JENNINGS*	419	231	20.2	ALL	2	3	7	6	18	10	44	66	63	38	14	4	-	-
	326	153		WHITE	1	-	3	4	13	10	30	41	42	25	11	3	-	-
	90	76		BLACK	1	3	4	2	5	-	14	25	20	12	3	1	-	-
	3	2		OTHER	-	-	-	-	-	-	-	-	1	1	-	-	-	-
LAFAYETTE	5169	2913	17.5	ALL	12	28	32	58	94	110	320	774	863	672	241	29	2	-
	3204	2043		WHITE	-	6	13	31	54	72	176	501	637	528	180	21	-	-
	1951	858		BLACK	12	20	19	27	40	38	144	272	221	140	59	8	2	-
	14	12		OTHER	-	-	-	-	-	-	-	1	5	4	2	-	-	-
LAFAYETTE*	5162	1775	18.3	ALL	11	17	18	38	61	73	207	471	492	427	147	19	1	-
	3197	1149		WHITE	-	3	6	18	33	41	101	268	335	324	108	13	-	-
	1951	617		BLACK	11	14	12	20	28	32	106	202	154	100	37	6	1	-
	14	9		OTHER	-	-	-	-	-	-	-	1	3	3	2	-	-	-
LAFOURCHE	1069	1448	16.7	ALL	7	19	22	42	62	77	222	453	452	223	81	10	-	-
	978	1117		WHITE	2	13	13	23	41	52	142	346	377	182	59	9	-	-
	83	308		BLACK	5	6	8	18	19	24	75	100	72	37	18	1	-	-
	8	23		OTHER	-	-	1	1	2	1	5	7	3	4	4	-	-	-
THIBODAUX*	727	303	21.5	ALL	4	5	5	14	15	18	57	99	87	40	16	-	-	-
	644	148		WHITE	-	2	2	2	6	7	19	50	50	23	6	-	-	-
	78	153		BLACK	4	3	3	12	9	11	38	49	36	16	10	-	-	-
	5	2		OTHER	-	-	-	-	-	-	-	-	1	1	-	-	-	-
LASALLE	63	184	13.4	ALL	2	9	5	6	9	14	43	80	33	16	9	1	-	-
	40	143		WHITE	-	5	4	3	6	10	28	61	31	15	7	1	-	-
	21	38		BLACK	2	4	1	3	3	4	15	16	2	1	2	-	-	-
	2	3		OTHER	-	-	-	-	-	-	-	3	-	-	-	-	-	-
LINCOLN	641	548	13.0	ALL	5	6	13	10	23	29	81	177	162	80	32	11	-	-
	383	287		WHITE	-	1	5	5	10	11	32	78	98	51	24	4	-	-
	256	258		BLACK	5	5	8	5	13	18	49	99	63	27	8	7	-	-
	2	3		OTHER	-	-	-	-	-	-	-	-	1	2	-	-	-	-
RUSTON*	639	256	12.8	ALL	2	3	9	7	7	14	40	80	81	30	15	8	-	-
	383	116		WHITE	-	1	3	4	2	2	12	27	46	18	10	3	-	-
	254	138		BLACK	2	2	6	3	5	12	28	53	35	10	5	5	-	-
	2	2		OTHER	-	-	-	-	-	-	-	-	-	2	-	-	-	-
LIVINGSTON	5	1210	16.9	ALL	4	6	33	37	68	71	215	437	334	168	45	7	-	-
	5	1106		WHITE	-	6	29	28	61	65	189	401	313	155	41	7	-	-
	-	103		BLACK	4	-	4	9	7	6	26	36	20	13	4	-	-	-
	-	1		OTHER	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MADISON	8	228	18.2	ALL	4	11	8	15	21	18	73	77	34	27	10	2	-	1
	-	59		WHITE	1	-	-	2	3	7	12	23	12	6	5	-	-	-
	8	169		BLACK	3	11	8	13	18	11	61	54	22	21	5	2	-	1
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	8	180	21.1	ALL	2	10	7	14	18	16	65	57	27	19	8	1	-	1
	-	34		WHITE	-	-	-	1	1	5	7	13	8	2	4	-	-	-
	8	146		BLACK	2	10	7	13	17	11	58	44	19	17	4	1	-	1
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	364	522	16.3	ALL	11	9	31	30	44	41	155	184	98	56	14	4	-	-
	278	227		WHITE	1	1	11	10	24	15	61	80	44	33	4	4	-	-
	85	293		BLACK	10	8	20	20	20	26	94	103	53	23	10	-	-	-
	1	2		OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-
BASTROP*	364	290	20.7	ALL	8	6	16	17	24	25	88	102	49	33	8	2	-	-
	278	89		WHITE	1	-	1	3	10	7	21	31	15	17	2	2	-	-
	85	200		BLACK	7	6	15	14	14	18	67	70	34	16	6	-	-	-
	1	1		OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
NATCHITOCHES	447	533	14.4	ALL	2	9	16	18	23	39	105	191	123	82	26	4	-	-
	269	271		WHITE	-	3	4	7	9	14	37	95	73	47	17	2	-	-
	176	260		BLACK	2	6	12	11	14	24	67	96	49	35	9	2	-	-
	2	2		OTHER	-	-	-	-	-	1	1	-	1	-	-	-	-	-
NATCHITOCHES[a]	445	304	18.3	ALL	1	6	10	13	10	22	61	107	64	54	18	1	-	-
	268	112		WHITE	-	1	1	2	2	7	13	30	33	26	10	-	-	-
	175	191		BLACK	1	5	9	11	8	14	47	77	31	28	6	1	-	-
	2	1		OTHER	-	-	-	-	-	1	1	-	-	-	-	-	-	-
ORLEANS	10385	9243	18.6	ALL	68	172	308	406	526	598	2010	2800	2199	1563	697	104	1	1
	2753	1728		WHITE	-	8	13	17	26	37	101	293	507	533	259	35	-	-
	7352	7236		BLACK	66	164	293	389	494	555	1895	2248	1605	950	408	62	1	1
	280	279		OTHER	2	-	2	-	6	6	14	59	87	80	30	7	-	-
OUACHITA	4102	2386	16.7	ALL	19	41	67	88	114	147	457	781	630	370	111	18	-	-
	2148	1231		WHITE	-	4	13	28	48	62	155	379	407	227	55	8	-	-
	1941	1145		BLACK	19	37	54	60	66	85	302	401	218	140	55	10	-	-
	13	10		OTHER	-	-	-	-	-	-	-	1	5	3	1	-	-	-
MONROE[a]	3686	1345	24.4	ALL	17	35	52	61	72	94	314	454	305	182	61	12	-	-
	1775	359		WHITE	-	-	1	7	13	20	41	105	120	70	20	3	-	-
	1901	981		BLACK	17	35	51	54	59	74	273	348	182	112	40	9	-	-
	10	5		OTHER	-	-	-	-	-	-	-	1	3	-	1	-	-	-
WEST MONROE[a]	415	381	27.0	ALL	1	4	6	17	21	25	73	138	97	51	20	1	-	-
	372	290		WHITE	-	4	5	13	15	19	56	105	81	38	10	-	-	-
	40	89		BLACK	1	-	1	4	6	6	17	33	14	13	10	1	-	-
	3	2		OTHER	-	-	-	-	-	-	-	-	2	-	-	-	-	-
PLAQUEMINES	5	429	16.7	ALL	6	2	6	7	14	18	47	148	127	76	21	4	-	-
	3	271		WHITE	1	1	2	4	6	8	21	87	90	56	13	3	-	-
	2	140		BLACK	5	1	4	3	7	9	24	53	33	17	7	1	-	-
	-	18		OTHER	-	-	-	-	1	1	2	8	4	3	1	-	-	-
POINTE COUPEE	5	358	15.8	ALL	4	2	8	11	15	17	53	114	93	69	22	3	-	-
	3	159		WHITE	1	-	1	3	4	6	14	49	48	39	8	-	-	-
	2	198		BLACK	3	2	7	8	11	11	39	64	45	30	14	3	-	-
	-	1		OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RAPIDES	3262	2201	16.6	ALL	16	27	51	87	125	147	417	693	597	327	135	13	3	-
	2127	1351		WHITE	1	6	19	27	51	74	177	432	413	225	91	10	2	-
	1103	823		BLACK	15	21	32	40	74	72	239	256	170	98	42	2	1	-
	32	27		OTHER	-	-	-	-	-	1	1	5	14	4	2	1	-	-
ALEXANDRIA[a]	2517	1009	20.4	ALL	15	19	34	39	70	66	228	300	250	143	66	6	1	-
	1955	380		WHITE	1	2	5	8	12	13	40	109	120	71	35	4	-	-
	533	618		BLACK	14	17	29	31	58	53	188	189	125	70	30	1	1	-
	29	11		OTHER	-	-	-	-	-	-	-	2	5	2	1	1	-	-
PINEVILLE[a]	738	305	24.8	ALL	-	4	7	7	8	27	53	112	72	51	14	2	1	-
	169	241		WHITE	-	2	7	3	5	21	38	90	55	43	12	2	1	-
	566	61		BLACK	-	2	-	4	3	6	15	21	15	8	2	-	-	-
	3	3		OTHER	-	-	-	-	-	-	-	1	2	-	-	-	-	-
RED RIVER	2	157	16.7	ALL	2	3	5	6	6	12	32	55	40	21	6	1	-	-
	-	88		WHITE	-	1	-	3	5	7	16	32	26	11	2	1	-	-
	2	68		BLACK	2	2	5	3	1	5	16	22	14	10	4	-	-	-
	-	1		OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RICHLAND	3	365	17.6	ALL	2	10	14	14	13	32	83	118	92	52	17	1	-	-
	-	186		WHITE	-	1	3	8	5	14	31	60	55	28	11	1	-	-
	3	178		BLACK	2	9	11	6	8	18	52	58	36	24	6	-	-	-
	-	1		OTHER	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SABINE	-	347	15.2	ALL	4	6	10	21	20	20	77	127	92	29	15	2	1	-
	-	235		WHITE	1	4	9	11	8	13	45	86	73	21	8	1	-	-
	-	110		BLACK	3	2	1	10	11	7	31	41	18	8	7	1	1	-
	-	2		OTHER	-	-	-	-	1	-	1	-	1	-	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
ST BERNARD	3	948	14.2	ALL	1	8	21	35	32	40	136	257	331	169	48	5	-	-
	2	845		WHITE	1	7	15	29	26	35	112	221	308	154	45	4	-	-
	1	87		BLACK	-	1	6	5	6	5	23	30	21	10	2	1	-	-
	-	16		OTHER	-	-	-	1	-	-	1	6	2	5	2	-	-	-
ST CHARLES	2	773	18.1	ALL	3	9	12	16	31	36	104	188	260	169	45	4	-	-
	1	501		WHITE	-	2	3	5	18	13	41	96	195	135	31	3	-	-
	1	266		BLACK	3	7	9	11	13	23	63	92	63	31	13	1	-	-
	-	6		OTHER	-	-	-	-	-	-	-	-	2	3	1	-	-	-
ST HELENA	-	137	13.8	ALL	2	3	2	4	9	9	27	55	38	13	7	3	-	-
	-	55		WHITE	1	1	-	1	3	4	9	22	13	4	5	1	-	-
	-	82		BLACK	1	2	2	3	6	5	18	33	17	9	2	2	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	1	371	17.5	ALL	3	7	5	9	18	14	53	101	131	55	25	3	-	-
	-	149		WHITE	-	-	-	2	2	3	7	39	68	28	7	-	-	-
	1	222		BLACK	3	7	5	7	16	11	46	62	63	27	18	3	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	433	738	18.2	ALL	5	2	7	11	30	41	91	195	245	146	50	6	-	-
	249	438		WHITE	2	-	3	4	9	16	32	98	174	99	32	1	-	-
	179	292		BLACK	3	2	4	7	21	25	59	96	67	44	18	5	-	-
	5	8		OTHER	-	-	-	-	-	-	-	1	4	3	-	-	-	-
ST LANDRY	1650	1466	18.2	ALL	8	17	31	43	73	95	259	485	409	212	80	13	-	-
	1107	713		WHITE	2	4	8	19	25	44	100	234	225	106	39	7	-	-
	541	751		BLACK	6	13	23	24	48	51	159	250	183	106	41	6	-	-
	2	2		OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-
OPELOUSAS[a]	1244	415	23.0	ALL	6	7	14	14	20	22	77	129	115	56	29	3	-	-
	807	101		WHITE	1	-	2	3	3	6	14	21	35	20	10	-	-	-
	436	314		BLACK	5	7	12	11	17	16	63	108	80	36	19	3	-	-
	1	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE[a]	404	247	21.9	ALL	-	-	4	8	17	22	51	82	67	32	13	2	-	-
	299	153		WHITE	-	-	2	6	6	12	26	52	45	19	9	2	-	-
	104	93		BLACK	-	-	2	2	11	10	25	30	21	13	4	-	-	-
	1	1		OTHER	-	-	-	-	-	-	-	-	1	-	-	-	-	-
ST MARTIN	7	747	16.8	ALL	1	2	11	25	28	41	107	236	211	137	46	9	-	-
	4	431		WHITE	-	1	6	10	15	13	45	142	126	86	25	7	-	-
	3	314		BLACK	1	1	5	15	13	27	61	94	84	51	21	2	-	-
	-	2		OTHER	-	-	-	-	-	1	1	-	1	-	-	-	-	-
ST MARY	932	1095	18.7	ALL	10	14	25	34	42	69	184	394	295	150	52	9	1	-
	559	652		WHITE	2	4	16	16	22	46	104	229	195	90	28	6	-	-
	348	418		BLACK	8	10	9	17	18	23	77	157	97	54	21	3	1	-
	25	25		OTHER	-	-	-	1	2	-	3	8	3	6	5	-	-	-
MORGAN CITY[a]	678	323	21.9	ALL	2	5	10	8	19	21	61	122	93	32	8	5	-	-
	431	213		WHITE	-	2	7	4	10	11	34	84	68	20	5	4	-	-
	228	103		BLACK	2	3	3	2	8	10	26	37	26	9	2	1	-	-
	19	7		OTHER	-	-	-	-	1	-	1	1	1	3	1	-	-	-
ST TAMMANY	2692	2344	15.8	ALL	3	12	25	56	71	119	283	571	708	538	207	32	1	1
	2227	1972		WHITE	1	8	12	38	54	84	196	449	620	481	192	31	1	1
	441	350		BLACK	2	4	13	17	16	35	85	121	81	48	12	1	-	-
	24	22		OTHER	-	-	-	1	1	-	2	1	7	9	3	-	-	-
SLIDELL[a]	1234	524	21.7	ALL	1	1	6	14	13	35	69	143	143	119	44	5	-	-
	1100	415		WHITE	-	1	4	10	8	23	46	108	122	97	40	4	-	-
	119	104		BLACK	1	-	2	4	5	12	23	36	20	21	2	1	-	-
	15	5		OTHER	-	-	-	-	-	-	-	1	1	1	2	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
TANGIPAHOA	1878	1637	18.8	ALL	19	23	49	62	97	107	338	588	386	231	65	10	-	-
	1072	891		WHITE	4	3	19	25	45	48	140	302	254	149	35	7	-	-
	803	742		BLACK	15	20	30	37	52	59	198	285	130	81	30	3	-	-
	3	4		OTHER	-	-	-	-	-	-	-	1	2	1	-	-	-	-
HAMMOND[a]	-	369	22.9	ALL	3	11	15	24	18	29	97	123	75	50	17	4	-	-
	-	143		WHITE	1	1	3	6	3	7	20	49	39	24	8	2	-	-
	-	225		BLACK	2	10	12	18	15	22	77	74	36	25	9	2	-	-
	-	1		OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
TENSAS	2	103	14.6	ALL	3	-	1	3	11	6	21	26	28	17	6	2	-	-
	-	38		WHITE	-	-	-	1	1	3	5	8	17	8	-	-	-	-
	2	65		BLACK	3	-	1	2	10	3	16	18	11	9	6	2	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	2621	1753	17.9	ALL	8	11	40	63	86	110	310	541	531	267	80	16	-	-
	1573	1200		WHITE	1	7	28	39	47	71	192	367	392	192	48	8	-	-
	916	437		BLACK	7	2	11	20	30	26	89	138	114	61	22	6	-	-
	132	116		OTHER	-	2	1	4	9	13	29	36	25	14	10	2	-	-
HOUMA[a]	623	804	26.3	ALL	4	4	26	32	35	51	148	255	233	115	38	11	-	-
	562	474		WHITE	-	2	17	17	14	29	79	148	149	73	19	6	-	-
	46	272		BLACK	4	1	8	13	17	16	55	89	73	35	12	4	-	-
	15	58		OTHER	-	1	1	2	4	6	14	18	11	7	7	1	-	-
UNION	75	314	15.1	ALL	3	1	8	12	17	21	59	110	81	48	11	2	-	-
	31	203		WHITE	1	-	2	3	13	13	31	63	62	34	11	1	-	-
	44	111		BLACK	2	1	6	9	4	8	28	47	19	14	-	1	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	455	809	16.1	ALL	5	9	15	20	28	46	118	242	239	148	48	9	-	-
	322	591		WHITE	3	2	9	14	22	34	81	173	174	115	36	9	-	-
	115	200		BLACK	2	7	6	6	6	12	37	66	59	27	9	-	-	-
	18	18		OTHER	-	-	-	-	-	-	-	3	6	6	3	-	-	-
ABBEVILLE[a]	395	265	23.7	ALL	4	5	10	6	7	18	46	84	69	47	11	4	-	-
	266	131		WHITE	2	-	4	2	3	11	20	42	32	25	6	4	-	-
	111	119		BLACK	2	5	6	4	4	7	26	40	32	16	3	-	-	-
	18	15		OTHER	-	-	-	-	-	-	-	2	5	6	2	-	-	-
VERNON	1153	1487	23.8	ALL	3	7	19	31	64	95	216	688	379	166	34	1	-	-
	741	1027		WHITE	-	5	16	25	39	79	164	478	257	109	19	-	-	-
	330	383		BLACK	3	2	3	6	23	15	49	181	96	41	12	1	-	-
	82	77		OTHER	-	-	-	-	2	1	3	29	26	16	3	-	-	-
WASHINGTON	455	693	16.0	ALL	4	11	12	35	23	60	141	259	161	96	24	8	-	-
	256	425		WHITE	1	4	2	21	11	40	78	165	110	57	11	3	-	-
	199	268		BLACK	3	7	10	14	12	20	63	94	51	39	13	5	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA[a]	455	236	16.5	ALL	2	4	6	12	8	19	49	97	52	30	5	1	-	-
	256	134		WHITE	1	2	1	5	3	11	22	58	35	17	-	1	-	-
	199	102		BLACK	1	2	5	7	5	8	27	39	17	13	5	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	241	599	14.2	ALL	8	9	14	30	29	36	118	208	163	70	27	3	-	2
	168	318		WHITE	-	3	6	11	8	11	39	124	98	39	15	1	-	2
	73	280		BLACK	8	6	8	19	21	25	79	84	64	31	12	2	-	-
	-	1		OTHER	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MINDEN[a]	226	249	18.1	ALL	7	6	9	15	12	17	59	78	69	25	13	-	-	-
	165	92		WHITE	-	2	3	4	4	3	16	34	32	7	3	-	-	-
	61	157		BLACK	7	4	6	11	8	14	43	42	37	18	10	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	1	347	17.7	ALL	2	3	3	3	15	25	49	108	105	64	13	6	-	-
	-	190		WHITE	-	-	-	1	8	18	27	52	67	35	7	2	-	-
	1	157		BLACK	2	3	3	2	7	7	22	56	38	29	6	4	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
WEST CARROLL	1	187	15.4	ALL	1	4	4	6	9	13	36	65	48	24	9	4	-	-
—	1	137		WHITE	-	4	2	4	7	10	27	48	38	16	5	3	-	-
	-	50		BLACK	1	-	2	2	2	3	9	17	10	8	4	1	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	2	134	10.4	ALL	-	1	5	7	8	5	26	36	35	23	12	2	-	-
	1	66		WHITE	-	-	1	3	2	3	9	17	21	12	7	-	-	-
	1	68		BLACK	-	1	4	4	6	2	17	19	14	11	5	2	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	9	226	13.9	ALL	-	1	8	7	9	13	38	93	61	28	5	1	-	-
	-	140		WHITE	-	1	4	5	7	4	21	57	37	21	3	1	-	-
	9	86		BLACK	-	-	4	2	2	9	17	36	24	7	2	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	693	1092		ALL	4	6	8	21	36	55	126	347	328	200	69	16	2	-
	333	906		WHITE	2	4	5	19	28	42	98	283	285	167	54	15	2	-
	359	175		BLACK	2	2	3	2	8	13	28	61	39	31	13	1	-	-
	1	11		OTHER	-	-	-	-	-	-	-	3	4	2	2	-	-	-

RATE PER 1,000 POPULATION
*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE I-B
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	72479	72080	17.0	ALL	439	883	1577	2356	3325	4143	12264	22208	19948	12131	4400	664	19	9
	41079	40506		WHITE	55	207	529	925	1431	1945	5037	11769	12727	7897	2630	380	7	4
	30176	30360		BLACK	382	653	1041	1413	1861	2158	7126	10145	6856	3926	1643	265	12	5
	1224	1214		OTHER	2	3	7	18	33	40	101	292	365	308	127	19	-	-
SPD 1	22241	20147	16.9	ALL	104	258	490	700	905	1114	3467	5445	5550	3825	1528	222	3	3
	11148	9684		WHITE	9	42	108	180	252	352	934	2189	3146	2352	925	126	2	1
	10440	9825		BLACK	93	216	378	509	639	749	2491	3104	2213	1299	538	84	1	2
	653	638		OTHER	2	-	4	11	14	13	42	152	191	174	65	12	-	-
SPD 2	12640	13086	17.2	ALL	76	132	248	388	567	685	2020	4091	3728	2244	781	144	2	-
	7018	7353		WHITE	13	31	82	157	251	336	857	2148	2378	1430	452	76	1	-
	5490	5600		BLACK	63	100	165	230	316	346	1157	1921	1309	771	314	64	1	-
	132	133		OTHER	-	1	1	1	-	3	6	24	41	43	15	4	-	-
SPD 3	4126	5434	17.4	ALL	27	48	88	158	249	300	843	1574	1725	918	304	43	-	-
	2801	3591		WHITE	5	22	48	80	124	171	445	1001	1260	667	190	23	-	-
	1180	1688		BLACK	22	24	38	73	114	115	364	528	430	227	99	18	-	-
	145	155		OTHER	-	2	2	5	11	14	34	45	35	24	15	2	-	-
SPD 4	10307	9876	17.7	ALL	53	98	180	299	402	514	1493	3079	2825	1712	618	91	5	-
	6543	6240		WHITE	12	26	86	159	220	298	789	1859	1934	1186	394	66	-	-
	3682	3559		BLACK	41	72	94	139	180	212	697	1205	870	505	211	25	5	-
	82	77		OTHER	-	-	-	1	2	4	7	15	21	21	13	-	-	-
SPD 5	4170	4343	16.6	ALL	17	33	78	126	197	283	717	1406	1204	698	260	38	3	-
	3072	3155		WHITE	8	15	44	82	141	200	482	1021	909	536	173	24	2	-
	1074	1157		BLACK	9	18	34	44	54	82	232	379	285	152	85	14	1	-
	24	31		OTHER	-	-	-	-	2	1	3	6	10	10	2	-	-	-
SPD 6	5255	5487	17.5	ALL	33	71	117	166	297	359	1010	2022	1401	739	252	27	3	-
	3229	3481		WHITE	2	31	57	89	149	221	547	1313	946	497	155	19	2	-
	1908	1895		BLACK	31	40	60	77	146	135	458	670	415	222	91	7	1	-
	118	111		OTHER	-	-	-	-	2	3	5	39	40	20	6	1	-	-
SPD 7	8966	8673	15.8	ALL	74	124	210	309	409	542	1594	2919	2286	1290	445	60	1	4
	4754	4459		WHITE	3	25	65	105	163	210	568	1421	1395	811	233	25	-	3
	4158	4160		BLACK	71	99	145	204	244	330	1022	1489	873	466	202	35	1	1
	54	54		OTHER	-	-	-	-	2	2	4	9	18	13	10	-	-	-
SPD 8	4774	5034	16.5	ALL	55	99	166	210	299	348	1120	1870	1229	705	212	39	2	2
	2514	2543		WHITE	3	15	39	73	131	157	415	819	759	418	108	21	-	-
	2244	2476		BLACK	52	84	127	137	168	189	705	849	461	284	103	18	2	2
	16	15		OTHER	-	-	-	-	-	-	-	2	9	3	1	-	-	-
HSA 1	26367	25581	17.0	ALL	131	306	578	858	1154	1414	4310	7019	7275	4743	1832	285	3	3
	13949	13275		WHITE	14	64	156	260	376	523	1379	3190	4406	3019	1115	149	2	1
	11620	11513		BLACK	115	240	418	582	753	864	2855	3632	2643	1526	637	102	1	2
	798	793		OTHER	2	2	6	16	25	27	76	197	226	198	80	14	-	-
HSA 2	27117	27305	17.3	ALL	146	263	506	813	1186	1482	4230	8578	7757	4654	1659	273	10	-
	16633	16748		WHITE	33	72	212	398	612	834	2128	5028	5221	3152	1019	166	3	-
	10246	10316		BLACK	113	190	293	413	550	640	2086	3505	2464	1428	610	103	7	-
	238	241		OTHER	-	1	1	2	4	8	16	45	72	74	30	4	-	-
HSA 3	18995	19194	16.4	ALL	162	294	493	685	1005	1247	3724	6611	4916	2734	909	126	6	6
	10497	10483		WHITE	8	71	161	267	443	588	1530	3553	3100	1726	496	65	2	3
	8310	8531		BLACK	154	223	332	418	558	654	2185	3008	1749	972	396	60	4	3
	188	180		OTHER	-	-	-	-	4	5	9	50	67	36	17	1	-	-

RATE PER 1,000 POPULATION

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
STATE	72080		40506	39775	372	359	30360	29223	813	524	1214	1172	30	12
	36823	M	20739	20369	174	196	15456	14874	307	275	828	805	17	6
	35257	F	19767	19406	198	163	14904	14349	306	249	586	567	13	6
ACADIA	982		713	711	-	2	269	266	1	2	-	-	-	-
	481	M	343	342	-	1	138	135	1	2	-	-	-	-
	501	F	370	369	-	1	131	131	-	-	-	-	-	-
CROWLEY[a]	274		153	153	-	-	121	119	1	1	-	-	-	-
	142	M	82	82	-	-	60	58	1	1	-	-	-	-
	132	F	71	71	-	-	61	61	-	-	-	-	-	-
ALLEN	360		265	265	-	-	93	92	1	-	2	2	-	-
	187	M	139	139	-	-	47	46	1	-	1	1	-	-
	173	F	126	126	-	-	46	46	-	-	1	1	-	-
ASCENSION	1094		759	749	1	9	333	315	-	18	2	2	-	-
	546	M	387	381	1	5	157	145	-	12	2	2	-	-
	548	F	372	368	-	4	176	170	-	6	-	-	-	-
ASSUMPTION	351		186	185	-	1	163	161	-	1	2	2	-	-
	183	M	93	93	-	-	90	89	-	1	-	-	-	-
	168	F	93	92	-	1	73	72	-	-	2	2	-	-
AVOYELLES	629		366	362	1	3	260	254	4	2	3	3	-	-
	313	M	192	189	1	2	121	116	4	1	-	-	-	-
	316	F	174	173	-	1	139	138	-	1	3	3	-	-
BEAUREGARD	527		430	403	22	5	92	83	7	2	5	5	-	-
	265	M	207	195	9	3	54	46	6	2	4	4	-	-
	262	F	223	208	13	2	38	37	1	-	1	1	-	-
BIENVILLE	254		111	111	-	-	143	141	1	1	-	-	-	-
	121	M	59	59	-	-	62	60	1	1	-	-	-	-
	133	F	52	52	-	-	81	81	-	-	-	-	-	-
BOSSIER	1437		1009	942	-	67	408	394	-	14	20	15	-	5
	726	M	503	469	-	34	214	205	-	9	9	7	-	2
	711	F	506	473	-	33	194	189	-	5	11	8	-	3
BOSSIER CITY[a]	942		679	622	-	57	246	235	-	11	17	12	-	5
	474	M	328	301	-	27	139	131	-	8	7	5	-	2
	468	F	351	321	-	30	107	104	-	3	10	7	-	3
CADDO	4116		1852	1817	-	35	2239	2219	1	19	25	24	-	1
	2059	M	960	945	-	15	1085	1076	-	9	14	14	-	-
	2057	F	892	872	-	20	1154	1143	1	10	11	10	-	1
CALCASIEU	2782		1926	1912	3	11	836	828	-	8	20	20	-	-
	1397	M	971	963	2	6	417	412	-	5	9	9	-	-
	1385	F	955	949	1	5	419	416	-	3	11	11	-	-
LAKE CHARLES[a]	1348		659	654	1	4	677	674	-	3	12	12	-	-
	676	M	338	336	-	2	333	332	-	1	5	5	-	-
	672	F	321	318	1	2	344	342	-	2	7	7	-	-

(CONTINUED)

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
CALDWELL	152		115	112	2	1	37	32	5	-	-	-	-	-
	81	M	56	54	1	1	25	22	3	-	-	-	-	-
	71	F	59	58	1	-	12	10	2	-	-	-	-	-
CAMERON	130		123	118	-	5	7	7	-	-	-	-	-	-
	65	M	63	59	-	4	2	2	-	-	-	-	-	-
	65	F	60	59	-	1	5	5	-	-	-	-	-	-
CATAHOULA	193		109	109	-	-	84	83	1	-	-	-	-	-
	87	M	42	42	-	-	45	45	-	-	-	-	-	-
	106	F	67	67	-	-	39	38	1	-	-	-	-	-
CLAIBORNE	251		84	84	-	-	167	165	-	2	-	-	-	-
	141	M	49	49	-	-	92	90	-	2	-	-	-	-
	110	F	35	35	-	-	75	75	-	-	-	-	-	-
CONCORDIA	315		144	144	-	-	171	170	-	1	-	-	-	-
	162	M	77	77	-	-	85	84	-	1	-	-	-	-
	153	F	67	67	-	-	86	86	-	-	-	-	-	-
DESOTO	431		204	199	-	5	227	224	-	3	-	-	-	-
	214	M	106	101	-	5	108	106	-	2	-	-	-	-
	217	F	98	98	-	-	119	118	-	1	-	-	-	-
E BATON ROUGE	6585		3321	3262	5	54	3140	2879	4	257	124	121	-	3
	3390	M	1703	1673	3	27	1618	1491	2	125	69	67	-	2
	3195	F	1618	1589	2	27	1522	1388	2	132	55	54	-	1
BATON ROUGE[a]	5296		2326	2285	4	37	2853	2613	4	236	117	114	-	3
	2721	M	1193	1169	3	21	1462	1345	2	115	66	64	-	2
	2575	F	1133	1116	1	16	1391	1268	2	121	51	50	-	1
EAST CARROLL	228		35	35	-	-	193	174	10	9	-	-	-	-
	116	M	18	18	-	-	98	88	4	6	-	-	-	-
	112	F	17	17	-	-	95	86	6	3	-	-	-	-
E FELICIANA	302		138	133	-	5	164	149	-	15	-	-	-	-
	144	M	68	64	-	4	76	66	-	10	-	-	-	-
	158	F	70	69	-	1	88	83	-	5	-	-	-	-
EVANGELINE	619		368	367	1	-	250	247	1	2	1	1	-	-
	328	M	186	185	1	-	141	139	1	1	1	1	-	-
	291	F	182	182	-	-	109	108	-	1	-	-	-	-
FRANKLIN	361		194	186	5	3	167	144	23	-	-	-	-	-
	183	M	94	88	3	3	89	79	10	-	-	-	-	-
	178	F	100	98	2	-	78	65	13	-	-	-	-	-
GRANT	252		201	200	1	-	50	49	1	-	1	1	-	-
	124	M	103	102	1	-	21	20	1	-	-	-	-	-
	128	F	98	98	-	-	29	29	-	-	1	1	-	-
IBERIA	1245		729	723	2	4	499	497	-	2	17	17	-	-
	666	M	385	381	2	2	272	270	-	2	9	9	-	-
	579	F	344	342	-	2	227	227	-	-	8	8	-	-
NEW IBERIA[a]	677		377	374	1	2	285	284	-	1	15	15	-	-
	361	M	198	196	1	1	156	155	-	1	7	7	-	-
	316	F	179	178	-	1	129	129	-	-	8	8	-	-
IBERVILLE	589		243	241	-	2	345	328	-	17	1	1	-	-
	285	M	116	115	-	1	168	156	-	12	1	1	-	-
	304	F	127	126	-	1	177	172	-	5	-	-	-	-

(CONTINUED)

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
JACKSON	188		118	113	4	1	68	68	-	-	2	2	-	-
	95	M	61	57	3	1	34	34	-	-	-	-	-	-
	93	F	57	56	1	-	34	34	-	-	2	2	-	-
JEFFERSON	7183		4868	4842	12	14	2012	1988	15	9	303	301	2	-
	3775	M	2559	2543	6	10	1063	1052	8	3	153	152	1	-
	3408	F	2309	2299	6	4	949	936	7	6	150	149	1	-
GRETNA[a]	545		342	339	2	1	174	167	5	2	29	29	-	-
	282	M	177	174	2	1	93	89	4	-	12	12	-	-
	263	F	165	165	-	-	81	78	1	2	17	17	-	-
WESTWEGO[a]	214		128	128	-	-	79	79	-	-	7	7	-	-
	114	M	67	67	-	-	45	45	-	-	2	2	-	-
	100	F	61	61	-	-	34	34	-	-	5	5	-	-
JEFF DAVIS	544		411	410	-	1	129	128	-	1	4	4	-	-
	269	M	206	205	-	1	62	62	-	-	1	1	-	-
	275	F	205	205	-	-	67	66	-	1	3	3	-	-
LAFAYETTE	2913		2043	2017	2	24	858	854	4	-	12	12	-	-
	1534	M	1065	1053	1	11	458	457	1	-	11	11	-	-
	1379	F	978	964	1	13	400	397	3	-	1	1	-	-
LAFAYETTE[a]	1775		1149	1133	1	15	617	613	4	-	9	9	-	-
	934	M	586	579	-	7	339	338	1	-	9	9	-	-
	841	F	563	554	1	8	278	275	3	-	-	-	-	-
LAFOURCHE	1448		1117	1115	1	1	308	306	2	-	23	23	-	-
	746	M	583	581	1	1	148	148	-	-	15	15	-	-
	702	F	534	534	-	-	160	158	2	-	8	8	-	-
LASALLE	184		143	141	2	-	38	37	-	1	3	3	-	-
	98	M	75	75	-	-	21	20	-	1	2	2	-	-
	86	F	68	66	2	-	17	17	-	-	1	1	-	-
LINCOLN	548		287	284	3	-	258	244	13	1	3	3	-	-
	272	M	145	144	1	-	128	117	9	-	1	1	-	-
	276	F	142	140	2	-	132	127	4	1	2	2	-	-
RUSTON[a]	256		116	114	2	-	138	130	8	-	2	2	-	-
	124	M	52	51	1	-	71	65	6	-	1	1	-	-
	132	F	64	63	1	-	67	65	2	-	1	1	-	-
LIVINGSTON	1210		1106	1096	-	10	103	97	1	5	1	1	-	-
	619	M	565	558	-	7	54	49	1	4	-	-	-	-
	591	F	541	538	-	3	49	48	-	1	1	1	-	-

(CONTINUED)

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
MADISON	228		59	55	2	2	169	142	21	6	-	-	-	-
	112	M	29	26	1	2	83	66	14	3	-	-	-	-
	116	F	30	29	1	-	86	76	7	3	-	-	-	-
MOREHOUSE	522		227	214	13	-	293	247	43	3	2	2	-	-
	283	M	127	122	5	-	154	132	21	1	2	2	-	-
	239	F	100	92	8	-	139	115	22	2	-	-	-	-
BASTROP*	290		89	84	5	-	200	189	28	3	1	1	-	-
	151	M	50	49	1	-	100	88	11	1	1	1	-	-
	139	F	39	35	4	-	100	81	17	2	-	-	-	-
NATCHITOCHES	533		271	266	2	3	260	258	1	1	2	2	-	-
	284	M	149	145	1	3	134	133	-	1	1	1	-	-
	249	F	122	121	1	-	126	125	1	-	1	1	-	-
ORLEANS	9243		1728	1709	7	12	7236	7085	110	41	279	276	1	2
	4668	M	912	898	5	9	3621	3561	42	18	135	133	-	2
	4575	F	816	811	2	3	3615	3524	68	23	144	143	1	-
OUACHITA	2386		1231	1180	50	1	1145	948	195	2	10	9	1	-
	1259	M	630	612	17	1	623	530	91	2	6	5	1	-
	1127	F	601	568	33	-	522	418	104	-	4	4	-	-
MONROE*	1345		359	343	16	-	981	805	175	1	5	5	-	-
	728	M	191	185	6	-	535	449	85	1	2	2	-	-
	617	F	168	158	10	-	446	356	90	-	3	3	-	-
PLAQUEMINES	429		271	268	-	3	140	136	2	2	18	18	-	-
	201	M	130	128	-	2	65	64	-	1	6	6	-	-
	228	F	141	140	-	1	75	72	2	1	12	12	-	-
POINTE COUPEE	358		159	156	-	3	198	182	-	16	1	1	-	-
	162	M	73	72	-	1	88	82	-	6	1	1	-	-
	196	F	86	84	-	2	110	100	-	10	-	-	-	-
RAPIDES	2201		1351	1344	5	2	823	795	19	9	27	26	-	1
	1105	M	680	678	1	1	413	397	13	3	12	12	-	-
	1096	F	671	666	4	1	410	398	6	6	15	14	-	1
ALEXANDRIA*	1009		380	379	1	-	618	600	11	7	11	10	-	1
	521	M	201	201	-	-	315	307	6	2	5	5	-	-
	488	F	179	178	1	-	303	293	5	5	6	5	-	1
RED RIVER	157		88	87	-	1	68	67	-	1	1	1	-	-
	73	M	42	42	-	-	31	30	-	1	-	-	-	-
	84	F	46	45	-	1	37	37	-	-	1	1	-	-
RICHLAND	365		186	169	17	-	178	141	37	-	1	1	-	-
	178	M	92	84	8	-	85	63	22	-	1	1	-	-
	187	F	94	85	9	-	93	78	15	-	-	-	-	-

(CONTINUED)

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
SABINE	347		235	233	-	2	110	109	-	1	2	1	1	-
	194	M	124	124	-	-	68	68	-	-	2	1	1	-
	153	F	111	109	-	2	42	41	-	1	-	-	-	-
ST BERNARD	948		845	838	2	5	87	84	2	1	16	16	-	-
	459	M	420	418	1	1	31	30	1	-	8	8	-	-
	489	F	425	420	1	4	56	54	1	1	8	8	-	-
ST CHARLES	773		501	498	2	1	266	261	4	1	6	6	-	-
	383	M	262	262	-	-	119	116	3	-	2	2	-	-
	390	F	239	236	2	1	147	145	1	1	4	4	-	-
ST HELENA	137		55	55	-	-	82	80	-	2	-	-	-	-
	70	M	23	23	-	-	47	46	-	1	-	-	-	-
	67	F	32	32	-	-	35	34	-	1	-	-	-	-
ST JAMES	371		149	149	-	-	222	218	1	3	-	-	-	-
	193	M	74	74	-	-	119	116	1	2	-	-	-	-
	178	F	75	75	-	-	103	102	-	1	-	-	-	-
ST JOHN	738		438	436	1	1	292	290	1	1	8	8	-	-
	389	M	224	223	1	-	161	159	1	1	4	4	-	-
	349	F	214	213	-	1	131	131	-	-	4	4	-	-
ST LANDRY	1466		713	710	1	2	751	748	1	2	2	2	-	-
	736	M	348	345	1	2	386	384	-	2	2	2	-	-
	730	F	365	365	-	-	365	364	1	-	-	-	-	-
OPELOUSAS[a]	415		101	100	-	1	314	312	1	1	-	-	-	-
	197	M	44	43	-	1	153	152	-	1	-	-	-	-
	218	F	57	57	-	-	161	160	1	-	-	-	-	-
ST MARTIN	747		431	424	2	5	314	310	1	3	2	2	-	-
	406	M	245	241	2	2	159	157	1	1	2	2	-	-
	341	F	186	183	-	3	155	153	-	2	-	-	-	-
ST MARY	1095		652	647	2	3	418	416	2	-	25	25	-	-
	543	M	317	315	1	1	213	213	-	-	13	13	-	-
	552	F	335	332	1	2	205	203	2	-	12	12	-	-
MORGAN CITY[a]	323		213	212	-	1	103	103	-	-	7	7	-	-
	156	M	103	102	-	1	50	50	-	-	3	3	-	-
	167	F	110	110	-	-	53	53	-	-	4	4	-	-
ST TAMMANY	2344		1972	1950	3	19	350	344	3	3	22	22	-	-
	1219	M	1004	995	1	8	199	197	1	1	16	16	-	-
	1125	F	968	955	2	11	151	147	2	2	6	6	-	-
TANGIPAHOA	1637		891	886	1	4	742	739	-	3	4	4	-	-
	812	M	437	434	-	3	373	371	-	2	2	2	-	-
	825	F	454	452	1	1	369	368	-	1	2	2	-	-
HAMMOND[a]	369		143	143	-	-	225	223	-	2	1	1	-	-
	174	M	62	62	-	-	111	109	-	2	1	1	-	-
	195	F	81	81	-	-	114	114	-	-	-	-	-	-
TENSAS	103		38	38	-	-	65	63	-	2	-	-	-	-
	60	M	24	24	-	-	36	34	-	2	-	-	-	-
	43	F	14	14	-	-	29	29	-	-	-	-	-	-

(CONTINUED)

TABLE II-A
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	SEX	WHITE				BLACK				OTHER			
			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			TOTAL	ATTENDED BY		
				PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER
TERREBONNE	1753		1200	1200	-	-	437	436	-	1	116	116	-	-
	899	M	606	606	-	-	233	233	-	-	60	60	-	-
	854	F	594	594	-	-	204	203	-	1	56	56	-	-
HOUMA[8]	804		474	474	-	-	272	272	-	-	58	58	-	-
	415	M	232	232	-	-	152	152	-	-	31	31	-	-
	389	F	242	242	-	-	120	120	-	-	27	27	-	-
UNION	314		203	198	-	5	111	110	-	1	-	-	-	-
	166	M	108	106	-	2	58	58	-	-	-	-	-	-
	148	F	95	92	-	3	53	52	-	1	-	-	-	-
VERMILION	809		591	589	-	2	200	200	-	-	18	18	-	-
	394	M	284	283	-	1	100	100	-	-	10	10	-	-
	415	F	307	306	-	1	100	100	-	-	8	8	-	-
ABBEVILLE[8]	265		131	130	-	1	119	119	-	-	15	15	-	-
	131	M	62	61	-	1	62	62	-	-	7	7	-	-
	134	F	69	69	-	-	57	57	-	-	8	8	-	-
VERNON	1487		1027	1017	1	9	383	379	-	4	77	77	-	-
	772	M	534	525	-	9	198	197	-	1	40	40	-	-
	715	F	493	492	1	-	185	182	-	3	37	37	-	-
WASHINGTON	693		425	425	-	-	268	267	-	1	-	-	-	-
	361	M	224	224	-	-	137	136	-	1	-	-	-	-
	332	F	201	201	-	-	131	131	-	-	-	-	-	-
BOGALUSA[8]	236		134	134	-	-	102	102	-	-	-	-	-	-
	132	M	79	79	-	-	53	53	-	-	-	-	-	-
	104	F	55	55	-	-	49	49	-	-	-	-	-	-
WEBSTER	599		318	312	2	4	280	275	2	3	1	1	-	-
	305	M	171	169	-	2	133	129	2	2	1	1	-	-
	294	F	147	143	2	2	147	146	-	1	-	-	-	-
MINDEN[8]	249		92	90	1	1	157	154	2	1	-	-	-	-
	120	M	42	42	-	-	78	75	2	1	-	-	-	-
	129	F	50	48	1	1	79	79	-	-	-	-	-	-
W BATON ROUGE	347		190	187	3	-	157	145	11	1	-	-	-	-
	182	M	94	92	2	-	88	80	8	-	-	-	-	-
	165	F	96	95	1	-	69	65	3	1	-	-	-	-
WEST CARROLL	187		137	136	-	1	50	50	-	-	-	-	-	-
	106	M	77	77	-	-	29	29	-	-	-	-	-	-
	81	F	60	59	-	1	21	21	-	-	-	-	-	-
W FELICIANA	134		66	66	-	-	68	65	2	1	-	-	-	-
	59	M	31	31	-	-	28	28	-	-	-	-	-	-
	75	F	35	35	-	-	40	37	2	1	-	-	-	-
WINN	226		140	140	-	-	86	84	-	2	-	-	-	-
	118	M	65	65	-	-	53	51	-	2	-	-	-	-
	108	F	75	75	-	-	33	33	-	-	-	-	-	-
OUT OF STATE[88]	1092		906	897	8	1	175	171	3	1	11	11	-	-
	568	M	474	469	4	1	88	86	2	-	6	6	-	-
	524	F	432	428	4	-	87	85	1	1	5	5	-	-

[8]CITIES INCLUDED IN PARISH TOTALS
[88]NOT INCLUDED IN STATE TOTALS
MIDWIFE ATTENDED LIVE BIRTHS (BIRTHS OCCURRING IN LOUISIANA)
CERTIFIED NURSE MIDWIFE 519
OTHER MIDWIFE 78

TABLE II-B
LIVE BIRTHS BY MOTHER'S USUAL RESIDENCE
SHOWN BY ATTENDANT, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	TOTAL	SEX	WHITE				BLACK				OTHER			
				ATTENDED BY				ATTENDED BY				ATTENDED BY		
			TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER
STATE	72080		40506	40147	220	139	30360	29836	368	156	1214	1202	9	3
	36823	M	20739	20543	113	83	15456	15181	200	75	628	622	4	2
	35257	F	19767	19604	107	56	14904	14655	168	81	586	580	5	1
SPD 1	20147		9684	9631	8	45	9825	9769	7	49	638	636	-	2
	10322	M	5025	4995	6	24	4979	4956	3	20	318	316	-	2
	9825	F	4659	4636	2	21	4846	4813	4	29	320	320	-	-
SPD 2	13086		7353	7263	71	19	5600	5251	313	36	133	130	3	-
	6630	M	3721	3671	38	12	2834	2653	168	13	75	73	2	-
	6456	F	3632	3592	33	7	2766	2598	145	23	58	57	1	-
SPD 3	5434		3591	3587	2	2	1688	1681	1	6	155	155	-	-
	2793	M	1842	1841	-	1	870	866	1	3	81	81	-	-
	2641	F	1749	1746	2	1	818	815	-	3	74	74	-	-
SPD 4	9876		6240	6198	26	16	3559	3548	-	11	77	77	-	-
	5088	M	3173	3153	15	5	1867	1859	-	8	48	48	-	-
	4788	F	3067	3045	11	11	1692	1689	-	3	29	29	-	-
SPD 5	4343		3155	3133	7	15	1157	1148	3	9	31	31	-	-
	2183	M	1586	1572	5	9	582	575	1	6	15	15	-	-
	2160	F	1569	1561	2	6	575	571	2	2	16	16	-	-
SPD 6	5487		3481	3466	2	13	1895	1876	3	16	111	110	-	1
	2779	M	1768	1756	-	12	957	948	1	8	54	54	-	-
	2708	F	1713	1710	2	1	938	928	2	8	57	56	-	1
SPD 7	8673		4459	4340	103	16	4160	4112	38	10	54	48	6	-
	4389	M	2308	2249	48	11	2053	2024	24	5	28	26	2	-
	4284	F	2151	2091	55	5	2107	2088	14	5	26	22	4	-
SPD 8	5034		2543	2529	1	13	2476	2453	3	20	15	15	-	-
	2639	M	1316	1306	1	9	1314	1300	2	12	9	9	-	-
	2395	F	1227	1223	-	4	1162	1153	1	8	6	6	-	-
HSA 1	25581		13275	13218	10	47	11513	11450	8	55	793	791	-	2
	13115	M	6867	6836	6	25	5849	5822	4	23	399	397	-	2
	12466	F	6408	6382	4	22	5664	5628	4	32	394	394	-	-
HSA 2	27305		16748	16594	104	50	10316	9945	316	55	241	238	3	-
	13901	M	8480	8396	58	26	5283	5087	169	27	138	136	2	-
	13404	F	8268	8198	46	24	5033	4858	147	28	103	102	1	-
HSA 3	19194		10483	10335	106	42	8531	8441	44	46	180	173	6	1
	9807	M	5392	5311	49	32	4324	4272	27	25	91	89	2	-
	9387	F	5091	5024	57	10	4207	4169	17	21	89	84	4	1

MIDWIFE ATTENDED LIVE BIRTHS (BIRTHS OCCURRING IN LOUISIANA)
CERTIFIED NURSE MIDWIFE 519
OTHER MIDWIFE 78

TABLE III
LIVE BIRTHS AND INMATURE LIVE BIRTHS BY HOSPITAL OF BIRTH AND RACE OF MOTHER
LOUISIANA, 1991

HOSPITAL	LIVE BIRTHS				INMATURE LIVE BIRTHS[a]			
	TOTAL	WHITE	BLACK	OTHER	TOTAL	WHITE	BLACK	OTHER
TOTAL	72479	41079	30176	1224	6832	2560	4193	79
BORN IN HOSPITAL	72145	40904	30021	1220	6782	2553	4150	79
BORN OUT OF HOSPITAL	334	175	155	4	50	7	43	-
ACADIA	741	535	206	-	59	34	25	-
ACADIA-ST. LANDRY HOSPITAL	1	-	1	-	-	-	-	-
AMERICAN LEGION HOSPITAL	733	530	203	-	58	33	25	-
OUT OF HOSPITAL	7	5	2	-	1	1	-	-
ALLEN	2	2	-	-	-	-	-	-
HUMANA HOSPITAL- OAKDALE	2	2	-	-	-	-	-	-
ASCENSION	12	5	7	-	2	-	2	-
VENCORE HOSPITAL	1	-	1	-	-	-	-	-
PREVOST MEMORIAL HOSPITAL	1	-	1	-	1	-	1	-
RIVERVIEW MEDICAL CENTER	2	1	1	-	-	-	-	-
OUT OF HOSPITAL	8	4	4	-	1	-	1	-
AVOYELLES	270	124	144	2	22	5	17	-
BUNKIE GENERAL HOSPITAL	65	28	37	-	7	2	5	-
MARKSVILLE GENERAL HOSPITAL	200	93	105	2	14	3	11	-
OUT OF HOSPITAL	5	3	2	-	1	-	1	-
BEAUREGARD	711	564	146	1	53	39	14	-
BEAUREGARD MEMORIAL HOSPITAL	697	551	145	1	51	37	14	-
MERRYVILLE GENERAL HOSPITAL	12	11	1	-	2	2	-	-
OUT OF HOSPITAL	2	2	-	-	-	-	-	-
BIENVILLE	1	-	1	-	-	-	-	-
OUT OF HOSPITAL	1	-	1	-	-	-	-	-
BOSSIER	935	777	136	22	36	24	10	2
SECOND STRATEGIC HOSPITAL BARKSDALE	445	332	95	18	11	5	4	2
BOSSIER MEDICAL CENTER	487	443	40	4	25	19	6	-
OUT OF HOSPITAL	3	2	1	-	-	-	-	-
CADDO	6513	3098	3387	28	795	260	531	4
L.S.U. MEDICAL CENTER	4049	1102	2942	5	561	109	451	1
HIGHLAND HOSPITAL	356	267	83	6	13	6	6	1
PHYSICIANS AND SURGEONS HOSPITAL	91	59	31	1	3	2	1	-
SCHUMPERT MEDICAL CENTER	1051	881	165	5	129	83	44	2
WILLIS KNIGHTON MEDICAL CENTER	961	784	166	11	88	59	29	-
OUT OF HOSPITAL	5	5	-	-	1	1	-	-
CALCASIEU	3037	2179	838	20	262	151	109	2
HUMANA WOMENS HOSPITAL-LAKE CHARLES	932	855	70	7	64	58	6	-
LAKE CHARLES MEMORIAL HOSPITAL	1285	774	506	5	139	67	72	-
ST. PATRICK HOSPITAL	431	189	237	5	34	4	28	2
WEST CALCASIEU-CAMERON HOSPITAL	379	355	21	3	24	22	2	-
OUT OF HOSPITAL	10	6	4	-	1	-	1	-
CALDWELL	4	1	3	-	1	-	1	-
CALDWELL MEMORIAL HOSPITAL	3	-	3	-	1	-	1	-
CITIZENS MEDICAL HOSPITAL	1	1	-	-	-	-	-	-
CAMERON	1	1	-	-	-	-	-	-
SOUTH CAMERON MEMORIAL HOSPITAL	1	1	-	-	-	-	-	-
CLAIBORNE	172	57	115	-	11	3	8	-
HOMER MEMORIAL HOSPITAL	172	57	115	-	11	3	8	-
CONCORDIA	498	197	301	-	51	18	33	-
RIVERLAND MEDICAL CENTER	496	196	300	-	50	18	32	-
OUT OF HOSPITAL	2	1	1	-	1	-	1	-
DESOTO	14	2	12	-	1	-	1	-
DESOTO GENERAL HOSPITAL	13	2	11	-	1	-	1	-
OUT OF HOSPITAL	1	-	1	-	-	-	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS AND INMATURE LIVE BIRTHS BY HOSPITAL OF BIRTH AND RACE OF MOTHER
LOUISIANA, 1991

HOSPITAL	LIVE BIRTHS				INMATURE LIVE BIRTHS[a]			
	TOTAL	WHITE	BLACK	OTHER	TOTAL	WHITE	BLACK	OTHER
EAST BATON ROUGE	9642	5486	4029	127	908	293	611	4
BATON ROUGE GENERAL HOSPITAL	2	1	1	-	1	-	1	-
EARL K. LONG MEMORIAL HOSPITAL	2863	353	2479	31	467	36	430	1
LANE MEMORIAL HOSPITAL	196	137	58	1	11	5	6	-
MEDICAL CENTER OF BATON ROUGE	529	390	135	4	30	18	12	-
OUR LADY OF THE LAKE MEDICAL CENTER	2	1	1	-	1	1	-	-
WOMANS HOSPITAL	5999	4577	1331	91	392	232	157	3
OUT OF HOSPITAL	51	27	24	-	6	1	5	-
EAST FELICIANA	2	2	-	-	-	-	-	-
OUT OF HOSPITAL	2	2	-	-	-	-	-	-
EVANGELINE	554	245	306	3	66	24	42	-
HUMANA HOSPITAL-VILLE PLATTE	131	62	69	-	11	4	7	-
SAVOY MEMORIAL HOSPITAL	422	183	236	3	54	20	34	-
OUT OF HOSPITAL	1	-	1	-	1	-	1	-
FRANKLIN	10	2	8	-	5	-	5	-
FRANKLIN PARISH HOSPITAL	7	-	7	-	4	-	4	-
OUT OF HOSPITAL	3	2	1	-	1	-	1	-
IBERIA	799	567	212	20	32	17	14	1
DAUTERIVE HOSPITAL INC.	501	378	115	8	14	10	3	1
IBERIA GENERAL HOSP AND MEDICAL CTR	293	187	94	12	18	7	11	-
OUT OF HOSPITAL	5	2	3	-	-	-	-	-
IBERVILLE	638	188	448	2	43	10	33	-
RIVER WEST MEDICAL CENTER	634	188	444	2	41	10	31	-
OUT OF HOSPITAL	4	-	4	-	2	-	2	-
JACKSON	205	53	150	2	13	4	9	-
JACKSON PARISH HOSPITAL	204	52	150	2	13	4	9	-
OUT OF HOSPITAL	1	1	-	-	-	-	-	-
JEFFERSON	9156	6163	2644	349	725	361	343	21
EAST JEFFERSON GENERAL HOSPITAL	1369	1109	234	26	74	46	26	2
OCHSNER FOUNDATION HOSPITAL	1328	972	337	19	135	79	55	1
LAKESIDE HOSPITAL	2637	2055	502	80	173	116	53	4
ST. JUDE MEDICAL CENTER	452	312	106	34	40	16	20	4
MEADOWCREST HOSPITAL	2279	1066	1103	110	217	65	146	6
WEST JEFFERSON GENERAL HOSPITAL	1067	638	350	79	80	39	37	4
OUT OF HOSPITAL	24	11	12	1	6	-	6	-
JEFFERSON DAVIS	419	326	90	3	28	22	6	-
JENNINGS AMERICAN LEGION HOSPITAL	418	326	89	3	28	22	6	-
OUT OF HOSPITAL	1	-	1	-	-	-	-	-
LAFAYETTE	5169	3204	1951	14	566	248	317	3
LAFAYETTE BIRTHING CENTER	4	4	-	-	-	-	-	-
HAMILTON MEDICAL CENTER HOSPITAL	310	254	56	-	14	10	4	-
MEDICAL CENTER OF SOUTHWEST LOUISIAN	1671	550	1119	2	252	65	187	-
LAFAYETTE GENERAL HOSPITAL	1351	767	581	3	170	69	99	2
OUR LADY OF LOURDES HOSPITAL	232	144	85	3	12	9	3	-
WOMANS AND CHILDRENS HOSPITAL	1563	1449	108	6	118	93	24	1
OUT OF HOSPITAL	38	36	2	-	-	-	-	-
LAFOURCHE	1069	978	83	8	48	45	3	-
LADY OF THE SEA HOSPITAL	1	1	-	-	-	-	-	-
ST. ANNE HOSPITAL	340	332	5	3	15	15	-	-
THIBODAUX GENERAL HOSPITAL	727	644	78	5	33	30	3	-
OUT OF HOSPITAL	1	1	-	-	-	-	-	-
LASALLE	63	40	21	2	11	4	5	2
HARDTNER MEDICAL CENTER	58	38	18	2	10	4	4	2
LASALLE GENERAL HOSPITAL	3	1	2	-	1	-	1	-
OUT OF HOSPITAL	2	1	1	-	-	-	-	-
LINCOLN	641	383	256	2	45	16	28	-
LINCOLN GENERAL HOSPITAL	639	383	254	2	45	16	29	-
OUT OF HOSPITAL	2	-	2	-	-	-	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS AND INNATURE LIVE BIRTHS BY HOSPITAL OF BIRTH AND RACE OF MOTHER
LOUISIANA, 1991

HOSPITAL	LIVE BIRTHS				INNATURE LIVE BIRTHS[a]			
	TOTAL	WHITE	BLACK	OTHER	TOTAL	WHITE	BLACK	OTHER
LIVINGSTON	5	5	-	-	-	-	-	-
OUT OF HOSPITAL	5	5	-	-	-	-	-	-
MADISON	8	-	8	-	7	-	7	-
MADISON PARISH HOSPITAL	7	-	7	-	6	-	6	-
OUT OF HOSPITAL	1	-	1	-	1	-	1	-
MOREHOUSE	364	278	85	1	32	19	13	-
MOREHOUSE GENERAL HOSPITAL	362	278	83	1	30	19	11	-
OUT OF HOSPITAL	2	-	2	-	2	-	2	-
NATCHITOCHES	447	269	176	2	23	15	8	-
NATCHITOCHES PARISH HOSPITAL	443	267	174	2	23	15	8	-
OUT OF HOSPITAL	4	2	2	-	-	-	-	-
ORLEANS	10385	2753	7352	280	1335	189	1129	17
JO ELLEN SMITH MEMORIAL HOSPITAL	2	1	1	-	-	-	-	-
SOUTHERN BAPTIST HOSPITAL	1728	1311	388	29	129	81	44	4
MEDICAL CENTER OF LA AT NEW ORLEANS	3895	484	3323	88	671	48	618	5
THE NEW ST CLAUDE GENERAL HOSPITAL	251	11	236	4	38	1	36	1
HUMANA WOMENS HOSPITAL	1094	500	501	93	87	41	43	3
UNIVERSITY HOSPITAL	1	-	1	-	1	-	1	-
PENDLETON MEMORIAL METHODIST HOSP	1699	197	1455	47	193	12	178	3
TOURO INFIRMARY	1023	141	872	10	114	3	110	1
TULANE MEDICAL CENTER HOSPITAL	637	98	532	7	90	3	87	-
OUT OF HOSPITAL	55	10	43	2	12	-	12	-
OUACHITA	4102	2148	1941	13	342	121	221	-
E. A. CONWAY MEMORIAL HOSPITAL	2195	501	1694	-	235	39	196	-
GLENWOOD HOSPITAL	415	372	40	3	8	7	1	-
HCA NORTH MONROE HOSPITAL	522	453	64	5	15	8	7	-
ST. FRANCIS HOSPITAL	963	818	140	5	83	67	16	-
OUT OF HOSPITAL	7	4	3	-	1	-	1	-
PLAQUEMINES	5	3	2	-	3	2	1	-
OUT OF HOSPITAL	5	3	2	-	3	2	1	-
POINTE COUPEE	5	3	2	-	1	-	1	-
POINTE COUPEE GENERAL HOSPITAL	2	-	2	-	1	-	1	-
OUT OF HOSPITAL	3	3	-	-	-	-	-	-
RAPIDES	3262	2127	1103	32	309	163	145	1
RAPIDES REGIONAL WOMENS HOSPITAL	1770	1308	441	21	125	82	43	-
HUEY P. LONG CHARITY HOSPITAL	737	169	568	2	111	20	91	-
ST. FRANCES CABRINI HOSPITAL	738	646	84	8	72	61	10	1
OUT OF HOSPITAL	17	4	12	1	1	-	1	-
RED RIVER	2	-	2	-	-	-	-	-
L. S. HUCKABAY MEMORIAL HOSPITAL	2	-	2	-	-	-	-	-
RICHLAND	3	-	3	-	1	-	1	-
RICHLAND PARISH HOSPITAL - URBAN	2	-	2	-	1	-	1	-
OUT OF HOSPITAL	1	-	1	-	-	-	-	-
ST.BERNARD	3	2	1	-	1	-	1	-
CHALMETTE GENERAL HOSPITAL	1	-	1	-	1	-	1	-
OUT OF HOSPITAL	2	2	-	-	-	-	-	-
ST.CHARLES	2	1	1	-	1	-	1	-
ST. CHARLES PARISH HOSPITAL	1	-	1	-	1	-	1	-
OUT OF HOSPITAL	1	1	-	-	-	-	-	-
ST. JAMES	1	-	1	-	1	-	1	-
ST. JAMES PARISH HOSPITAL	1	-	1	-	1	-	1	-
ST. JOHN	433	249	179	5	27	7	20	-
RIVER PARISHES MEDICAL CENTER	431	248	178	5	27	7	20	-
OUT OF HOSPITAL	2	1	1	-	-	-	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS AND INMATURE LIVE BIRTHS BY HOSPITAL OF BIRTH AND RACE OF MOTHER
LOUISIANA, 1991

HOSPITAL	LIVE BIRTHS				INMATURE LIVE BIRTHS[a]			
	TOTAL	WHITE	BLACK	OTHER	TOTAL	WHITE	BLACK	OTHER
ST. LANDRY	1650	1107	541	2	132	85	66	1
MOOSA MEMORIAL HOSPITAL	403	299	103	1	39	25	14	-
OPELOUSAS GENERAL HOSPITAL	828	533	295	-	67	28	39	-
DOCTORS HOSPITAL OF OPELOUSAS	413	273	139	1	25	12	12	1
OUT OF HOSPITAL	6	2	4	-	1	-	1	-
ST. MARTIN	7	4	3	-	2	1	1	-
OUT OF HOSPITAL	7	4	3	-	2	1	1	-
ST. MARY	932	559	348	25	43	20	23	-
FRANKLIN FOUNDATION HOSPITAL	250	125	119	6	13	6	7	-
LAKEWOOD HOSPITAL	678	431	228	19	30	14	16	-
OUT OF HOSPITAL	4	3	1	-	-	-	-	-
ST. TAMMANY	2692	2227	441	24	185	120	61	4
HIGHLAND PARK HOSPITAL	892	643	246	3	79	37	41	1
NORTHSHORE REGIONAL MEDICAL CENTER	770	691	68	11	45	34	8	3
ST. TAMMANY PARISH HOSPITAL	553	471	76	6	30	25	5	-
SLIDELL MEMORIAL HOSPITAL	483	409	50	4	30	23	7	-
OUT OF HOSPITAL	14	13	1	-	1	1	-	-
TANGIPAHOA	1878	1072	803	3	201	84	116	1
SEVENTH WARD GENERAL HOSPITAL	1876	1071	802	3	201	84	116	1
OUT OF HOSPITAL	2	1	1	-	-	-	-	-
TENSAS	2	-	2	-	1	-	1	-
OUT OF HOSPITAL	2	-	2	-	1	-	1	-
TERREBONNE	2621	1573	916	132	251	118	124	9
LEONARD J. CHABERT MEDICAL CENTER	1997	1011	869	117	209	83	119	7
TERREBONNE GENERAL MEDICAL CENTER	622	561	46	15	42	35	5	2
OUT OF HOSPITAL	2	1	1	-	-	-	-	-
UNION	75	31	44	-	1	-	1	-
UNION GENERAL HOSPITAL	74	30	44	-	1	-	1	-
OUT OF HOSPITAL	1	1	-	-	-	-	-	-
VERMILION	455	322	115	18	39	18	19	2
ABROM KAPLAN MEMORIAL HOSPITAL	60	56	4	-	3	2	1	-
ABBEVILLE GENERAL HOSPITAL	394	265	111	18	36	16	18	2
OUT OF HOSPITAL	1	1	-	-	-	-	-	-
VERNON	1153	741	330	82	57	25	27	5
BAYNE JONES ARMY COMMUNITY HOSPITAL	1150	740	328	82	54	24	25	5
BYRD MEMORIAL HOSPITAL	2	1	1	-	2	1	1	-
OUT OF HOSPITAL	1	-	1	-	1	-	1	-
WASHINGTON	455	256	199	-	37	15	22	-
BOGALUSA COMMUNITY MEDICAL CENTER	455	256	199	-	37	15	22	-
WEBSTER	241	168	73	-	15	2	13	-
MINDEN MEDICAL HOSPITAL	223	163	60	-	12	2	10	-
GALEN OF LOUISIANA INC.	12	2	10	-	2	-	2	-
OUT OF HOSPITAL	6	3	3	-	1	-	1	-
WEST BATON ROUGE	1	-	1	-	-	-	-	-
OUT OF HOSPITAL	1	-	1	-	-	-	-	-
WEST CARROLL	1	1	-	-	-	-	-	-
WEST CARROLL PARISH HOSPITAL	1	1	-	-	-	-	-	-
WEST FELICIANA	2	1	1	-	-	-	-	-
WEST FELICIANA PARISH HOSPITAL	2	1	1	-	-	-	-	-
WINN	9	-	9	-	2	-	2	-
HUMANA HOSPITAL-WINN PARISH	6	-	6	-	1	-	1	-
OUT OF HOSPITAL	3	-	3	-	1	-	1	-

[a]BIRTH WEIGHT UNDER 2500 GRAMS

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	9.04	16.20	13.91	12.82	12.35	10.95	10.57	11.52	9.05	7.81	8.20	9.55	10.69	10.58	12.73
	WHITE	6.03	10.44	9.12	9.06	8.35	7.29	7.11	7.66	6.08	5.41	5.75	6.49	7.39	8.51	6.67
	BLACK	13.32	17.30	15.48	14.80	15.08	14.01	13.85	14.42	12.70	12.57	13.33	14.76	15.47	13.73	20.83
	OTHER	6.37	7.69	16.67	11.29	8.00	9.25	7.69	8.86	6.00	5.96	6.20	6.57	7.08	0.00	0.00
ACADIA	ALL	8.28	18.09	15.25	12.28	15.64	10.36	8.68	11.35	8.38	6.01	7.58	9.55	11.76	0.00	-
	WHITE	6.32	0.00	10.71	9.59	9.65	7.65	4.74	7.40	7.19	5.13	5.53	6.88	6.06	-	-
	BLACK	13.91	25.00	19.35	17.07	26.15	16.87	17.00	19.06	11.61	9.85	14.11	16.67	22.22	0.00	-
	OTHER	16.67	-	-	-	-	0.00	-	-	0.00	0.00	50.00	-	-	-	-
CROWLEY[8]	ALL	10.50	18.75	26.92	11.11	20.63	7.23	9.71	12.81	10.19	7.41	10.56	15.52	18.18	0.00	-
	WHITE	7.46	0.00	15.38	4.17	17.86	8.51	2.00	8.02	8.19	5.93	7.14	12.12	0.00	-	-
	BLACK	14.68	25.00	38.46	19.05	22.86	5.56	16.98	17.72	13.00	10.53	14.93	20.00	25.00	0.00	-
	OTHER	50.00	-	-	-	-	-	-	-	-	0.00	100.00	-	-	-	-
ALLEN	ALL	8.00	20.00	18.18	4.88	16.28	8.18	6.60	9.60	7.72	6.86	7.53	11.59	0.00	0.00	-
	WHITE	7.06	0.00	20.00	6.90	12.90	8.84	5.56	8.84	7.01	5.74	6.82	10.64	0.00	-	-
	BLACK	11.25	50.00	16.67	0.00	25.00	7.41	9.38	11.88	10.34	11.68	10.17	14.29	0.00	0.00	-
	OTHER	4.35	-	-	-	-	0.00	0.00	-	0.00	11.11	0.00	0.00	-	-	-
ASCENSION	ALL	8.46	18.18	17.65	18.18	11.35	9.91	9.25	11.14	7.34	8.10	8.23	10.13	10.34	0.00	-
	WHITE	6.22	0.00	5.88	20.00	8.43	5.30	5.81	7.29	5.30	6.07	6.59	10.22	7.14	0.00	-
	BLACK	13.45	21.05	23.53	16.13	15.79	17.05	14.29	16.41	11.48	14.43	13.04	10.11	13.33	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	ALL	9.18	12.50	9.09	20.83	8.70	8.14	10.68	10.24	8.97	7.97	10.04	12.22	5.00	-	-
	WHITE	5.79	0.00	0.00	28.57	7.14	9.43	6.00	8.51	4.45	6.25	5.26	7.89	0.00	-	-
	BLACK	13.47	14.29	12.50	17.65	9.76	6.06	15.09	11.84	15.20	10.68	15.75	15.38	12.50	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	ALL	9.31	0.00	12.20	10.77	9.23	10.10	12.63	10.90	9.18	8.31	7.69	10.30	29.63	100.00	0.00
	WHITE	6.88	0.00	18.18	5.41	7.25	9.57	7.89	8.68	6.19	6.92	5.57	8.02	25.00	-	0.00
	BLACK	13.28	0.00	5.26	17.86	11.67	10.84	19.74	13.91	14.55	10.70	11.52	15.00	36.36	100.00	0.00
	OTHER	6.25	-	-	-	0.00	-	-	-	0.00	20.00	0.00	0.00	-	-	-
BEAUREGARD	ALL	6.55	20.00	15.79	3.77	10.20	6.43	7.00	7.45	5.85	5.60	6.72	10.61	5.26	100.00	-
	WHITE	5.78	33.33	18.18	2.70	8.70	6.25	5.73	6.48	5.29	4.56	6.56	7.84	9.09	100.00	-
	BLACK	10.35	0.00	12.50	6.25	13.79	7.14	11.90	10.57	8.97	11.82	8.20	20.00	0.00	-	-
	OTHER[9]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER[8]	ALL	7.86	10.00	16.67	3.85	9.76	8.00	10.84	9.43	6.57	7.58	7.01	13.85	0.00	-	-
	WHITE	6.01	25.00	25.00	0.00	5.88	7.14	9.09	7.55	4.74	5.46	6.00	10.26	0.00	-	-
	BLACK	11.11	0.00	12.50	7.69	12.50	9.09	13.16	11.43	9.92	12.84	9.43	19.23	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	ALL	9.21	16.67	11.11	16.13	8.16	10.77	8.64	10.28	10.15	6.75	8.97	8.62	18.18	-	0.00
	WHITE	3.97	33.33	0.00	0.00	0.00	0.00	3.23	1.30	5.21	4.43	2.67	0.00	0.00	-	0.00
	BLACK	13.29	11.11	13.04	20.83	12.12	15.22	12.00	14.20	14.52	8.93	14.81	14.29	40.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	ALL	7.44	31.82	15.07	12.30	11.22	12.69	9.55	11.42	6.57	6.66	6.76	7.12	6.38	0.00	-
	WHITE	5.70	0.00	8.00	15.00	9.91	6.95	7.85	8.64	5.19	5.08	5.94	5.61	7.41	0.00	-
	BLACK	11.91	36.84	18.75	9.68	13.04	20.93	12.42	15.08	9.54	12.67	10.16	11.63	6.25	0.00	-
	OTHER	4.10	-	-	-	0.00	14.29	0.00	8.33	7.41	4.08	0.00	0.00	0.00	-	-
BOSSIER CITY[8]	ALL	6.94	33.33	8.70	14.67	12.98	10.19	10.29	11.10	5.81	6.30	6.45	5.43	9.68	0.00	-
	WHITE	5.13	0.00	6.25	13.89	9.59	6.15	7.87	8.08	4.46	4.83	5.06	3.33	12.50	0.00	-
	BLACK	11.87	38.46	10.00	15.38	17.86	17.14	15.38	15.73	8.86	11.86	12.08	11.32	9.09	-	-
	OTHER	3.88	-	-	-	0.00	16.67	0.00	9.09	8.70	2.56	0.00	0.00	0.00	-	-
CADDO	ALL	9.81	15.08	10.97	13.57	14.48	13.08	9.99	12.27	9.85	8.14	9.30	9.67	8.82	-	0.00
	WHITE	5.77	6.67	5.88	11.11	9.13	7.09	5.58	7.19	5.72	5.26	6.03	4.59	7.58	-	-
	BLACK	13.30	15.85	11.97	14.29	16.29	16.04	12.35	14.39	12.75	11.68	14.51	16.25	10.77	-	0.00
	OTHER	4.78	-	-	0.00	0.00	0.00	25.00	10.00	2.94	10.81	2.38	0.00	0.00	-	-
SHREVEPORT[8]	ALL	10.15	14.37	11.50	13.61	14.64	13.80	10.33	12.64	10.12	8.45	9.83	9.61	8.93	-	-
	WHITE	5.48	6.67	7.69	10.64	8.50	6.64	5.71	7.01	5.10	5.18	6.01	3.70	6.25	-	-
	BLACK	13.47	15.13	12.10	14.32	16.16	16.53	12.35	14.51	12.91	11.75	15.11	16.14	11.86	-	-
	OTHER	5.22	-	-	0.00	-	0.00	25.00	11.11	3.45	12.12	2.38	0.00	0.00	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
CALCASIEU	ALL	8.89	21.28	10.91	11.40	10.17	10.52	11.11	10.79	8.78	7.71	8.24	11.76	10.71	20.00	0.00
	WHITE	7.02	23.08	8.00	3.64	7.23	7.28	8.05	7.32	7.28	6.41	6.59	9.11	11.11	25.00	-
	BLACK	13.30	20.59	13.33	18.64	14.55	16.29	16.84	16.26	12.20	11.62	12.90	17.11	10.00	0.00	0.00
	OTHER	5.88	-	-	-	0.00	25.00	20.00	16.67	9.09	5.13	0.00	0.00	-	-	-
LAKE CHARLES[8]	ALL	10.32	21.21	12.50	15.67	13.37	11.03	13.12	12.90	10.05	9.23	8.97	12.36	11.63	50.00	0.00
	WHITE	7.31	0.00	6.25	10.81	11.11	2.94	7.23	7.12	7.97	7.24	6.02	7.45	18.75	100.00	-
	BLACK	13.14	21.88	14.58	17.53	14.84	15.34	17.45	16.23	11.78	11.60	12.70	16.93	7.41	0.00	0.00
	OTHER	7.25	-	-	-	0.00	33.33	0.00	12.50	15.38	7.41	0.00	0.00	-	-	-
SULPHUR[8]	ALL	6.48	66.67	16.67	3.45	12.00	14.29	7.69	10.24	6.15	4.92	6.20	3.03	0.00	0.00	-
	WHITE	6.07	66.67	16.67	0.00	10.00	13.10	8.26	9.43	5.75	4.42	6.28	3.23	0.00	0.00	-
	BLACK	11.81	-	-	33.33	22.22	28.57	0.00	18.52	10.64	12.50	5.56	0.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	ALL	5.82	25.00	10.00	4.76	9.38	2.04	12.00	7.41	5.69	5.85	1.37	7.14	0.00	-	-
	WHITE	5.29	50.00	0.00	7.14	13.04	0.00	10.81	6.50	3.94	6.21	1.85	9.52	0.00	-	-
	BLACK	8.21	0.00	50.00	0.00	0.00	12.50	15.38	10.26	14.63	3.70	0.00	0.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	ALL	9.09	0.00	40.00	0.00	18.75	10.71	5.41	10.42	11.48	3.43	10.91	19.23	0.00	-	-
	WHITE	8.92	0.00	40.00	0.00	20.00	12.00	5.88	11.36	11.11	3.19	10.68	17.39	0.00	-	-
	BLACK	11.54	-	-	0.00	0.00	0.00	0.00	-	17.65	6.25	16.67	33.33	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	ALL	9.82	20.00	20.00	17.39	20.69	17.02	11.67	16.20	6.82	5.56	12.50	17.65	-	-	100.00
	WHITE	6.68	33.33	0.00	0.00	16.67	7.69	7.14	6.98	3.19	4.46	14.08	22.22	-	-	100.00
	BLACK	14.63	0.00	30.77	33.33	23.53	28.57	15.63	23.91	12.50	8.47	10.00	13.33	-	-	-
	OTHER	33.33	-	-	100.00	-	-	-	100.00	-	-	0.00	0.00	-	-	-
CLAIBORNE	ALL	10.56	13.64	13.04	18.42	13.21	12.66	13.16	13.75	7.35	12.11	10.58	11.54	14.29	-	0.00
	WHITE	8.33	0.00	0.00	14.29	40.00	5.88	12.50	13.04	8.55	10.27	3.80	0.00	0.00	-	0.00
	BLACK	11.82	14.29	13.64	19.35	10.42	14.52	13.33	13.90	6.76	14.08	17.07	17.65	16.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	ALL	9.30	6.25	14.81	9.23	19.48	15.45	8.33	12.90	8.98	6.63	8.82	7.02	21.05	-	-
	WHITE	6.11	-	0.00	5.00	14.29	11.11	7.27	8.82	3.86	5.30	7.94	3.57	33.33	-	-
	BLACK	12.72	6.25	17.39	11.11	21.43	17.57	9.09	14.91	13.99	9.09	10.26	10.34	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	ALL	9.15	19.05	21.43	15.00	12.20	16.94	11.33	14.19	6.68	8.64	7.19	11.24	13.04	-	-
	WHITE	4.86	100.00	33.33	7.14	12.90	7.41	9.23	10.00	3.06	4.21	4.26	2.63	9.09	-	-
	BLACK	12.88	15.00	18.18	17.39	11.76	24.64	12.94	16.85	9.68	13.70	10.22	17.65	18.18	-	-
	OTHER	33.33	-	-	-	-	0.00	-	-	100.00	-	-	-	0.00	-	-
E BATON ROUGE	ALL	9.67	15.91	20.07	13.15	14.32	13.91	12.45	13.79	10.39	8.03	8.11	9.64	12.86	0.00	42.86
	WHITE	5.38	11.11	6.52	10.74	8.13	9.16	6.33	7.92	5.64	4.85	5.08	5.28	5.95	0.00	25.00
	BLACK	14.60	16.56	22.91	13.94	16.95	16.27	15.98	16.49	14.24	13.37	13.65	16.32	22.14	0.00	66.67
	OTHER	6.09	0.00	0.00	0.00	0.00	16.67	0.00	4.00	5.43	5.53	6.47	9.26	8.33	-	-
BATON ROUGE[8]	ALL	10.53	15.78	21.07	12.95	14.81	13.98	13.20	14.20	11.27	8.87	8.82	10.38	14.75	0.00	25.00
	WHITE	5.57	7.69	9.38	10.53	8.28	8.90	7.41	8.33	6.01	5.03	5.16	4.86	7.50	0.00	0.00
	BLACK	14.80	16.56	22.86	13.49	16.73	15.86	15.90	16.24	14.43	13.64	14.08	17.11	23.01	0.00	50.00
	OTHER	5.81	0.00	-	0.00	0.00	20.00	0.00	4.76	6.14	5.31	5.70	7.69	9.09	-	-
BAKER[8]	ALL	8.74	0.00	50.00	17.65	14.29	20.37	8.97	15.26	8.09	8.62	5.18	5.58	7.89	0.00	-
	WHITE	6.78	0.00	0.00	16.67	12.50	13.51	4.44	10.00	6.41	6.99	3.97	9.09	0.00	0.00	-
	BLACK	12.69	0.00	100.00	20.00	18.18	35.29	15.15	24.64	12.40	11.97	8.06	0.00	16.67	0.00	-
	OTHER	15.38	-	0.00	-	-	-	-	-	0.00	33.33	100.00	0.00	-	-	-
EAST CARROLL	ALL	10.68	21.74	27.78	12.77	11.76	13.68	11.29	14.43	11.93	3.52	8.94	6.38	20.00	-	0.00
	WHITE	5.67	0.00	0.00	50.00	40.00	0.00	0.00	12.00	10.17	1.52	2.94	0.00	-	-	-
	BLACK	11.91	22.73	29.41	11.11	8.70	14.94	12.96	14.66	12.31	4.55	11.49	8.11	20.00	-	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
E FELICIANA	ALL	9.98	33.33	21.05	11.11	10.17	7.46	7.69	9.56	9.82	9.09	12.39	10.87	0.00	-	0.00
	WHITE	5.98	20.00	33.33	12.50	13.04	8.70	2.63	9.90	6.22	4.05	6.31	3.03	0.00	-	-
	BLACK	13.18	50.00	10.00	10.71	8.33	6.82	11.32	9.36	12.17	14.22	18.26	15.25	0.00	-	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	ALL	9.64	36.84	19.35	16.92	11.61	9.94	12.15	12.36	8.80	7.61	10.08	10.48	22.22	0.00	-
	WHITE	6.69	0.00	14.29	11.11	6.90	7.87	11.88	9.62	6.75	4.39	7.11	9.26	20.00	0.00	-
	BLACK	14.24	41.18	20.83	24.14	18.67	12.50	12.50	15.44	11.92	14.39	15.50	12.00	25.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	ALL	9.07	10.00	30.43	11.32	15.79	8.57	4.62	10.59	9.74	7.09	6.81	10.61	22.22	0.00	-
	WHITE	5.84	0.00	25.00	0.00	5.13	9.09	4.69	6.17	6.13	6.74	2.65	5.56	0.00	-	-
	BLACK	12.68	10.53	31.58	14.29	23.21	8.20	4.55	13.52	14.09	7.69	12.99	16.67	33.33	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	ALL	9.84	0.00	0.00	9.38	14.81	12.66	8.16	10.58	10.30	9.61	6.49	12.07	22.22	-	0.00
	WHITE	8.61	0.00	0.00	0.00	17.02	7.81	6.49	8.26	8.98	8.33	6.20	13.95	33.33	-	0.00
	BLACK	14.29	0.00	0.00	27.27	0.00	33.33	15.00	20.00	14.16	16.07	8.00	0.00	0.00	-	-
	OTHER	20.00	-	-	-	-	-	0.00	-	0.00	0.00	-	50.00	-	-	-
IBERIA	ALL	8.61	25.00	10.61	15.97	10.67	10.45	12.22	11.75	8.89	7.45	6.71	7.92	7.84	0.00	0.00
	WHITE	6.32	33.33	5.00	12.50	6.36	9.22	9.52	8.91	6.82	5.37	5.47	5.21	3.13	0.00	0.00
	BLACK	12.24	23.08	13.33	19.05	14.78	11.90	16.03	14.85	11.55	11.81	9.76	11.92	16.67	0.00	-
	OTHER	1.41	-	0.00	-	-	0.00	0.00	-	5.26	0.00	0.00	0.00	0.00	-	-
NEW IBERIA[8]	ALL	9.55	22.73	12.20	16.00	9.15	11.88	13.30	12.24	9.69	8.52	7.87	7.84	7.69	0.00	-
	WHITE	7.16	0.00	9.09	10.00	5.80	10.71	12.96	10.26	7.79	5.70	6.39	5.93	0.00	-	-
	BLACK	13.14	25.00	13.75	20.00	12.33	13.33	14.29	14.38	12.13	13.88	11.72	10.98	18.18	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	ALL	10.56	0.00	15.15	16.18	13.86	11.28	12.44	13.07	9.26	10.23	11.32	10.83	8.00	33.33	-
	WHITE	6.63	0.00	0.00	5.88	5.41	8.11	10.71	8.47	5.03	6.41	8.54	7.81	0.00	-	-
	BLACK	13.38	0.00	16.13	19.61	18.75	12.63	13.76	15.43	11.98	14.14	13.55	12.90	9.09	33.33	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	ALL	8.25	0.00	12.50	10.71	8.33	11.76	14.81	12.26	8.56	5.94	5.43	10.53	0.00	0.00	-
	WHITE	5.62	-	12.50	7.14	9.09	15.63	9.80	11.02	5.05	3.65	5.75	0.00	0.00	-	-
	BLACK	13.44	0.00	12.50	14.29	7.14	5.26	23.33	14.12	16.30	10.87	4.76	26.67	-	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	ALL	7.69	13.60	13.59	11.13	11.16	9.22	10.78	10.65	8.09	6.55	6.92	7.81	8.38	0.00	0.00
	WHITE	5.93	10.34	17.33	8.71	6.01	7.40	8.57	8.03	6.08	5.11	5.85	7.19	7.05	0.00	0.00
	BLACK	12.35	14.74	12.56	13.76	16.93	11.31	14.35	13.84	12.11	11.42	12.73	10.17	13.51	0.00	0.00
	OTHER	6.65	0.00	0.00	0.00	6.25	10.64	5.71	6.59	6.82	7.00	5.79	7.95	6.45	0.00	-
KENNER[8]	ALL	7.87	9.52	13.79	6.54	11.39	7.11	9.27	9.05	8.75	6.97	7.09	8.28	10.94	0.00	-
	WHITE	6.10	0.00	13.33	3.85	6.67	6.78	8.56	7.61	6.57	5.43	5.23	7.69	12.50	0.00	-
	BLACK	12.59	11.76	14.63	9.62	15.22	6.25	8.33	10.28	13.18	13.37	15.38	8.24	10.00	-	-
	OTHER	8.07	-	0.00	0.00	0.00	18.18	13.33	10.81	2.50	5.00	8.41	16.67	0.00	0.00	-
GRETNA[8]	ALL	8.87	25.00	11.43	9.26	10.00	11.19	10.84	10.55	7.98	8.49	9.14	6.90	17.14	0.00	0.00
	WHITE	8.80	25.00	11.11	12.50	7.41	12.50	7.59	9.66	5.71	6.72	8.45	7.34	5.26	0.00	-
	BLACK	12.57	25.00	11.54	7.14	13.21	8.47	14.04	11.21	12.09	11.68	17.04	4.88	30.77	-	0.00
	OTHER	8.47	-	-	0.00	0.00	33.33	20.00	15.38	5.66	10.34	5.26	8.33	33.33	-	-
HARAHAN[8]	ALL	6.34	-	0.00	12.50	0.00	22.22	12.50	11.90	5.66	5.94	5.07	8.89	0.00	-	-
	WHITE	6.15	-	0.00	12.50	0.00	22.22	12.50	12.20	6.00	5.14	5.19	9.09	0.00	-	-
	BLACK	8.33	-	-	-	0.00	-	-	-	0.00	25.00	0.00	0.00	-	-	-
	OTHER	25.00	-	-	-	-	-	-	-	0.00	100.00	0.00	-	-	-	-
WESTWEGO[8]	ALL	8.94	0.00	0.00	12.12	8.51	15.28	5.95	9.72	9.13	7.49	10.67	10.53	0.00	0.00	-
	WHITE	6.27	0.00	0.00	15.79	7.69	13.16	1.89	7.91	8.09	5.21	6.86	14.29	0.00	-	-
	BLACK	14.22	0.00	0.00	7.14	10.00	19.35	14.29	12.87	18.23	10.19	24.39	10.53	0.00	0.00	-
	OTHER	5.66	-	-	-	0.00	0.00	0.00	-	0.00	20.00	0.00	0.00	-	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
JEFF DAVIS	ALL	6.82	28.57	13.64	7.41	10.13	8.94	5.96	8.16	5.74	5.69	7.61	12.00	8.68	0.00	-
	WHITE	5.41	14.29	9.09	5.88	11.32	3.53	5.50	6.16	5.11	5.31	6.23	1.27	11.11	0.00	-
	BLACK	11.19	42.86	18.18	10.00	7.69	21.05	7.14	12.41	7.91	7.23	12.64	31.11	7.69	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS[8]	ALL	7.84	20.00	7.69	11.11	9.68	16.07	8.33	11.23	6.16	6.36	9.85	7.69	6.67	-	-
	WHITE	6.17	20.00	0.00	14.29	10.53	8.11	5.71	8.26	5.24	5.82	7.45	3.03	0.00	-	-
	BLACK	11.11	20.00	11.11	7.69	8.33	31.58	12.00	15.38	8.04	7.81	18.67	15.79	11.11	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	ALL	8.42	27.08	17.65	15.05	15.28	8.97	11.88	12.43	9.27	6.76	7.02	10.03	7.80	40.00	0.00
	WHITE	5.80	16.67	10.81	7.32	5.37	3.91	10.24	7.24	6.29	5.17	5.15	7.68	6.45	0.00	0.00
	BLACK	14.58	28.57	21.88	21.36	24.67	15.43	14.00	18.15	14.12	11.75	14.31	18.14	8.89	50.00	-
	OTHER	14.12	-	0.00	0.00	50.00	50.00	-	33.33	10.00	11.54	16.67	8.25	33.33	-	-
LAFAYETTE[8]	ALL	9.14	29.41	18.18	17.29	15.42	10.71	14.13	14.12	10.01	7.36	6.74	10.93	10.00	50.00	0.00
	WHITE	5.66	0.00	11.11	6.12	3.85	4.38	14.37	8.55	6.32	4.99	4.19	8.07	9.09	0.00	0.00
	BLACK	15.12	30.30	20.83	24.10	22.31	16.20	13.83	18.15	14.11	12.78	14.83	19.86	11.76	66.67	-
	OTHER	14.52	-	-	0.00	50.00	100.00	-	50.00	16.67	10.00	15.78	8.33	0.00	-	-
LAFOURCHE	ALL	7.56	11.11	14.67	11.11	11.70	6.36	8.03	9.08	7.50	7.17	6.82	8.37	18.13	-	0.00
	WHITE	5.80	0.00	8.89	6.45	5.05	5.76	5.26	5.73	5.99	5.89	4.99	5.68	12.77	-	0.00
	BLACK	14.15	17.65	21.43	16.67	21.52	8.00	15.74	15.98	13.42	13.33	14.04	11.29	28.57	-	-
	OTHER	6.25	0.00	50.00	14.29	0.00	5.88	0.00	6.25	4.04	6.78	15.00	0.00	0.00	-	-
THIBODAUX[8]	ALL	10.05	16.67	22.22	15.63	18.37	3.90	14.14	12.73	8.55	9.67	9.95	10.00	25.00	-	-
	WHITE	6.13	-	0.00	20.00	0.00	5.26	14.29	9.38	3.51	6.78	6.67	10.53	0.00	-	-
	BLACK	13.74	16.67	30.77	14.81	20.93	2.63	14.29	14.69	12.77	13.66	14.28	10.00	40.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	ALL	6.62	33.33	35.29	3.23	12.00	4.84	6.67	8.72	4.35	6.28	8.57	7.50	20.00	-	0.00
	WHITE	5.31	0.00	28.57	3.70	15.00	8.00	2.50	8.94	2.89	5.56	7.53	9.09	25.00	-	0.00
	BLACK	11.32	50.00	33.33	0.00	0.00	0.00	15.00	12.00	7.94	13.04	18.18	0.00	0.00	-	-
	OTHER	33.33	-	100.00	-	-	-	-	100.00	40.00	0.00	0.00	-	-	-	-
LINCOLN	ALL	8.50	17.65	5.26	18.87	8.70	7.48	10.87	10.12	8.30	7.79	9.07	7.97	0.00	0.00	-
	WHITE	5.39	0.00	0.00	11.76	8.00	5.00	4.84	6.00	5.06	5.11	6.57	4.65	0.00	0.00	-
	BLACK	12.34	20.00	6.25	22.22	9.09	9.09	15.79	12.60	11.51	12.19	14.29	14.58	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON[8]	ALL	9.69	16.67	12.50	30.00	11.76	8.33	14.10	14.56	8.29	9.14	9.66	8.67	0.00	-	-
	WHITE	4.32	-	0.00	25.00	11.11	0.00	6.67	7.94	3.29	3.69	5.47	2.86	0.00	-	-
	BLACK	15.32	16.67	13.33	31.82	12.00	12.50	18.75	17.61	11.76	17.53	18.57	14.29	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	ALL	6.78	5.88	5.13	7.50	9.76	8.39	7.29	8.03	7.19	6.00	6.39	5.09	3.33	25.00	-
	WHITE	6.10	0.00	6.90	5.66	10.61	5.31	5.83	6.68	6.60	5.42	6.37	4.12	0.00	25.00	-
	BLACK	13.92	11.11	0.00	21.43	3.85	25.00	21.21	17.32	13.44	14.56	7.02	10.53	50.00	-	-
	OTHER	8.00	-	-	-	-	-	0.00	-	0.00	12.50	0.00	33.33	-	-	-
MADISON	ALL	12.16	13.64	11.11	12.24	15.28	6.25	9.64	10.42	9.62	13.90	19.62	13.64	0.00	0.00	0.00
	WHITE	6.86	0.00	0.00	0.00	0.00	0.00	10.53	4.26	6.25	3.66	18.18	15.38	0.00	-	0.00
	BLACK	13.82	15.00	11.43	12.50	17.19	7.69	9.38	11.42	10.82	19.86	20.00	12.90	0.00	0.00	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH[8]	ALL	12.17	7.14	11.43	11.11	18.03	8.90	7.04	10.37	9.12	15.79	19.01	16.67	0.00	0.00	0.00
	WHITE	5.10	-	0.00	-	0.00	0.00	7.69	3.23	3.51	2.38	14.29	20.00	0.00	-	0.00
	BLACK	13.59	7.14	11.76	11.11	19.30	8.11	6.90	11.19	10.53	20.16	19.63	15.38	0.00	0.00	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	ALL	9.71	15.63	7.69	14.56	13.19	12.18	13.86	12.89	8.35	6.67	11.19	14.29	9.52	-	-
	WHITE	6.95	33.33	14.29	10.26	7.32	8.75	8.00	8.68	7.13	4.40	10.81	2.38	0.00	-	-
	BLACK	11.98	13.79	6.67	17.19	15.53	14.53	17.32	15.13	9.35	9.38	11.63	26.19	22.22	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP[8]	ALL	9.65	15.38	3.03	20.41	15.73	16.82	10.00	13.82	8.15	4.75	11.38	15.56	0.00	-	-
	WHITE	6.32	0.00	-	9.09	8.33	13.79	2.78	7.95	6.75	3.28	10.42	5.88	0.00	-	-
	BLACK	11.19	16.00	3.03	23.68	16.88	17.95	13.10	15.48	8.85	5.78	11.90	21.43	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL** BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
NATCHITOCHES	ALL	8.27	10.00	5.13	15.66	15.38	8.45	8.82	10.77	8.55	5.56	8.80	8.77	21.05	0.00	0.00
	WHITE	6.08	-	0.00	3.33	7.14	6.52	4.94	5.24	7.05	4.42	7.41	5.36	22.22	-	-
	BLACK	10.46	10.00	7.14	22.64	20.00	9.38	11.48	13.90	9.98	7.26	11.04	7.79	20.00	0.00	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	ALL	8.20	0.00	0.00	21.43	13.51	8.45	5.41	9.83	8.63	4.81	10.45	7.41	37.50	0.00	0.00
	WHITE	4.93	-	0.00	0.00	0.00	0.00	0.00	-	5.77	3.23	7.62	5.88	50.00	-	-
	BLACK	9.88	0.00	0.00	25.71	15.63	9.84	7.06	11.85	9.87	5.76	13.16	8.51	33.33	0.00	0.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	ALL	12.18	16.17	13.48	13.43	13.44	13.81	13.11	13.44	12.87	11.48	10.89	11.41	10.81	0.00	28.57
	WHITE	5.76	11.11	14.29	9.80	12.30	7.10	10.53	9.88	8.32	5.07	5.40	5.41	6.84	0.00	0.00
	BLACK	14.19	16.46	13.48	13.63	13.60	14.33	13.29	13.69	13.97	14.21	14.77	15.83	13.89	0.00	33.33
	OTHER	6.16	0.00	0.00	0.00	5.88	12.90	16.67	12.37	7.00	5.07	5.41	5.93	6.45	0.00	-
OUACHITA	ALL	8.42	11.24	18.07	12.87	12.11	8.02	11.71	11.41	8.51	6.85	7.48	8.94	16.88	0.00	0.00
	WHITE	4.60	12.50	0.00	8.00	5.93	3.42	5.41	5.00	5.09	3.74	4.91	4.76	5.88	0.00	0.00
	BLACK	12.90	11.11	20.98	14.47	15.03	10.90	16.87	14.98	12.21	12.40	11.79	9.87	26.19	0.00	-
	OTHER	2.86	-	-	-	-	0.00	0.00	-	8.33	0.00	5.26	0.00	0.00	-	-
MONROE*	ALL	10.66	12.50	20.83	12.50	13.87	10.85	15.28	13.78	10.57	8.86	8.88	8.48	21.74	0.00	0.00
	WHITE	4.52	33.33	0.00	0.00	3.03	3.13	8.64	5.10	4.80	3.58	4.44	7.29	8.33	-	0.00
	BLACK	12.98	11.69	20.80	13.57	15.10	12.19	16.81	15.16	12.46	12.02	11.79	9.34	27.27	0.00	-
	OTHER	2.44	-	-	-	-	0.00	-	-	0.00	0.00	10.00	0.00	0.00	-	-
WEST MONROE*	ALL	8.48	0.00	13.04	25.00	12.07	1.08	8.55	8.98	7.87	8.07	8.68	12.86	25.00	-	-
	WHITE	6.22	0.00	0.00	20.83	12.82	1.43	6.00	6.88	7.13	4.01	7.14	8.33	0.00	-	-
	BLACK	16.37	0.00	33.33	37.50	10.53	0.00	23.53	15.79	10.48	25.00	14.29	22.73	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	ALL	7.20	18.18	12.50	11.11	7.69	2.97	7.25	8.59	7.89	7.68	3.94	12.63	3.70	0.00	0.00
	WHITE	6.00	0.00	0.00	16.67	9.68	4.35	8.43	7.32	8.32	5.41	3.53	14.08	7.14	0.00	0.00
	BLACK	10.45	28.57	40.00	7.14	4.76	0.00	5.56	5.83	12.34	13.58	4.84	10.71	0.00	-	-
	OTHER	4.17	0.00	0.00	0.00	-	0.00	0.00	-	0.00	14.29	5.26	0.00	0.00	-	-
POINTE COUPEE	ALL	9.28	30.77	25.00	5.88	6.25	12.00	6.02	8.82	8.58	8.75	7.04	17.14	25.00	-	-
	WHITE	5.17	0.00	0.00	9.09	9.52	4.00	3.03	5.38	5.51	4.29	5.56	6.06	25.00	-	-
	BLACK	13.00	33.33	30.77	4.35	4.65	16.00	8.00	10.61	11.38	14.86	8.57	22.22	25.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	ALL	9.32	20.69	16.19	12.55	12.65	12.17	9.49	11.62	9.47	7.43	8.44	8.81	12.12	14.29	0.00
	WHITE	6.51	25.00	12.00	12.79	6.94	8.55	4.65	7.26	7.00	5.65	6.32	6.67	12.26	0.00	0.00
	BLACK	14.23	20.00	17.50	12.41	17.11	15.53	15.58	15.55	13.51	12.00	16.56	16.13	13.04	25.00	-
	OTHER	7.04	-	-	-	0.00	100.00	0.00	25.00	10.81	4.35	9.52	0.00	0.00	-	-
ALEXANDRIA*	ALL	11.39	23.26	20.29	12.84	16.09	13.46	12.46	14.03	10.77	9.63	11.01	12.84	18.75	25.00	0.00
	WHITE	6.50	100.00	16.67	17.39	5.71	6.15	7.06	7.94	6.78	6.83	4.18	5.79	23.08	0.00	0.00
	BLACK	14.82	21.43	20.63	12.00	18.84	15.90	14.69	15.85	13.10	13.09	18.24	19.55	16.67	33.33	-
	OTHER	3.57	-	-	-	0.00	-	0.00	-	16.67	0.00	0.00	0.00	0.00	-	-
PINEVILLE*	ALL	8.14	0.00	10.00	4.76	5.71	11.25	9.71	9.24	9.25	7.38	7.50	2.86	0.00	0.00	-
	WHITE	7.02	0.00	0.00	5.56	4.76	7.94	3.75	5.43	7.71	7.32	7.32	4.65	0.00	0.00	-
	BLACK	11.65	0.00	12.50	0.00	7.14	18.75	30.43	18.75	15.60	5.13	9.09	0.00	0.00	0.00	-
	OTHER	13.89	-	-	-	-	100.00	-	100.00	8.33	21.43	0.00	0.00	0.00	-	-
RED RIVER	ALL	7.67	0.00	7.14	5.26	5.71	5.13	7.81	6.43	7.09	7.88	8.83	12.12	28.57	0.00	-
	WHITE	5.20	-	0.00	0.00	6.67	9.09	9.68	8.11	4.41	5.07	3.45	7.69	0.00	0.00	-
	BLACK	10.29	0.00	10.00	6.25	5.00	0.00	6.06	5.21	10.34	13.85	11.63	15.00	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	ALL	7.96	20.00	9.38	14.49	11.48	8.91	8.52	9.60	7.48	6.64	8.97	7.14	37.50	0.00	-
	WHITE	6.10	-	0.00	5.88	11.43	4.88	2.99	5.42	6.17	3.57	7.96	12.20	60.00	0.00	-
	BLACK	9.78	20.00	11.54	17.31	11.54	11.67	9.86	12.26	9.78	10.61	5.69	0.00	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	ALL	7.76	12.50	22.22	7.61	13.13	10.74	9.82	11.36	6.39	4.64	8.14	17.19	7.14	-	0.00
	WHITE	5.70	0.00	23.08	3.13	7.55	7.35	1.49	6.01	5.17	3.48	7.87	21.74	0.00	-	0.00
	BLACK	12.80	18.18	21.43	13.64	18.57	15.38	24.32	18.71	9.66	9.76	8.89	5.56	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[89] BIRTHS	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
ST BERNARD	ALL	7.54	0.00	2.94	10.31	11.45	8.11	11.89	10.91	7.23	6.84	6.59	8.56	18.75	-	-
	WHITE	7.03	0.00	3.70	14.00	5.71	8.64	12.92	9.05	6.49	6.47	6.65	7.52	14.81	-	-
	BLACK	14.43	0.00	0.00	25.00	38.00	5.00	6.45	15.50	15.87	11.24	7.84	22.22	50.00	-	-
	OTHER	3.85	-	-	100.00	0.00	0.00	0.00	7.69	2.86	2.78	3.13	7.69	0.00	-	-
ST CHARLES	ALL	7.88	7.69	14.71	5.66	12.94	7.41	12.43	10.50	10.25	6.10	7.52	2.34	17.39	0.00	-
	WHITE	5.86	0.00	0.00	0.00	3.23	6.94	8.00	5.69	7.99	5.14	5.91	2.03	7.14	-	-
	BLACK	12.08	8.33	20.83	10.00	16.98	8.06	16.30	14.18	13.54	9.06	13.11	3.23	33.33	0.00	-
	OTHER	11.36	-	-	-	100.00	0.00	0.00	25.00	14.29	15.38	6.25	0.00	-	-	-
ST HELENA	ALL	7.96	0.00	25.00	40.00	0.00	2.50	5.41	5.84	9.20	9.03	3.45	10.53	20.00	-	-
	WHITE	5.00	0.00	0.00	100.00	0.00	0.00	0.00	2.70	8.18	3.75	0.00	7.89	0.00	-	-
	BLACK	10.25	0.00	33.33	25.00	0.00	4.17	8.33	7.81	10.00	14.67	6.00	12.00	33.33	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	ALL	8.31	25.00	4.76	8.33	2.17	7.89	11.11	7.91	9.06	7.39	7.89	8.00	17.39	0.00	-
	WHITE	5.27	-	0.00	14.29	0.00	0.00	21.74	10.00	5.33	5.36	3.65	0.00	14.29	-	-
	BLACK	10.40	25.00	5.26	6.90	3.13	9.68	7.89	7.34	11.46	9.71	11.11	10.75	18.75	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	ALL	8.17	8.70	19.53	10.34	16.83	8.64	14.04	12.28	8.80	6.61	6.72	8.91	11.54	50.00	-
	WHITE	4.76	0.00	0.00	5.26	21.21	5.45	11.11	10.17	3.94	5.18	3.18	3.94	9.09	0.00	-
	BLACK	12.66	11.11	12.90	13.16	14.71	10.28	15.74	13.35	13.67	9.65	13.89	13.79	13.33	100.00	-
	OTHER	14.29	-	-	0.00	-	-	-	-	33.33	6.67	10.00	25.00	-	-	-
ST LANDRY	ALL	9.78	8.82	17.31	19.11	13.50	12.73	8.78	12.47	8.61	9.48	9.34	11.27	10.38	-	-
	WHITE	6.45	0.00	17.65	11.76	11.63	9.74	5.88	9.09	5.85	6.34	6.53	5.23	6.25	-	-
	BLACK	13.17	10.34	17.14	23.08	14.57	14.72	10.89	14.65	11.48	13.82	12.70	17.24	13.33	-	-
	OTHER	14.29	-	-	0.00	-	-	-	-	33.33	20.00	0.00	-	-	-	-
OPELOUSAS[8]	ALL	11.21	5.26	10.53	22.95	18.22	11.72	11.03	13.88	9.96	10.78	11.54	10.19	17.39	-	-
	WHITE	6.90	0.00	50.00	22.22	20.00	15.00	4.55	14.29	6.10	5.91	8.48	5.41	0.00	-	-
	BLACK	12.76	5.88	5.88	23.08	15.63	11.11	12.28	13.88	11.09	13.35	14.29	12.68	22.22	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE[8]	ALL	10.01	25.00	33.33	13.33	16.67	7.23	9.41	11.37	7.88	11.44	9.58	11.11	14.29	-	-
	WHITE	7.72	-	16.67	13.33	20.00	6.25	7.84	10.34	7.14	8.88	5.21	0.00	11.11	-	-
	BLACK	14.06	25.00	66.67	15.38	13.04	8.57	11.76	12.96	9.21	17.98	15.71	30.00	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	ALL	9.84	20.00	6.25	8.93	10.53	10.69	10.53	10.29	10.03	9.36	9.44	11.70	6.45	0.00	-
	WHITE	7.16	0.00	0.00	11.54	12.33	9.21	8.42	9.68	7.13	5.83	7.84	8.77	10.53	0.00	-
	BLACK	13.49	33.33	14.29	6.67	8.33	12.35	11.83	10.70	13.60	15.18	12.50	18.67	0.00	0.00	-
	OTHER	5.56	-	-	-	-	0.00	50.00	25.00	-	0.00	0.00	0.00	-	-	-
ST MARY	ALL	7.74	11.54	10.87	13.40	14.14	11.27	8.95	11.25	7.13	6.79	6.05	9.14	15.38	0.00	0.00
	WHITE	5.54	0.00	5.88	11.32	8.33	9.03	6.59	8.15	5.36	4.64	4.81	7.00	5.56	0.00	0.00
	BLACK	11.47	16.67	13.79	15.91	20.65	14.17	12.98	15.38	9.88	11.36	8.16	13.58	25.00	0.00	-
	OTHER	3.54	-	-	-	0.00	11.11	0.00	4.35	2.56	3.51	5.88	0.00	0.00	-	-
MORGAN CITY[8]	ALL	8.93	11.11	7.14	3.23	15.00	12.08	8.08	10.17	5.22	7.53	4.10	8.51	16.67	-	-
	WHITE	5.26	0.00	0.00	5.26	10.00	9.80	3.57	6.86	4.13	6.02	3.76	4.76	14.29	-	-
	BLACK	10.70	16.67	20.00	0.00	25.00	15.38	14.29	15.25	7.22	12.61	2.50	15.79	25.00	-	-
	OTHER	5.08	-	-	-	-	0.00	0.00	-	5.88	0.00	9.09	0.00	0.00	-	-
ST TAMMANY	ALL	7.15	0.00	14.10	8.53	7.38	11.78	9.60	9.95	6.27	7.09	6.83	6.85	3.20	50.00	0.00
	WHITE	6.24	0.00	7.69	6.58	7.28	9.28	8.35	7.47	5.52	6.55	6.20	6.17	2.75	50.00	0.00
	BLACK	12.18	0.00	20.51	11.32	7.61	17.92	17.18	14.96	12.08	11.94	9.46	10.59	7.69	-	0.00
	OTHER	9.23	-	-	-	0.00	0.00	50.00	33.33	0.00	2.78	16.28	10.00	0.00	-	0.00
SLIDELL[8]	ALL	8.49	0.00	15.00	13.51	2.94	11.34	7.41	9.68	8.46	5.48	6.32	8.67	8.33	100.00	-
	WHITE	4.78	0.00	0.00	9.52	2.78	9.68	3.30	5.48	4.22	3.98	5.27	6.25	7.69	100.00	-
	BLACK	12.48	0.00	27.27	18.75	3.13	14.29	14.29	13.24	12.99	13.58	11.54	8.67	12.50	-	-
	OTHER	12.82	-	-	-	-	-	50.00	50.00	0.00	7.69	18.18	20.00	0.00	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TANGIPAHOA	ALL	9.70	20.78	7.56	10.66	9.50	12.04	12.33	12.13	8.87	9.14	8.36	9.78	5.77	0.00	-
	WHITE	6.78	30.00	0.00	15.71	5.11	8.08	9.49	8.49	6.25	6.31	6.59	7.73	2.94	0.00	-
	BLACK	13.53	19.40	9.89	20.14	12.56	15.38	14.95	14.83	11.94	14.91	11.82	13.33	11.11	-	-
	OTHER	2.70	-	-	-	0.00	-	0.00	-	0.00	0.00	12.50	0.00	-	-	-
HAMMOND[8]	ALL	11.26	27.78	14.29	20.34	16.84	14.14	13.74	15.53	9.90	9.84	7.46	9.09	18.18	-	-
	WHITE	5.33	0.00	0.00	50.00	4.76	0.00	11.11	10.00	5.82	3.55	4.59	2.50	0.00	-	-
	BLACK	14.89	29.41	14.81	15.69	20.27	18.67	14.74	17.08	12.08	15.98	10.47	16.67	28.57	-	-
	OTHER	4.76	-	-	-	-	-	-	-	0.00	0.00	16.67	0.00	-	-	-
TENSAS	ALL	9.98	14.29	10.00	7.14	11.11	6.67	7.32	7.98	10.88	10.24	8.25	14.29	28.57	-	-
	WHITE	6.60	-	0.00	0.00	0.00	16.67	7.69	7.41	5.08	6.10	8.82	11.11	0.00	-	-
	BLACK	11.83	14.29	12.50	10.00	12.50	4.17	7.14	8.14	13.43	14.29	4.35	15.38	33.33	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	ALL	8.49	23.68	18.57	12.83	9.49	8.71	7.86	9.48	8.52	7.24	8.31	10.09	15.19	20.00	-
	WHITE	6.63	8.33	11.11	12.61	6.67	7.72	6.42	7.70	7.41	5.68	5.47	8.10	6.52	0.00	-
	BLACK	14.01	33.33	24.24	11.11	13.83	11.57	13.01	13.39	12.18	13.44	18.28	13.27	26.92	50.00	-
	OTHER	7.93	20.00	20.00	18.18	11.90	7.58	3.57	9.18	6.19	7.36	6.32	14.29	28.57	0.00	-
HOUMA[8]	ALL	9.09	35.00	34.29	12.24	7.10	7.69	5.51	8.67	9.37	7.68	9.29	10.50	20.00	100.00	-
	WHITE	6.63	0.00	20.00	10.91	7.32	6.09	2.76	6.14	6.77	6.84	5.06	11.22	10.53	-	-
	BLACK	14.18	37.50	36.36	14.71	8.77	10.00	10.99	12.77	13.86	10.91	20.53	10.61	29.41	100.00	-
	OTHER	6.60	33.33	66.67	11.11	0.00	6.70	0.00	7.25	7.63	1.92	4.76	5.88	25.00	-	-
UNION	ALL	8.72	0.00	14.29	2.78	5.63	6.42	6.80	6.52	11.28	8.96	6.70	6.25	0.00	-	0.00
	WHITE	6.83	0.00	0.00	7.14	0.00	5.88	4.92	4.55	7.94	7.37	6.47	6.25	0.00	-	0.00
	BLACK	11.61	0.00	18.75	0.00	8.33	7.02	9.09	8.08	15.93	12.93	7.41	6.25	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	ALL	7.83	15.79	14.29	12.86	16.04	9.32	9.17	11.15	8.49	6.07	6.53	8.33	6.25	0.00	-
	WHITE	5.43	11.11	14.29	13.04	13.89	5.22	8.02	9.13	5.57	3.66	5.17	5.96	8.00	-	-
	BLACK	15.66	20.00	14.29	13.04	20.59	20.00	10.94	15.56	17.26	15.66	10.61	21.21	0.00	-	-
	OTHER	8.00	-	-	0.00	-	0.00	33.33	20.00	5.26	5.00	15.00	0.00	0.00	0.00	-
ABBEVILLE[8]	ALL	11.91	16.67	11.76	18.92	15.79	17.86	10.47	14.53	13.30	10.26	9.60	5.77	16.67	0.00	-
	WHITE	7.79	25.00	14.29	23.53	12.50	5.00	10.53	12.24	8.42	4.78	6.80	3.13	22.22	-	-
	BLACK	16.51	12.50	10.00	15.79	18.18	25.71	8.89	16.03	17.95	16.46	14.29	14.29	0.00	-	-
	OTHER	6.56	-	-	0.00	-	0.00	33.33	20.00	6.67	6.67	5.56	0.00	0.00	0.00	-
VERNON	ALL	8.92	11.76	12.12	6.90	8.57	7.58	9.47	8.70	5.87	7.02	7.72	10.49	10.53	-	25.00
	WHITE	5.95	0.00	10.53	8.33	8.89	7.84	7.66	8.00	4.99	6.29	5.83	9.38	0.00	-	-
	BLACK	9.46	18.18	14.29	4.00	7.89	7.35	15.32	11.15	8.10	8.65	12.50	17.39	33.33	-	25.00
	OTHER	5.99	-	-	0.00	0.00	0.00	13.33	7.69	5.26	7.19	6.15	0.00	0.00	-	-
WASHINGTON	ALL	9.06	5.88	10.00	15.38	14.29	10.84	8.64	10.61	8.79	7.53	10.71	10.32	0.00	0.00	-
	WHITE	7.26	0.00	5.56	12.50	13.16	12.22	4.32	8.09	5.46	6.76	10.34	8.99	0.00	0.00	-
	BLACK	11.90	6.67	12.50	18.42	15.63	9.21	10.47	12.50	14.12	9.12	11.39	12.12	0.00	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA[8]	ALL	8.66	14.29	21.05	12.50	16.00	10.20	9.41	12.35	6.38	6.57	9.93	17.39	0.00	-	-
	WHITE	5.93	0.00	12.50	5.26	18.18	9.09	6.12	9.17	3.76	4.58	7.79	15.00	0.00	-	-
	BLACK	11.93	16.67	27.27	19.05	14.29	11.11	14.29	15.57	9.89	9.24	12.50	19.23	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	ALL	9.04	31.25	9.09	14.29	14.96	10.13	7.48	10.70	8.39	8.08	7.25	13.24	0.00	-	0.00
	WHITE	6.84	0.00	0.00	0.00	10.34	9.52	3.42	5.82	8.35	6.70	2.64	8.00	0.00	-	0.00
	BLACK	12.01	33.33	11.90	19.40	19.12	10.53	12.50	14.40	8.48	10.13	13.92	19.67	0.00	-	-
	OTHER	12.50	-	-	-	0.00	-	0.00	-	0.00	33.33	0.00	-	-	-	-
WINDEN[8]	ALL	10.50	36.84	10.00	18.92	18.60	12.86	10.87	13.60	7.26	8.60	10.67	20.97	0.00	-	-
	WHITE	6.69	-	0.00	0.00	16.67	15.79	2.70	7.69	6.82	6.41	3.39	13.64	0.00	-	-
	BLACK	13.01	36.84	12.00	21.88	19.35	11.76	16.36	15.98	7.57	10.83	15.56	25.00	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	ALL	9.82	16.67	6.67	14.81	11.63	13.75	14.42	13.38	9.95	8.17	9.39	7.59	20.00	-	-
	WHITE	6.22	0.00	33.33	10.00	11.76	5.13	6.12	7.63	6.57	6.27	4.97	4.76	0.00	-	-
	BLACK	14.77	20.00	0.00	17.65	11.54	21.95	22.22	18.00	14.40	12.04	15.85	10.81	30.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE IV-A
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	ALL[88] BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
WEST CARROLL	ALL	8.63	0.00	12.50	15.00	9.38	5.36	10.34	9.20	11.61	4.40	7.14	13.89	0.00	0.00	-
	WHITE	5.95	0.00	0.00	8.33	4.35	4.65	2.63	4.13	8.64	4.71	3.17	8.33	0.00	-	-
	BLACK	15.28	0.00	33.33	25.00	22.22	7.69	25.00	20.75	18.89	3.85	15.15	25.00	0.00	0.00	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	ALL	7.53	25.00	16.67	11.76	4.76	20.00	10.00	12.50	6.89	8.74	3.25	8.89	0.00	-	-
	WHITE	5.41	-	-	0.00	0.00	0.00	0.00	-	2.67	10.70	2.70	7.69	0.00	-	-
	BLACK	9.51	25.00	16.67	16.67	7.14	27.27	21.43	19.12	8.20	8.41	4.00	10.53	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	ALL	7.89	0.00	0.00	11.90	12.00	11.43	5.41	9.20	6.35	8.12	8.16	11.36	22.22	0.00	-
	WHITE	5.74	0.00	0.00	6.25	4.55	8.89	2.78	5.51	4.72	6.37	5.32	7.69	40.00	0.00	-
	BLACK	11.18	0.00	0.00	15.38	17.86	16.00	8.33	13.22	8.82	11.54	13.21	16.67	0.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[8]CITIES INCLUDED IN PARISH TOTALS
[88]BIRTHS WITH UNKNOWN WEIGHT DELETED

TABLE IV-B
PERCENT OF LIVE BIRTHS UNDER 2500 GRAMS, BY MOTHER'S AGE, RESIDENCE, AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1987 - 1991

REGION	RACE	ALL** BIRTHS	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	9.04	16.20	13.91	12.82	12.35	10.95	10.57	11.52	9.05	7.81	8.20	9.55	10.69	10.58	12.73
	WHITE	6.03	10.44	9.12	9.06	8.35	7.29	7.11	7.68	6.08	5.41	5.75	6.49	7.39	8.51	6.67
	BLACK	13.32	17.30	15.48	14.80	15.08	14.01	13.85	14.42	12.70	12.57	13.33	14.76	15.47	13.73	20.83
	OTHER	6.37	7.69	16.67	11.29	8.00	9.25	7.69	8.86	6.00	5.96	6.20	6.57	7.08	0.00	0.00
SPD 1	ALL	9.67	14.46	13.22	12.65	12.17	11.78	11.85	12.10	10.22	8.62	8.45	9.43	9.14	3.70	15.38
	WHITE	6.06	6.90	11.63	9.27	7.29	7.73	8.88	8.37	6.05	5.52	5.72	6.58	6.54	8.33	0.00
	BLACK	13.69	15.61	13.60	13.66	14.15	13.69	13.46	13.71	13.52	13.49	13.98	14.56	13.70	0.00	25.00
	OTHER	6.38	0.00	0.00	4.76	5.88	10.23	10.40	8.90	6.23	6.07	6.00	7.09	5.63	0.00	0.00
SPD 2	ALL	9.28	16.57	15.34	14.00	12.13	12.08	10.95	12.13	9.29	8.10	8.23	9.69	10.80	9.52	37.50
	WHITE	5.91	12.00	7.05	11.08	8.65	7.56	6.49	7.68	5.87	5.40	5.74	5.98	4.66	8.33	25.00
	BLACK	13.96	17.38	18.12	15.65	14.73	15.69	15.18	15.53	13.28	13.45	13.03	15.16	17.89	11.11	50.00
	OTHER	5.50	0.00	0.00	0.00	0.00	11.11	0.00	2.86	4.22	4.92	6.38	9.84	8.33	-	-
SPD 3	ALL	8.15	15.70	14.06	11.37	10.81	7.91	9.54	9.79	8.55	7.00	7.61	7.87	14.59	22.22	0.00
	WHITE	5.93	3.70	7.45	9.61	7.01	6.85	6.95	7.23	6.38	5.59	4.98	5.48	8.76	0.00	0.00
	BLACK	12.94	19.54	17.48	12.50	14.71	9.57	14.07	13.11	13.04	11.23	14.71	11.85	22.73	40.00	-
	OTHER	7.89	14.29	25.00	16.67	11.32	7.14	2.86	8.84	6.33	7.57	8.77	10.00	25.00	0.00	-
SPD 4	ALL	8.69	20.19	14.74	14.93	13.54	10.54	10.33	11.79	8.72	7.35	7.53	9.80	10.02	12.50	0.00
	WHITE	6.08	8.16	10.26	10.64	8.84	7.36	8.09	8.37	6.31	5.12	5.58	6.99	7.12	0.00	0.00
	BLACK	13.47	23.76	17.67	19.22	18.45	14.48	13.26	15.73	12.45	12.78	12.41	15.94	14.28	20.00	-
	OTHER	6.18	-	0.00	0.00	20.00	12.50	8.70	10.00	4.51	5.04	8.80	2.13	14.28	0.00	-
SPD 5	ALL	8.28	21.95	13.17	8.81	11.14	9.54	9.41	9.88	8.01	7.02	8.03	11.82	8.78	25.00	0.00
	WHITE	6.72	21.21	12.20	4.11	9.22	8.99	7.09	7.35	6.85	5.87	6.73	8.39	9.78	33.33	-
	BLACK	12.65	22.45	14.12	14.97	14.69	15.14	14.63	14.79	11.35	11.07	12.36	18.27	7.14	0.00	0.00
	OTHER	4.38	-	-	-	0.00	16.67	12.50	11.76	5.41	5.08	0.00	0.00	-	-	-
SPD 6	ALL	8.54	14.17	14.93	10.59	12.27	10.91	9.47	10.80	7.83	7.41	8.69	10.18	17.53	22.22	15.38
	WHITE	6.41	10.34	10.89	7.50	9.36	8.37	6.31	7.72	5.77	6.05	6.42	7.89	18.75	0.00	12.50
	BLACK	12.70	15.31	16.87	13.31	15.83	14.77	14.83	14.95	11.77	10.76	13.95	14.72	16.36	40.00	20.00
	OTHER	6.93	-	100.00	33.33	0.00	12.50	10.00	13.89	7.10	6.48	6.59	2.94	0.00	-	-
SPD 7	ALL	9.04	17.29	11.51	13.77	13.37	12.16	9.75	11.77	8.60	7.63	8.58	9.60	9.33	0.00	0.00
	WHITE	5.77	9.38	7.52	9.06	9.22	7.02	5.85	7.28	5.73	5.21	5.80	5.53	6.80	0.00	0.00
	BLACK	12.70	18.10	12.60	15.65	15.52	15.45	12.66	14.41	11.44	11.53	13.49	15.05	12.68	0.00	0.00
	OTHER	4.20	-	0.00	0.00	0.00	7.14	11.11	6.90	5.33	6.31	1.39	0.00	0.00	-	-
SPD 8	ALL	8.82	13.48	16.10	12.25	11.99	8.60	10.56	10.95	8.95	7.04	8.04	8.65	13.95	0.00	0.00
	WHITE	5.42	15.79	4.23	7.88	7.02	5.35	5.87	6.07	5.87	4.39	5.67	5.70	6.33	0.00	0.00
	BLACK	12.45	13.27	18.58	13.89	14.51	10.78	14.41	13.81	12.17	11.37	11.47	12.13	20.65	0.00	0.00
	OTHER	2.20	-	-	-	-	0.00	0.00	-	8.67	0.00	3.85	0.00	0.00	-	-
HSA 1	ALL	9.35	14.70	13.37	12.42	11.90	10.95	11.34	11.62	9.82	8.25	8.29	9.17	10.14	8.33	14.29
	WHITE	6.03	5.88	10.15	9.38	7.14	7.44	8.26	8.00	6.16	5.54	5.56	6.40	6.96	6.67	0.00
	BLACK	13.58	16.26	14.10	13.53	14.22	13.13	13.55	13.63	13.45	13.14	14.09	14.08	15.37	12.50	25.00
	OTHER	6.73	8.33	15.79	11.76	8.65	8.72	7.69	8.87	6.26	6.32	6.42	7.59	7.58	0.00	0.00
HSA 2	ALL	8.90	18.43	14.83	13.51	12.47	11.08	10.45	11.83	8.88	7.85	7.94	10.03	10.23	13.33	21.43
	WHITE	6.13	12.88	9.39	9.47	8.84	7.35	7.21	7.87	6.24	5.37	5.84	6.71	6.43	13.04	12.50
	BLACK	13.64	19.88	17.56	16.70	16.00	15.22	14.45	15.51	12.77	12.92	12.73	15.91	15.30	14.29	33.33
	OTHER	5.62	0.00	0.00	0.00	7.89	12.90	8.25	7.84	4.48	4.98	6.55	5.98	10.53	0.00	-
HSA 3	ALL	8.84	15.48	13.64	12.56	12.71	10.81	9.89	11.28	8.45	7.42	8.47	9.52	12.62	8.70	7.41
	WHITE	5.89	11.25	7.87	8.22	8.71	7.09	6.02	7.10	5.78	5.27	5.94	6.24	10.25	0.00	5.88
	BLACK	12.63	16.03	15.32	14.65	15.26	13.86	13.61	14.32	11.72	11.31	13.00	14.20	15.92	14.29	10.00
	OTHER	5.57	-	50.00	25.00	0.00	8.33	10.00	10.29	6.59	5.74	4.23	1.32	0.00	-	-

**BIRTHS WITH UNKNOWN WEIGHT DELETED

TABLE V-A
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY PARISH AND CITY OF RESIDENCE, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
STATE		72080	1.8	9.4	40506	0.9	6.2	30360	2.9	13.8	1214	1.5	6.5
	M	36823	1.8	8.5	20739	1.0	5.6	15456	3.0	12.6	628	1.9	6.2
	F	35257	1.7	10.3	19767	0.9	6.7	14904	2.8	15.1	586	1.0	6.8
ACADIA		982	2.1	8.9	713	1.1	6.5	269	4.8	15.2	-	-	-
	M	481	2.3	7.5	343	0.9	5.0	138	5.8	13.8	-	-	-
	F	501	2.0	10.2	370	1.4	7.8	131	3.8	16.8	-	-	-
CROWLEY[a]		274	4.4	13.9	153	2.6	9.2	121	6.6	19.8	-	-	-
	M	142	3.5	9.2	82	-	3.7	60	8.3	16.7	-	-	-
	F	132	5.3	18.9	71	5.6	15.5	61	4.9	23.0	-	-	-
ALLEN		360	1.1	7.5	265	1.1	6.0	93	1.1	11.8	2	-	-
	M	187	1.6	8.0	139	1.4	6.5	47	2.1	12.8	1	-	-
	F	173	0.6	6.9	126	0.8	5.6	46	-	10.9	1	-	-
ASCENSION		1094	1.5	7.5	759	1.3	6.5	333	1.8	8.8	2	-	-
	M	546	1.5	6.4	387	1.0	5.4	157	2.5	8.9	2	-	-
	F	548	1.5	8.6	372	1.6	7.5	176	1.1	10.8	-	-	-
ASSUMPTION		351	2.6	8.5	186	0.5	3.8	163	4.9	14.1	2	-	-
	M	183	3.8	7.7	93	1.1	3.2	90	6.7	12.2	-	-	-
	F	168	1.2	9.5	93	-	4.3	73	2.7	16.4	2	-	-
AVOYELLES		629	2.1	9.2	366	1.6	6.6	260	2.7	13.1	3	-	-
	M	313	1.3	8.0	192	1.0	6.3	121	1.7	10.7	-	-	-
	F	316	2.8	10.4	174	2.3	6.9	139	3.6	15.1	3	-	-
BEAUREGARD		527	0.6	5.9	430	0.7	5.6	92	-	6.5	5	-	20.0
	M	265	0.8	5.7	207	1.0	5.3	54	-	5.6	4	-	25.0
	F	262	0.4	6.1	223	0.4	5.8	38	-	7.9	1	-	-
BIENVILLE		254	0.8	9.4	111	-	2.7	143	1.4	14.7	-	-	-
	M	121	-	6.6	59	-	3.4	62	-	9.7	-	-	-
	F	133	1.5	12.0	52	-	1.9	81	2.5	18.5	-	-	-
BOSSIER		1437	1.5	7.0	1009	1.4	5.8	408	1.7	10.0	20	-	15.0
	M	726	1.7	6.1	503	1.6	5.2	214	1.9	7.9	9	-	11.1
	F	711	1.3	7.9	506	1.2	5.9	194	1.5	12.4	11	-	18.2
BOSSIER CITY[a]		942	1.2	6.3	679	0.6	4.4	246	2.8	11.0	17	-	11.8
	M	474	1.5	5.1	328	0.9	3.4	139	2.9	9.4	7	-	-
	F	468	0.9	7.5	351	0.3	5.4	107	2.8	13.1	10	-	20.0
CADDO		4116	1.9	10.4	1852	0.9	6.0	2238	2.8	14.1	25	4.0	8.0
	M	2059	1.9	9.0	960	0.6	4.9	1085	3.0	12.6	14	7.1	7.1
	F	2057	1.9	11.9	892	1.1	7.3	1154	2.5	15.5	11	-	9.1
CALCASIEU		2782	1.4	9.1	1926	1.0	7.3	836	2.3	13.0	20	-	10.0
	M	1397	1.4	7.9	971	1.1	6.7	417	2.2	10.6	9	-	11.1
	F	1385	1.4	10.3	955	0.8	8.0	419	2.4	15.5	11	-	9.1
LAKE CHARLES[a]		1348	1.9	10.1	659	1.5	7.8	677	2.2	12.8	12	-	8.3
	M	676	1.8	7.7	338	1.8	5.6	333	1.8	9.9	5	-	-
	F	672	1.9	12.5	321	1.2	9.7	344	2.6	15.1	7	-	14.3
CALDWELL		152	-	5.3	115	-	2.6	37	-	13.5	-	-	-
	M	81	-	4.9	56	-	-	25	-	16.0	-	-	-
	F	71	-	5.6	59	-	5.1	12	-	8.3	-	-	-
CAMERON		130	-	10.8	123	-	11.4	7	-	-	-	-	-
	M	65	-	12.3	63	-	12.7	2	-	-	-	-	-
	F	65	-	9.2	60	-	10.0	5	-	-	-	-	-
CATAHOULA		193	-	8.8	109	-	7.3	84	-	10.7	-	-	-
	M	87	-	8.0	42	-	7.1	45	-	8.9	-	-	-
	F	106	-	9.4	67	-	7.5	39	-	12.8	-	-	-
CLAIBORNE		251	2.0	8.4	84	2.4	7.1	167	1.8	9.0	-	-	-
	M	141	1.4	5.0	49	2.0	4.1	92	1.1	5.4	-	-	-
	F	110	2.7	12.7	35	2.9	11.4	75	2.7	13.3	-	-	-

(CONTINUED)

TABLE V-A
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY PARISH AND CITY OF RESIDENCE, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
CONCORDIA		315	2.2	14.0	144	0.7	10.4	171	3.5	17.0	-	-	-
	M	162	1.2	12.3	77	-	6.5	85	2.4	17.6	-	-	-
	F	153	3.3	15.7	67	1.5	14.9	86	4.7	16.3	-	-	-
DESOTO		431	1.4	10.7	204	0.5	4.4	227	2.2	18.3	-	-	-
	M	214	1.4	7.9	106	0.9	3.8	108	1.9	12.0	-	-	-
	F	217	1.4	13.4	98	-	5.1	119	2.5	20.2	-	-	-
E BATON ROUGE		8585	2.1	9.8	3321	1.0	5.1	3140	3.2	15.1	124	0.8	3.2
	M	3390	2.2	9.3	1703	1.1	5.0	1618	3.5	14.0	69	-	4.3
	F	3195	1.9	10.3	1618	0.9	5.1	1522	3.0	16.2	55	1.8	1.8
BATON ROUGE[a]		5296	2.4	10.7	2326	1.2	5.4	2853	3.4	15.3	117	0.9	3.4
	M	2721	2.5	10.2	1193	1.3	5.5	1462	3.5	14.2	66	-	4.5
	F	2575	2.3	11.2	1133	1.1	5.2	1391	3.3	16.4	51	2.0	2.0
EAST CARROLL		228	3.5	14.0	35	2.9	5.7	193	3.8	15.5	-	-	-
	M	116	6.0	15.5	18	5.6	11.1	98	6.1	16.3	-	-	-
	F	112	0.9	12.5	17	-	-	95	1.1	14.7	-	-	-
E FELICIANA		302	3.0	9.9	[illegible]	2.9	5.8	164	3.0	13.4	-	-	-
	M	144	0.7	6.3	66	1.5	2.9	76	-	9.2	-	-	-
	F	158	5.1	13.3	70	4.3	8.6	88	5.7	17.0	-	-	-
EVANGELINE		619	2.3	10.3	368	1.4	6.0	250	3.6	16.8	1	-	-
	M	328	1.5	8.8	186	0.5	4.8	141	2.8	14.2	1	-	-
	F	291	3.1	12.0	182	2.2	7.1	109	4.6	20.2	-	-	-
FRANKLIN		361	1.9	8.0	194	2.1	7.2	167	1.8	9.0	-	-	-
	M	183	2.2	7.7	94	3.2	7.4	89	1.1	7.9	-	-	-
	F	178	1.7	8.4	100	1.0	7.0	78	2.6	10.3	-	-	-
GRANT		252	1.2	9.1	201	1.0	8.5	50	2.0	12.0	1	-	-
	M	124	1.6	7.3	103	1.9	7.8	21	-	4.8	-	-	-
	F	128	0.8	10.9	98	-	9.2	29	3.4	17.2	1	-	-
IBERIA		1245	1.4	8.0	729	1.1	5.9	499	2.0	11.4	17	-	-
	M	666	1.8	8.1	385	1.0	5.5	272	2.9	12.1	9	-	-
	F	579	1.0	7.9	344	1.2	6.4	227	0.9	10.6	8	-	-
NEW IBERIA[a]		677	1.9	10.5	377	1.6	8.0	285	2.5	14.4	15	-	-
	M	361	2.5	9.7	198	1.5	7.1	156	3.8	13.5	7	-	-
	F	316	1.3	11.4	179	1.7	8.9	129	0.8	15.5	8	-	-
IBERVILLE		589	3.4	12.2	243	0.4	8.2	345	5.5	16.5	1	-	-
	M	285	3.5	8.1	116	-	1.7	168	6.0	12.5	1	-	-
	F	304	3.3	16.1	127	0.8	10.2	177	5.1	20.3	-	-	-
JACKSON		188	1.6	6.4	118	1.7	6.8	68	1.5	5.9	2	-	-
	M	95	1.1	6.3	61	1.6	8.2	34	-	2.9	-	-	-
	F	93	2.2	6.5	57	1.8	5.3	34	2.9	8.8	2	-	-
JEFFERSON		7183	1.5	7.9	4868	0.9	5.4	2012	2.8	13.8	303	2.6	8.3
	M	3775	1.8	7.6	2559	1.1	5.0	1063	3.3	14.1	153	3.3	5.9
	F	3408	1.2	8.2	2309	0.8	5.9	949	2.2	13.5	150	2.0	10.7
GRETNA[a]		545	1.8	9.2	342	0.9	7.0	174	3.4	12.6	29	3.4	13.8
	M	282	1.4	7.8	177	0.6	5.6	93	3.2	12.9	12	-	-
	F	263	2.3	10.6	165	1.2	8.5	81	3.7	12.3	17	5.8	23.5
WESTWEGO[a]		214	2.3	11.7	128	0.8	10.2	79	5.1	15.2	7	-	-
	M	114	0.9	11.4	67	-	10.4	45	2.2	13.3	2	-	-
	F	100	4.0	12.0	61	1.6	9.8	34	8.8	17.6	5	-	-
JEFF DAVIS		544	1.1	7.4	411	0.7	7.1	129	2.3	8.5	4	-	-
	M	269	1.1	8.6	206	0.5	7.8	62	3.2	11.3	1	-	-
	F	275	1.1	6.2	205	1.0	6.3	67	1.5	6.0	3	-	-
LAFAYETTE		2913	1.3	9.8	2043	0.7	7.3	858	2.8	15.5	12	-	25.0
	M	1534	1.2	8.5	1065	0.8	6.3	458	2.0	13.3	11	-	18.2
	F	1379	1.5	11.2	978	0.5	8.4	400	3.8	18.0	1	-	100.0

(CONTINUED)

TABLE V-A
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY PARISH AND CITY OF RESIDENCE, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
LAFAYETTE		1775	1.4	10.0	1149	0.7	6.9	617	2.6	15.7	9	-	22.2
	M	934	1.3	9.3	586	1.0	6.5	339	1.8	13.9	9	-	22.2
	F	841	1.4	10.8	563	0.4	7.3	278	3.6	18.0	-	-	-
LAFOURCHE		1448	1.5	8.2	1117	1.3	6.9	308	2.3	13.6	23	-	-
	M	746	1.6	8.7	583	1.2	5.0	148	3.4	14.2	15	-	-
	F	702	1.4	9.8	534	1.5	9.0	160	1.3	13.1	8	-	-
LASALLE		184	3.3	9.2	143	0.7	5.6	38	10.5	18.4	3	33.3	66.7
	M	98	2.0	7.1	75	-	4.0	21	9.5	14.3	2	-	50.0
	F	86	4.7	11.6	68	1.5	7.4	17	11.8	23.5	1	100.0	100.0
LINCOLN		548	0.5	8.4	287	0.3	5.2	258	0.8	12.0	3	-	-
	M	272	0.7	5.9	145	-	3.4	126	1.6	8.7	1	-	-
	F	276	0.4	10.9	142	0.7	7.0	132	-	15.2	2	-	-
RUSTON		256	0.4	9.4	116	0.9	2.6	138	-	15.2	2	-	-
	M	124	-	5.6	52	-	1.9	71	-	8.5	1	-	-
	F	132	0.8	12.9	64	1.6	3.1	67	-	22.4	1	-	-
LIVINGSTON		1210	0.7	6.9	1106	0.5	6.2	103	2.9	14.6	1	-	-
	M	619	1.0	7.6	565	0.7	6.9	54	3.7	14.8	-	-	-
	F	591	0.3	6.3	541	0.2	5.5	49	2.0	14.3	1	-	-
MADISON		228	4.4	14.9	59	-	8.5	169	5.9	17.2	-	-	-
	M	112	5.4	12.5	29	-	6.9	83	7.2	14.5	-	-	-
	F	116	3.4	17.2	30	-	10.0	86	4.7	19.8	-	-	-
MOREHOUSE		522	2.1	9.8	227	2.6	8.4	293	1.7	10.9	2	-	-
	M	283	2.5	9.5	127	3.9	9.4	154	1.3	9.7	2	-	-
	F	239	1.7	10.0	100	1.0	7.0	139	2.2	12.2	-	-	-
BASTROP		290	1.7	10.0	89	2.2	7.9	200	1.5	11.0	1	-	-
	M	151	2.0	10.6	50	4.0	8.0	100	1.0	12.0	1	-	-
	F	139	1.4	9.4	39	-	7.7	100	2.0	10.0	-	-	-
NATCHITOCHES		533	1.3	8.4	271	0.7	7.4	260	1.9	9.6	2	-	-
	M	284	0.4	7.4	149	0.7	6.7	134	-	8.2	1	-	-
	F	249	2.4	9.6	122	0.8	8.2	126	4.0	11.1	1	-	-
ORLEANS		9243	2.8	12.8	1728	0.6	5.3	7236	3.4	15.0	279	1.1	5.0
	M	4668	2.9	11.5	912	0.3	4.9	3621	3.6	13.4	135	1.5	5.2
	F	4575	2.7	14.2	816	0.9	5.6	3615	3.2	16.5	144	0.7	4.8
OUACHITA		2386	1.9	8.8	1231	1.0	4.7	1145	2.9	13.3	10	-	-
	M	1259	2.2	8.1	630	1.1	4.1	623	3.4	12.2	6	-	-
	F	1127	1.5	9.6	601	0.8	5.3	522	2.3	14.6	4	-	-
MONROE		1345	2.3	11.4	359	0.6	6.1	981	3.0	13.5	5	-	-
	M	728	2.9	11.3	191	1.0	5.8	535	3.6	13.3	2	-	-
	F	617	1.8	11.7	168	-	6.5	446	2.2	13.7	3	-	-
PLAQUEMINES		429	1.4	8.4	271	0.4	7.7	140	3.6	10.7	18	-	-
	M	201	1.0	8.5	130	-	7.7	65	3.1	10.8	6	-	-
	F	228	1.8	8.3	141	0.7	7.8	75	4.0	10.7	12	-	-
POINTE COUPEE		358	1.4	12.0	159	0.6	8.3	198	2.0	16.7	1	-	-
	M	162	0.6	13.6	73	-	5.5	88	1.1	20.5	1	-	-
	F	196	2.0	10.7	86	1.2	7.0	110	2.7	13.6	-	-	-
RAPIDES		2201	1.5	9.0	1351	1.0	6.8	823	2.3	12.8	27	3.7	3.7
	M	1105	1.8	8.3	680	0.9	5.8	413	3.1	12.8	12	8.3	8.3
	F	1096	1.3	9.7	671	1.2	8.0	410	1.5	12.7	15	-	-
ALEXANDRIA		1009	1.9	10.8	380	1.1	7.4	618	2.3	12.9	11	9.1	9.1
	M	521	1.9	10.6	201	0.5	6.5	315	2.5	13.0	5	20.0	20.0
	F	488	1.0	11.1	179	1.7	8.4	303	2.0	12.9	6	-	-

(CONTINUED)

TABLE V-A
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY PARISH AND CITY OF RESIDENCE, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
RED RIVER		157	1.3	7.6	88	-	3.4	68	2.9	13.2	1	-	-
	M	73	-	8.2	42	-	4.8	31	-	12.9	-	-	-
	F	84	2.4	7.1	46	-	2.2	37	5.4	13.5	1	-	-
RICHLAND		365	0.8	5.8	186	0.5	5.4	178	1.1	6.2	1	-	-
	M	178	0.6	6.7	92	-	7.6	85	1.2	5.9	1	-	-
	F	187	1.1	4.8	94	1.1	3.2	93	1.1	6.5	-	-	-
SABINE		347	1.7	10.7	235	0.4	7.7	110	4.5	17.3	2	-	-
	M	194	2.1	8.8	124	0.8	6.5	68	4.4	13.2	2	-	-
	F	153	1.3	13.1	111	-	9.0	42	4.8	23.8	-	-	-
ST BERNARD		948	1.2	8.5	845	0.8	7.5	87	4.6	19.5	16	-	6.3
	M	459	1.7	7.8	420	1.2	6.9	31	9.7	19.4	8	-	12.5
	F	489	0.6	9.2	425	0.5	8.0	56	1.8	19.6	8	-	-
ST CHARLES		773	0.8	8.0	501	0.2	5.0	266	1.5	13.5	6	16.7	16.7
	M	383	0.5	8.4	262	-	5.7	119	0.8	13.4	2	50.0	50.0
	F	390	1.0	7.7	239	0.4	4.2	147	2.0	13.6	4	-	-
ST HELENA		137	0.7	8.0	55	-	7.3	82	1.2	8.5	-	-	-
	M	70	1.4	5.7	23	-	4.3	47	2.1	6.4	-	-	-
	F	67	-	10.4	32	-	9.4	35	-	11.4	-	-	-
ST JAMES		371	1.3	8.4	149	0.7	6.0	222	1.8	9.9	-	-	-
	M	193	1.0	8.3	74	-	8.1	119	1.7	8.4	-	-	-
	F	178	1.7	8.4	75	1.3	4.0	103	1.9	11.7	-	-	-
ST JOHN		738	1.8	8.5	438	0.9	4.6	292	3.1	14.7	8	-	-
	M	389	1.3	9.0	224	0.4	4.9	161	2.5	14.9	4	-	-
	F	349	2.3	8.0	214	1.4	4.2	131	3.8	14.5	4	-	-
ST LANDRY		1466	2.5	10.7	713	1.3	7.7	751	3.7	13.4	2	-	50.0
	M	736	2.6	11.0	348	2.0	8.3	386	3.1	13.2	2	-	50.0
	F	730	2.5	10.4	365	0.5	7.1	365	4.4	13.7	-	-	-
OPELOUSAS*		415	2.4	10.8	101	2.0	3.0	314	2.5	13.1	-	-	-
	M	197	3.0	12.2	44	2.3	4.5	153	3.3	14.4	-	-	-
	F	218	1.8	9.2	57	1.8	1.8	161	1.9	11.8	-	-	-
ST MARTIN		747	1.6	10.2	431	0.2	7.7	314	3.5	13.4	2	-	50.0
	M	406	1.5	8.9	245	-	5.3	159	3.8	13.8	2	-	50.0
	F	341	1.8	11.7	186	0.5	10.8	155	3.2	12.9	-	-	-
ST MARY		1095	1.3	7.5	652	1.1	5.5	418	1.7	11.0	25	-	-
	M	543	1.1	7.6	317	0.9	6.0	213	1.4	10.3	13	-	-
	F	552	1.4	7.4	335	1.2	5.1	205	2.0	11.7	12	-	-
MORGAN CITY*		323	1.2	5.0	213	1.4	2.8	103	1.0	9.7	7	-	-
	M	156	1.3	5.1	103	1.0	2.9	50	2.0	10.0	3	-	-
	F	167	1.2	4.8	110	1.8	2.7	53	-	9.4	4	-	-
ST TAMMANY		2344	1.5	6.9	1972	1.2	5.7	350	3.4	13.4	22	-	13.6
	M	1219	1.1	5.7	1004	0.9	4.4	199	2.5	13.1	16	-	-
	F	1125	1.9	8.2	968	1.4	7.0	151	4.6	13.9	6	-	50.0
TANGIPAHOA		1637	1.8	10.8	891	1.5	7.2	742	2.2	14.6	4	25.0	25.0
	M	812	1.8	9.7	437	1.8	6.4	373	1.6	13.4	2	50.0	50.0
	F	825	1.8	11.4	454	1.1	7.9	369	2.7	15.7	2	-	-
HAMMOND*		369	1.1	9.5	143	-	4.2	225	1.3	12.4	1	100.0	100.0
	M	174	1.7	7.5	62	-	1.6	111	1.8	9.9	1	100.0	100.0
	F	195	0.5	11.3	81	-	6.2	114	0.9	14.9	-	-	-
TENSAS		103	-	7.8	38	-	2.6	65	-	10.8	-	-	-
	M	60	-	8.3	24	-	4.2	36	-	11.1	-	-	-
	F	43	-	7.0	14	-	-	29	-	10.3	-	-	-
TERREBONNE		1753	1.1	8.0	1200	0.6	6.9	437	2.5	11.7	116	0.9	6.0
	M	899	1.2	7.5	606	0.7	6.6	233	2.8	10.3	60	1.7	5.0
	F	854	0.9	8.7	594	0.5	7.2	204	2.5	13.2	56	-	7.1

(CONTINUED)

TABLE V-A
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY PARISH AND CITY OF RESIDENCE, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
UNION		314	1.6	9.9	203	2.0	9.4	111	0.9	10.8	-	-	-
	M	166	2.4	11.4	108	2.8	11.1	58	1.7	12.1	-	-	-
	F	148	0.7	8.1	95	1.1	7.4	53	-	9.4	-	-	-
VERMILION		809	1.2	7.4	591	1.2	4.9	200	1.5	14.5	18	-	11.1
	M	394	1.3	6.6	284	1.1	4.2	100	2.0	13.0	10	-	10.0
	F	415	1.2	8.2	307	1.3	5.5	100	1.0	16.0	8	-	12.5
ABBEVILLE*		265	1.5	10.6	131	1.5	6.1	119	1.7	15.1	15	-	13.3
	M	131	1.5	9.2	62	1.6	6.5	62	1.6	11.3	7	-	14.3
	F	134	1.5	11.9	69	1.4	5.8	57	1.8	19.3	8	-	12.5
VERNON		1487	1.6	7.9	1027	1.6	6.9	383	2.1	11.2	77	-	5.2
	M	772	1.9	7.1	534	2.2	6.2	198	1.5	10.1	40	-	5.0
	F	715	1.3	8.8	493	0.8	7.7	185	2.7	12.4	37	-	5.4
WASHINGTON		693	0.4	8.5	425	-	5.9	268	1.1	12.7	-	-	-
	M	361	0.6	7.2	224	-	5.4	137	1.5	10.2	-	-	-
	F	332	0.3	9.9	201	-	6.5	131	0.8	15.3	-	-	-
WEBSTER		599	1.7	9.5	318	0.3	7.9	280	3.2	11.1	1	-	100.0
	M	305	1.0	7.9	171	0.6	7.6	133	1.5	7.5	1	-	100.0
	F	294	2.4	11.2	147	-	8.2	147	4.8	14.3	-	-	-
W BATON ROUGE		347	1.7	7.8	190	1.6	3.7	157	1.9	12.7	-	-	-
	M	182	1.6	7.7	94	2.1	4.3	88	1.1	11.4	-	-	-
	F	165	1.8	7.9	96	1.0	3.1	69	2.9	14.5	-	-	-
WEST CARROLL		187	1.1	12.8	137	0.7	8.0	50	2.0	26.0	-	-	-
	M	106	-	11.3	77	-	5.2	29	-	27.6	-	-	-
	F	81	2.5	14.8	60	1.7	11.7	21	4.8	23.8	-	-	-
W FELICIANA		134	0.7	8.2	66	-	6.1	68	1.5	10.3	-	-	-
	M	59	1.7	6.8	31	-	6.5	28	3.6	7.1	-	-	-
	F	75	-	9.3	35	-	5.7	40	-	12.5	-	-	-
WINN		226	1.8	8.8	140	0.7	5.7	86	3.5	14.0	-	-	-
	M	118	1.7	7.6	65	-	4.6	53	3.8	11.3	-	-	-
	F	108	1.9	10.2	75	1.3	6.7	33	3.0	18.2	-	-	-

*INCLUDED IN PARISH TOTALS

TABLE V-B
BIRTH WEIGHTS UNDER 1500 AND UNDER 2500 GRAMS AS A PERCENTAGE OF TOTAL BIRTHS
BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA, 1991

REGION	SEX	ALL BIRTHS			WHITE			BLACK			OTHER		
		TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS	TOTAL	LT 1500 GRAMS	LT 2500 GRAMS
STATE		72080	1.8	9.4	40506	0.9	6.2	30360	2.9	13.8	1214	1.5	6.5
	M	36823	1.8	8.5	20739	1.0	5.6	15456	3.0	12.6	628	1.9	6.2
	F	35257	1.7	10.3	19767	0.9	6.7	14904	2.8	15.1	586	1.0	6.8
SPD 1		20147	2.1	10.1	9684	0.9	5.7	9825	3.3	14.6	638	1.7	6.7
	M	10322	2.2	9.2	5025	0.9	5.1	4979	3.5	13.6	318	2.2	5.3
	F	9825	2.0	11.1	4659	0.9	6.4	4846	3.1	15.8	320	1.3	8.1
SPD 2		13086	1.8	9.5	7353	1.0	5.8	5600	2.9	14.5	133	1.5	3.8
	M	6630	1.9	8.7	3721	1.0	5.4	2834	3.0	13.2	75	1.3	5.3
	F	6456	1.7	10.2	3632	0.9	6.1	2766	2.9	15.8	58	1.7	1.7
SPD 3		5434	1.4	8.2	3591	0.8	6.2	1688	2.5	12.9	155	1.3	5.2
	M	2793	1.4	7.7	1842	0.7	5.6	870	2.8	12.2	81	2.5	4.9
	F	2641	1.3	8.8	1749	0.9	6.7	818	2.3	13.6	74	-	5.4
SPD 4		9876	1.7	9.2	6240	0.9	6.6	3559	3.0	13.8	77	-	9.1
	M	5088	1.6	8.5	3173	0.9	5.9	1867	2.8	12.9	48	-	10.4
	F	4788	1.7	10.0	3067	0.9	7.4	1692	3.1	14.8	29	-	6.9
SPD 5		4343	1.2	8.4	3155	0.9	7.1	1157	2.0	11.8	31	-	9.7
	M	2183	1.3	7.8	1586	1.0	6.9	582	2.1	10.3	15	-	13.3
	F	2160	1.1	8.9	1569	0.8	7.3	575	1.9	13.4	16	-	6.3
SPD 6		5487	1.7	9.0	3481	1.2	7.0	1895	2.5	12.9	111	1.8	6.3
	M	2779	1.7	8.1	1768	1.2	5.9	957	2.5	12.0	54	1.9	7.4
	F	2708	1.6	10.0	1713	1.1	8.1	938	2.6	13.9	57	1.8	5.3
SPD 7		8673	1.6	9.4	4459	0.9	6.0	4160	2.5	13.1	54	1.9	11.1
	M	4389	1.5	7.9	2308	0.8	5.2	2053	2.3	10.9	28	3.6	10.7
	F	4284	1.7	11.0	2151	0.9	6.9	2107	2.6	15.3	26	-	11.5
SPD 8		5034	1.9	9.1	2543	1.2	5.9	2478	2.5	12.5	15	-	-
	M	2639	2.2	8.8	1316	1.5	5.9	1314	2.9	11.8	9	-	-
	F	2395	1.5	9.5	1227	0.9	5.9	1162	2.2	13.3	6	-	-
HSA 1		25581	1.9	9.7	13275	0.9	5.8	11513	3.2	14.4	793	1.6	6.4
	M	13115	2.0	8.9	6867	0.8	5.2	5849	3.4	13.4	399	2.3	5.3
	F	12466	1.8	10.6	6408	0.9	6.4	5664	3.0	15.4	394	1.0	7.6
HSA 2		27305	1.7	9.2	16748	0.9	6.3	10316	2.8	13.9	241	0.8	6.2
	M	13901	1.7	8.5	8480	1.0	5.9	5283	2.8	12.8	138	0.7	8.0
	F	13404	1.6	9.9	8268	0.9	6.8	5033	2.8	15.2	103	1.0	3.9
HSA 3		19194	1.7	9.2	10483	1.0	6.3	8531	2.5	12.9	180	1.7	7.2
	M	9807	1.8	8.2	5392	1.1	5.6	4324	2.5	11.4	91	2.2	7.7
	F	9387	1.6	10.3	5091	1.0	7.0	4207	2.5	14.4	89	1.1	6.7

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER AND WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1991

BIRTH ORDER	TOTAL	WEIGHT IN GRAMS								WEIGHT NOT STATED	BIRTHS UNDER 2500 GRAMS	PERCENT OF TOTAL LIVE BIRTHS
		THROUGH 999	1000 THROUGH 1999	2000 THROUGH 2499	2500 THROUGH 2999	3000 THROUGH 3499	3500 THROUGH 3999	4000 THROUGH 4499	4500 AND OVER			
ALL	72080	638	1973	4154	13787	27443	18349	4848	852	36	6765	9.39
1	28051	245	755	1625	5515	10828	7132	1675	260	16	2625	9.36
2	22708	170	510	1137	4111	8774	6025	1679	295	7	1817	8.00
3	12499	119	342	763	2317	4699	3192	893	171	3	1224	9.79
4	5189	59	198	366	1013	1896	1224	362	63	8	623	12.01
5	1884	21	80	135	408	644	426	137	32	1	236	12.53
6	846	10	47	61	207	291	164	51	15	-	118	13.95
7	416	5	20	36	109	133	84	23	6	-	61	14.66
8	201	2	10	16	39	78	38	13	5	-	28	13.93
9	110	-	4	3	31	43	24	3	2	-	7	6.36
10	52	-	1	5	13	15	12	3	2	1	6	11.54
11	26	1	-	1	3	9	9	3	-	-	2	7.69
12	13	-	-	1	4	-	6	1	1	-	1	7.69
13	6	-	-	-	2	4	-	-	-	-	-	0.00
14	4	-	-	1	2	-	1	-	-	-	1	25.00
15	1	-	-	-	-	1	-	-	-	-	-	0.00
16 +	3	-	-	-	-	1	-	2	-	-	-	0.00
UNK.	71	6	6	4	13	27	12	3	-	-	16	22.54

TABLE VII
NUMBER AND PERCENTAGE OF LIVE BIRTHS
BY WEIGHT GROUP, RACE OF MOTHER, AND SEX OF CHILD
LOUISIANA RESIDENTS, 1991

WEIGHT IN GRAMS	ALL RACES		WHITE				BLACK				OTHER			
	TOTAL	PERCENT	MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
UNDER 500	134	0.19	20	0.10	23	0.12	49	0.32	42	0.28	-	-	-	-
500-749	242	0.34	38	0.18	31	0.16	94	0.61	75	0.50	3	0.48	1	0.17
750-999	262	0.36	41	0.20	35	0.18	99	0.64	79	0.53	6	0.96	2	0.34
1000-1499	635	0.88	103	0.50	92	0.47	215	1.39	219	1.47	3	0.48	3	0.51
1500-1999	1333	1.86	223	1.08	254	1.28	410	2.65	436	2.93	8	1.27	7	1.19
2000-2499	4154	5.76	733	3.53	899	4.55	1082	7.00	1394	9.35	19	3.03	27	4.61
2500-2999	13787	19.13	2735	13.19	3339	16.89	3352	21.69	4120	27.64	107	17.04	134	22.87
3000-3499	27443	38.07	7285	35.13	7996	40.45	5960	38.56	5866	38.82	279	44.43	257	43.86
3500-3999	18349	25.46	6837	32.97	5536	28.01	3326	21.52	2364	15.86	166	26.43	120	20.48
4000-4499	4848	6.73	2275	10.97	1339	6.77	739	4.78	433	2.91	32	5.10	30	5.12
4500 +	852	1.18	442	2.13	211	1.07	123	0.80	66	0.44	5	0.80	5	0.85
UNKNOWN	36	0.05	7	0.03	12	0.06	7	0.05	10	0.07	-	-	-	-
TOTAL	72080	100.00	20739	100.00	19767	100.00	15456	100.00	14904	100.00	628	100.00	586	100.00

PERCENTAGES MAY NOT ADD TO 100.00 DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT AND AGE AND RACE OF MOTHER
LOUISIANA RESIDENTS, 1991

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-749 GRAMS	750-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500 GRAMS & OVER	NOT STATED
ALL RACES*	72080	134	242	262	635	1338	4154	13787	27443	18349	4848	852	36
UNDER 15 YEARS	439	2	3	2	6	18	49	121	183	68	6	-	1
15-19 YEARS	12264	25	53	61	142	276	865	2052	4843	2577	498	85	7
20-24 YEARS	22206	50	77	72	194	395	1311	4399	8561	5532	1383	220	12
25-29 YEARS	19948	24	53	65	135	337	985	3507	7558	5496	1504	276	8
30-34 YEARS	12131	24	37	39	114	185	657	2033	4461	3330	1042	205	4
35-39 YEARS	4400	7	16	19	37	109	251	754	1598	1187	362	77	3
40-44 YEARS	864	2	2	4	7	18	34	115	248	176	51	7	-
45 YEARS & OVER	19	-	-	-	-	-	2	5	7	2	1	1	1
NOT STATED	9	-	1	-	-	-	-	1	4	1	1	1	-
WHITE	40506	43	69	76	195	477	1632	6074	15281	12373	3814	653	19
UNDER 15 YEARS	55	-	1	-	-	3	2	17	20	12	-	-	-
15-19 YEARS	5037	4	11	13	31	68	253	901	1969	1418	321	46	1
20-24 YEARS	11769	17	24	19	52	125	469	1829	4517	3548	1003	157	9
25-29 YEARS	12727	8	19	18	57	147	471	1821	4748	4019	1192	222	5
30-34 YEARS	7897	10	8	18	43	79	314	1098	2913	2446	804	162	2
35-39 YEARS	2630	3	5	5	11	51	110	349	971	803	262	58	2
40-44 YEARS	380	1	1	3	1	4	12	56	139	125	32	6	-
45 YEARS & OVER	7	-	-	-	-	-	1	3	2	-	-	1	-
NOT STATED	4	-	-	-	-	-	-	-	2	1	-	1	-
BLACK	30360	91	169	178	434	846	2476	7472	11626	5690	1172	189	17
UNDER 15 YEARS	382	2	2	2	6	15	47	104	141	56	6	-	1
15-19 YEARS	7126	21	42	46	110	207	609	1928	2824	1139	176	18	6
20-24 YEARS	10145	33	52	52	140	267	825	2504	3933	1908	368	60	3
25-29 YEARS	6856	18	32	43	77	188	504	1617	2638	1391	295	52	3
30-34 YEARS	3926	14	28	20	69	100	331	878	1407	815	221	41	2
35-39 YEARS	1643	4	11	14	26	55	138	384	574	333	88	17	1
40-44 YEARS	265	1	1	1	6	14	21	54	102	46	18	1	-
45 YEARS & OVER	12	-	-	-	-	-	1	2	5	2	1	-	1
NOT STATED	5	-	1	-	-	-	-	1	2	-	1	-	-

*ALL RACES CONTAINS WHITE, BLACK, AND OTHER

TABLE IX
LIVE BIRTHS BY BIRTH ORDER AND AGE AND RACE OF MOTHER
LOUISIANA RESIDENTS, 1991

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS								PERCENT OF ALL LIVE BIRTHS	MEAN AGE OF MOTHER	MEDIAN AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.			
ALL	ALL[a]	72080	439	12284	22208	19948	12131	4400	884	19	9	100.0	25.3	24.3
	WHITE	40506	55	5037	11769	12727	7897	2630	380	7	4	56.2	26.0	25.3
	BLACK	30360	382	7126	10145	6858	3926	1643	265	12	5	42.1	24.1	22.6
1	ALL[a]	28051	422	8961	9449	6090	2413	635	77	1	3	38.9	22.6	21.5
	WHITE	17024	54	4103	6023	4523	1796	463	58	1	3	23.6	23.6	22.7
	BLACK	10601	367	4787	3263	1438	560	151	17	-	-	14.7	20.8	19.6
2	ALL[a]	22708	13	2556	7373	7205	4184	1222	139	3	3	31.5	25.8	25.0
	WHITE	13720	-	833	3978	4951	3008	852	96	2	-	19.0	26.8	26.5
	BLACK	8618	13	1698	3301	2142	1077	344	41	1	3	12.0	24.2	22.9
3	ALL[a]	12499	2	595	3526	4031	3058	1142	144	1	2	17.3	27.4	26.9
	WHITE	6825	-	89	1401	2308	2020	721	87	-	1	9.2	28.[illegible]	28.5
	BLACK	5695	1	504	2093	1662	978	391	54	1	1	7.9	25.9	24.8
4	ALL[a]	5189	-	126	1277	1575	1408	675	124	4	-	7.2	28.8	27.9
	WHITE	2155	-	10	299	683	740	352	69	2	-	3.0	30.2	29.8
	BLACK	2928	-	116	964	860	629	303	54	2	-	4.1	27.3	26.5
5	ALL[a]	1684	-	13	401	564	522	319	83	2	-	2.8	29.5	28.9
	WHITE	618	-	-	53	172	227	138	28	2	-	0.9	31.4	31.5
	BLACK	1222	-	13	342	374	279	179	35	-	-	1.7	28.6	27.7
6	ALL[a]	846	-	2	131	261	248	160	43	3	-	1.2	30.4	29.8
	WHITE	203	-	-	5	55	84	58	23	-	-	0.3	32.9	32.9
	BLACK	621	-	2	123	200	174	100	18	3	-	0.9	28.5	28.8
7	ALL[a]	416	-	-	20	125	144	92	33	2	-	0.6	31.9	31.6
	WHITE	69	-	-	-	16	18	24	11	-	-	0.1	34.3	34.6
	BLACK	322	-	-	20	108	112	63	17	2	-	0.4	31.2	30.7
8	ALL[a]	201	-	1	6	47	80	72	15	-	-	0.3	33.0	32.8
	WHITE	32	-	-	1	3	10	15	3	-	-	0.0	34.6	34.6
	BLACK	159	-	1	5	44	68	50	11	-	-	0.2	32.4	32.0
9	ALL[a]	110	-	-	1	24	41	29	14	1	-	0.2	33.3	32.6
	WHITE	17	-	-	1	6	6	2	2	-	-	0.0	31.6	30.5
	BLACK	83	-	-	-	18	35	20	9	1	-	0.1	33.2	31.8
10	ALL[a]	52	-	-	-	8	25	18	3	-	-	0.1	34.2	33.7
	WHITE	7	-	-	-	1	2	3	1	-	-	0.0	36.3	34.4
	BLACK	39	-	-	-	4	19	15	1	-	-	0.1	33.8	33.7
11	ALL[a]	26	-	-	-	-	10	13	2	1	-	0.0	36.0	34.3
	WHITE	1	-	-	-	-	-	-	1	-	-	0.0	44.0	44.0
	BLACK	22	-	-	-	-	10	10	1	1	-	0.0	35.5	34.3
12	ALL[a]	13	-	-	-	-	1	9	3	-	-	0.0	37.3	35.8
	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	13	-	-	-	-	1	9	3	-	-	0.0	37.3	35.8
13	ALL[a]	6	-	-	-	-	-	5	1	-	-	0.0	37.5	37.2
	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	6	-	-	-	-	-	5	1	-	-	0.0	37.5	37.2
14	ALL[a]	4	-	-	-	-	1	2	1	-	-	0.0	38.5	38.0
	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	4	-	-	-	-	1	2	1	-	-	0.0	38.5	38.0
15	ALL[a]	1	-	-	-	-	1	-	-	-	-	0.0	32.0	32.0
	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	1	-	-	-	-	1	-	-	-	-	0.0	32.0	32.0
16 +	ALL[a]	3	-	-	-	-	-	1	1	1	-	0.0	41.7	38.2
	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK	3	-	-	-	-	-	1	1	1	-	0.0	41.7	38.2
UNK.	ALL[a]	71	2	10	22	20	8	8	1	-	1	0.1	25.3	24.4
	WHITE	35	1	2	8	11	6	6	1	-	-	0.0	27.4	26.8
	BLACK	33	1	7	14	8	2	-	-	-	1	0.0	22.8	21.6

[a]ALL RACES CONTAINS WHITE, BLACK, AND OTHER

TABLE X
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1991

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	1164	1	180	326	385	187	77	18	-	-
ANENCEPHALUS	5	-	-	-	4	1	-	-	-	-
SPINA BIFIDA/MENINGOCELE	13	-	2	4	5	2	-	-	-	-
HYDROCEPHALUS	14	-	-	5	8	-	-	-	-	-
MICROCEPHALUS	5	-	1	1	2	1	-	-	-	-
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	17	-	1	8	3	3	1	1	-	-
HEART MALFORMATIONS	54	-	7	14	19	8	6	-	-	-
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	48	-	8	15	13	10	2	-	-	-
RECTAL ATRESIA/STENOSIS	3	-	2	1	-	-	-	-	-	-
TRACHEO ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	7	-	2	-	4	-	1	-	-	-
OMPHALOCELE/GASTROSCHISIS	12	-	4	4	1	2	1	-	-	-
OTHER GASTROINTESTINAL ANOMALIES	14	-	-	4	4	3	3	-	-	-
MALFORMED GENITALIA	40	-	4	11	14	10	1	-	-	-
RENAL AGENESIS	3	-	-	-	1	2	-	-	-	-
OTHER UROGENITAL ANOMALIES	76	-	11	20	27	11	5	2	-	-
CLEFT LIP/PALATE	61	-	12	13	21	12	3	-	-	-
POLYDACTYLY/SYNDACTYLY/ADACTYLY	91	-	24	31	24	8	4	-	-	-
CLUB FOOT	40	-	6	11	13	8	2	-	-	-
DIAPHRAGMATIC HERNIA	7	-	-	2	2	2	1	-	-	-
OTHER MUSKULOSKELETAL/INTEGUMENTAL ANOMALIES	94	1	15	20	29	21	7	1	-	-
DOWN'S SYNDROME	40	-	3	5	8	10	10	3	-	-
OTHER CHROMOSOMAL ANOMALIES	37	-	6	10	8	6	6	1	-	-
OTHER CONGENITAL ANOMALIES	483	-	72	147	153	77	24	10	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS NOTED ON SOME BIRTH CERTIFICATES

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	27311	27605	383.0	ALL	426	811	1384	1911	2385	2837	9108	10011	4735	2287	893	140	-	5
	6713	6768	167.1	WHITE	48	182	338	549	657	723	2429	2454	1088	529	188	31	-	1
	20405	20644	680.0	BLACK	378	646	1023	1348	1712	1898	6625	7483	3615	1737	695	107	-	4
	193	193	159.0	OTHER	-	3	3	14	16	16	54	74	32	21	10	2	-	-
ACADIA	283	335	341.1	ALL	4	13	16	25	31	42	127	129	38	25	10	2	-	-
	132	150	210.4	WHITE	1	6	7	12	16	21	62	56	19	8	4	-	-	-
	151	185	687.7	BLACK	3	7	9	13	15	21	65	73	19	17	6	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	202	126	459.9	ALL	3	8	5	8	15	16	52	42	12	13	4	-	-	-
	132	41	268.0	WHITE	-	5	1	4	5	4	19	11	6	3	2	-	-	-
	150	85	702.5	BLACK	3	3	4	4	10	12	33	31	6	10	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	2	109	302.8	ALL	2	3	4	11	8	7	33	54	11	5	3	1	-	-
	2	51	192.5	WHITE	1	1	1	8	3	2	15	28	4	4	1	-	-	-
	-	58	823.7	BLACK	1	2	3	3	5	5	18	28	7	1	2	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	6	338	309.0	ALL	4	13	10	21	36	31	111	128	59	22	10	4	-	-
	-	128	168.6	WHITE	-	5	4	10	14	15	48	48	18	10	5	1	-	-
	6	210	630.6	BLACK	4	8	6	11	22	16	63	82	41	12	5	3	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	141	401.7	ALL	1	-	2	15	17	13	47	38	38	11	5	1	-	-
	-	32	172.0	WHITE	-	-	1	6	3	7	17	8	5	-	2	-	-	-
	-	109	668.7	BLACK	1	-	1	9	14	6	30	30	33	11	3	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	145	251	399.0	ALL	3	13	9	14	32	23	91	75	48	25	11	-	-	-
	39	74	202.2	WHITE	-	7	1	6	10	6	30	21	12	9	2	-	-	-
	106	177	680.8	BLACK	3	6	8	8	22	17	61	54	34	16	9	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	216	105	199.2	ALL	3	2	4	9	8	15	38	39	14	8	3	-	-	-
	114	51	118.6	WHITE	1	-	1	6	8	7	20	22	5	3	-	-	-	-
	102	54	587.0	BLACK	2	2	3	3	2	8	18	17	9	5	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	1	117	460.6	ALL	5	7	4	6	7	9	33	50	21	4	3	1	-	-
	-	19	171.2	WHITE	1	-	-	-	2	2	4	8	5	1	1	1	-	-
	1	98	685.3	BLACK	4	7	4	6	5	7	29	44	16	3	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	96	412	208.7	ALL	5	14	21	33	41	34	143	144	74	32	11	3	-	-
	60	138	136.8	WHITE	-	2	8	11	14	9	44	47	28	15	5	1	-	-
	35	272	668.7	BLACK	5	12	13	22	26	25	98	96	46	17	6	2	-	-
	1	2	100.0	OTHER	-	-	-	-	1	-	1	1	-	-	-	-	-	-
BOSSIER CITY*	95	207	203.4	ALL	5	9	12	22	26	25	94	84	53	22	8	1	-	-
	60	103	151.7	WHITE	-	-	5	7	12	9	33	32	20	13	4	1	-	-
	34	102	858.5	BLACK	5	9	7	15	13	16	60	51	33	9	4	-	-	-
	1	2	117.6	OTHER	-	-	-	-	1	-	1	1	-	-	-	-	-	-
CADDO	2983	1946	472.8	ALL	33	57	91	130	181	206	845	722	318	149	73	7	-	1
	511	293	158.2	WHITE	1	7	15	23	41	27	113	94	48	25	10	1	-	-
	2471	1653	738.3	BLACK	32	50	76	107	120	179	532	628	267	124	63	6	-	1
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
CALCASIEU	958	830	298.3	ALL	8	18	31	57	76	112	292	305	138	59	32	4	-	-
	374	347	180.2	WHITE	3	5	9	27	40	58	140	117	47	20	9	2	-	-
	583	481	575.4	BLACK	5	11	22	30	36	52	151	187	83	30	23	2	-	-
	2	2	100.0	OTHER	-	-	-	-	-	1	1	1	-	-	-	-	-	-
LAKE CHARLES[a]	796	541	401.3	ALL	5	13	22	36	41	71	183	189	95	44	23	2	-	-
	319	127	192.7	WHITE	-	2	2	9	10	24	47	39	22	16	3	-	-	-
	476	413	810.0	BLACK	5	11	20	27	31	47	136	149	73	28	20	2	-	-
	1	1	83.3	OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CALDWELL	4	53	348.7	ALL	1	5	3	4	10	7	29	16	6	-	1	-	-	-
	1	24	252.2	WHITE	-	3	2	1	8	3	17	9	3	-	-	-	-	-
	3	24	848.8	BLACK	1	2	1	3	2	4	12	7	3	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	1	22	169.2	ALL	1	1	4	1	2	2	10	8	4	-	-	1	-	-
	1	19	154.5	WHITE	1	1	4	1	2	2	10	6	2	-	-	-	-	-
	-	3	428.6	BLACK	-	-	-	-	-	-	-	-	2	-	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	85	440.4	ALL	-	4	2	7	8	9	30	33	14	6	2	-	-	-
	-	15	137.6	WHITE	-	1	-	1	1	2	5	7	3	-	-	-	-	-
	-	70	833.3	BLACK	-	3	2	6	7	7	25	26	11	6	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	108	131	521.9	ALL	4	3	8	10	11	8	40	55	20	6	5	1	-	-
	19	18	214.3	WHITE	-	-	2	-	1	2	5	7	5	1	-	-	-	-
	87	113	676.6	BLACK	4	3	6	10	10	6	35	48	15	5	5	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	303	172	548.0	ALL	8	4	12	15	16	10	57	83	22	10	2	1	-	-
	52	30	208.3	WHITE	-	1	2	4	5	5	17	5	3	4	1	-	-	-
	251	142	830.4	BLACK	8	3	10	11	11	5	40	58	16	15	1	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	12	200	464.0	ALL	6	7	13	8	16	17	59	80	34	13	8	-	-	-
	1	40	196.1	WHITE	-	1	3	1	5	6	16	15	6	2	1	-	-	-
	11	160	704.8	BLACK	6	6	10	5	11	11	43	65	28	11	7	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	3193	2381	361.6	ALL	31	56	100	160	188	203	707	895	453	209	75	11	-	-
	737	439	132.2	WHITE	3	6	16	37	41	38	138	172	78	35	11	2	-	-
	2442	1928	614.0	BLACK	28	49	83	122	147	163	564	718	371	174	64	9	-	-
	14	14	112.9	OTHER	-	1	1	1	-	2	5	5	4	-	-	-	-	-
BATON ROUGE[a]	3064	2140	404.1	ALL	30	51	83	134	164	177	609	824	412	190	66	9	-	-
	678	330	141.9	WHITE	2	5	4	22	29	24	84	140	62	30	10	2	-	-
	2372	1798	830.2	BLACK	28	46	78	112	135	151	522	679	346	160	56	7	-	-
	14	12	102.6	OTHER	-	-	1	-	-	2	3	5	4	-	-	-	-	-
EAST CARROLL	-	153	871.1	ALL	6	10	14	9	16	9	58	47	25	9	6	1	-	1
	-	4	114.3	WHITE	-	-	1	-	-	-	1	2	1	-	-	-	-	-
	-	149	772.0	BLACK	6	10	13	9	16	9	57	45	24	9	6	1	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
E FELICIANA	-	129	427.2	ALL	1	4	8	12	8	6	38	55	21	10	4	-	-	-
	-	21	152.2	WHITE	1	2	1	4	1	-	8	9	3	-	-	-	-	-
	-	108	658.5	BLACK	-	2	7	8	7	6	30	46	18	10	4	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	273	229	370.0	ALL	4	6	17	22	18	10	82	84	38	18	3	-	-	-
	70	71	192.9	WHITE	2	-	7	11	6	7	31	23	7	7	1	-	-	-
	203	158	832.0	BLACK	2	6	10	11	12	12	51	61	31	11	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	7	180	498.8	ALL	5	4	9	14	20	17	64	87	27	13	4	-	-	-
	-	46	237.1	WHITE	-	-	1	7	3	4	15	20	5	5	1	-	-	-
	7	134	802.4	BLACK	5	4	8	7	17	13	49	67	22	8	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	80	317.5	ALL	1	3	5	3	7	8	26	28	16	7	3	1	-	-
	-	44	218.9	WHITE	1	2	5	2	5	6	20	15	3	4	-	1	-	-
	-	35	700.0	BLACK	-	1	-	1	2	1	5	11	13	3	3	-	-	-
	-	1	1000.0	OTHER	-	-	-	-	-	1	1	-	-	-	-	-	-	-
IBERIA	179	484	388.8	ALL	8	11	25	37	35	32	140	191	84	42	18	1	-	-
	89	156	214.0	WHITE	1	3	12	13	12	13	53	57	24	16	5	-	-	-
	90	326	653.3	BLACK	7	8	13	24	23	18	86	134	59	26	13	1	-	-
	-	2	117.6	OTHER	-	-	-	-	-	1	1	-	1	-	-	-	-	-
NEW IBERIA[a]	178	296	437.2	ALL	7	8	17	21	21	19	86	111	51	28	12	1	-	-
	89	89	236.1	WHITE	1	2	6	7	4	7	26	29	19	10	4	-	-	-
	99	207	726.3	BLACK	6	6	11	14	17	12	60	82	32	18	8	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	413	272	481.8	ALL	1	6	10	12	24	20	80	98	35	25	11	4	-	-
	80	56	230.5	WHITE	-	1	3	5	6	7	22	24	6	4	-	-	-	-
	333	216	626.1	BLACK	1	5	7	7	18	21	58	72	49	21	11	4	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	129	66	351.1	ALL	-	4	3	8	5	8	24	27	10	5	-	-	-	-
	18	18	152.5	WHITE	-	2	-	2	1	1	6	11	1	-	-	-	-	-
	111	48	705.9	BLACK	-	2	3	4	4	5	18	16	9	5	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	2625	2257	314.2	ALL	26	61	110	161	192	222	746	807	396	199	88	14	-	1
	968	883	181.4	WHITE	6	16	48	60	80	97	301	316	153	73	30	4	-	-
	1597	1318	655.1	BLACK	20	45	62	94	111	121	433	470	234	118	33	9	-	1
	60	56	184.8	OTHER	-	-	-	7	1	4	12	21	9	8	5	1	-	-
GRETNA[a]	1095	203	372.5	ALL	1	8	9	12	18	21	68	83	28	14	8	2	-	1
	273	83	242.7	WHITE	1	2	3	4	5	14	28	37	12	3	2	-	-	-
	793	117	672.4	BLACK	-	6	6	7	13	7	39	44	16	11	4	2	-	1
	29	3	103.4	OTHER	-	-	-	1	-	-	1	2	-	-	-	-	-	-
WESTWEGO[a]	-	105	490.7	ALL	1	2	8	4	9	11	34	40	21	9	-	-	-	-
	-	44	343.8	WHITE	-	1	4	4	2	5	16	20	8	2	-	-	-	-
	-	59	746.8	BLACK	1	1	4	-	7	6	18	18	14	7	-	-	-	-
	-	2	285.7	OTHER	-	-	-	-	-	-	-	1	1	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
JEFF DAVIS	118	161	296.0	ALL	3	4	9	14	19	11	57	59	26	10	5	1	-	-
	69	87	211.7	WHITE	2	1	5	10	12	11	39	31	12	3	-	-	-	-
	49	74	573.6	BLACK	1	3	4	4	7	-	18	28	14	7	5	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	1741	840	288.4	ALL	12	25	28	43	60	83	227	315	187	85	30	4	-	-
	509	317	155.2	WHITE	-	5	10	18	33	33	99	119	65	26	8	-	-	-
	1230	523	809.6	BLACK	12	20	18	25	35	30	120	196	102	59	22	4	-	-
	2	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE[a]	1741	572	322.3	ALL	11	16	16	28	46	44	150	220	109	59	19	4	-	-
	509	182	158.4	WHITE	-	2	5	10	21	19	57	70	34	15	6	-	-	-
	1230	390	832.1	BLACK	11	14	11	18	25	25	93	150	75	44	13	4	-	-
	2	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	95	411	283.8	ALL	6	15	13	32	32	34	126	158	74	30	14	3	-	-
	76	184	164.7	WHITE	1	9	7	14	15	13	58	73	34	11	5	2	-	-
	19	221	717.5	BLACK	5	6	6	17	16	21	68	79	40	19	9	1	-	-
	-	6	260.9	OTHER	-	-	-	1	1	-	2	4	-	-	-	-	-	-
LASALLE	23	51	277.2	ALL	2	6	3	5	3	7	24	18	3	4	-	-	-	-
	6	18	125.9	WHITE	-	2	2	2	-	3	9	3	3	3	-	-	-	-
	17	32	842.1	BLACK	2	4	1	3	3	4	15	14	-	1	-	-	-	-
	-	1	333.3	OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
LINCOLN	210	282	368.8	ALL	5	6	9	7	15	18	55	79	43	13	2	5	-	-
	38	17	59.2	WHITE	-	1	1	2	2	-	6	7	1	3	-	-	-	-
	172	185	717.1	BLACK	5	5	8	5	13	18	49	72	42	10	2	5	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON[a]	209	104	406.3	ALL	2	3	7	5	6	12	33	42	21	1	2	3	-	-
	38	9	77.6	WHITE	-	1	1	2	1	-	5	4	-	-	-	-	-	-
	171	95	688.4	BLACK	2	2	6	3	5	12	28	38	21	1	2	3	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	1	272	224.8	ALL	4	5	19	28	36	25	113	102	37	12	3	1	-	-
	1	199	179.9	WHITE	-	5	16	19	30	19	89	73	26	8	2	1	-	-
	-	73	708.7	BLACK	4	-	3	9	6	6	24	29	11	4	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	7	137	600.9	ALL	4	10	7	9	17	13	56	46	12	11	6	2	-	-
	-	10	169.5	WHITE	1	-	-	-	1	3	4	3	-	-	2	-	-	-
	7	127	751.5	BLACK	3	10	7	9	16	10	52	43	12	11	4	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	87	288	513.4	ALL	11	8	26	22	22	30	108	89	35	16	7	2	-	-
	31	38	167.4	WHITE	1	-	6	2	6	5	19	9	4	3	-	2	-	-
	56	230	785.0	BLACK	10	8	20	20	16	25	89	80	31	13	7	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP[a]	87	174	600.0	ALL	8	8	15	14	15	18	68	80	22	12	3	1	-	-
	31	15	168.5	WHITE	1	-	-	-	4	1	5	4	2	2	-	1	-	-
	56	159	795.0	BLACK	7	8	15	14	11	17	63	56	20	10	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
NATCHITOCHES	164	224	420.3	ALL	2	8	13	15	15	24	75	81	33	18	3	2	-	-
	40	36	132.8	WHITE	-	2	1	4	4	3	14	13	9	-	-	-	-	-
	124	188	723.1	BLACK	2	6	12	11	11	21	61	78	24	18	3	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	6053	5669	613.3	ALL	65	167	298	389	487	547	1888	1898	1031	537	221	30	-	1
	512	289	167.2	WHITE	-	7	8	15	14	24	88	95	55	42	24	5	-	-
	5497	5338	737.7	BLACK	65	160	288	374	470	518	1810	1787	966	490	195	24	-	1
	44	42	150.5	OTHER	-	-	2	-	3	5	10	14	10	5	2	1	-	-
OUACHITA	1800	1062	445.1	ALL	19	40	62	76	79	96	353	405	169	85	29	2	-	-
	307	191	155.2	WHITE	-	3	8	16	19	18	64	71	39	15	2	-	-	-
	1493	871	760.7	BLACK	19	37	54	60	60	78	289	334	130	70	27	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE[3]	1767	827	814.9	ALL	17	35	51	55	62	74	277	321	126	66	18	2	-	-
	286	54	150.4	WHITE	-	-	-	1	8	5	14	25	12	2	1	-	-	-
	1481	773	788.0	BLACK	17	35	51	54	54	69	263	296	114	64	17	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	4	137	319.3	ALL	8	2	8	8	11	10	35	58	17	15	5	1	-	-
	2	49	180.8	WHITE	1	1	2	3	4	2	12	22	8	5	3	-	-	-
	2	81	578.6	BLACK	5	1	4	3	6	8	22	32	11	9	1	1	-	-
	-	7	388.9	OTHER	-	-	-	-	1	-	1	4	-	1	1	-	-	-
POINTE COUPEE	2	182	452.5	ALL	4	2	8	8	13	12	43	58	27	20	8	2	-	-
	-	20	125.8	WHITE	1	-	1	1	2	2	6	8	1	3	1	-	-	-
	2	142	717.2	BLACK	3	2	7	7	11	10	37	50	26	17	7	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	1072	788	348.8	ALL	16	27	44	50	91	81	283	265	114	56	22	2	-	-
	328	208	154.0	WHITE	1	6	12	14	23	20	75	78	25	21	7	1	-	-
	739	557	676.8	BLACK	15	21	32	36	68	60	217	185	88	35	15	1	-	-
	5	3	111.1	OTHER	-	-	-	-	-	1	1	2	-	-	-	-	-	-
ALEXANDRIA[3]	576	508	503.5	ALL	15	19	34	33	61	52	199	186	78	38	13	1	-	-
	273	68	178.9	WHITE	1	2	5	5	7	5	24	23	8	10	2	-	-	-
	299	439	710.4	BLACK	14	17	29	28	54	47	175	142	68	28	11	1	-	-
	4	1	90.9	OTHER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RED RIVER	1	83	401.3	ALL	2	3	5	3	3	7	21	21	12	8	1	-	-	-
	-	11	125.0	WHITE	-	1	-	-	2	2	5	3	3	-	-	-	-	-
	1	52	764.7	BLACK	2	2	5	3	1	5	16	18	9	8	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	3	174	478.7	ALL	2	9	12	9	9	22	61	58	32	15	8	-	-	-
	-	30	161.3	WHITE	-	-	1	3	1	4	9	11	7	-	3	-	-	-
	3	144	809.0	BLACK	2	9	11	6	8	18	52	45	25	15	5	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	126	383.1	ALL	4	5	8	13	9	12	45	48	19	4	5	1	-	-
	-	47	280.0	WHITE	1	3	5	3	1	7	19	14	10	2	1	-	-	-
	-	78	709.1	BLACK	3	2	1	10	7	5	25	34	9	2	4	-	-	-
	-	1	500.0	OTHER	-	-	-	-	1	-	1	-	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
ST BERNARD	2	243	256.3	ALL	1	8	17	28	17	21	91	77	42	23	7	2	-	-
	1	184	217.8	WHITE	1	7	11	22	11	17	68	58	33	17	6	1	-	-
	1	58	666.7	BLACK	-	1	6	5	6	4	22	19	9	6	1	1	-	-
	-	1	62.5	OTHER	-	-	-	1	-	-	1	-	-	-	-	-	-	-
ST CHARLES	1	225	291.1	ALL	3	9	10	15	20	25	79	88	33	16	8	-	-	-
	-	59	117.8	WHITE	-	2	1	5	9	9	26	18	8	6	1	-	-	-
	1	166	624.1	BLACK	3	7	9	10	11	16	53	68	25	10	7	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	67	489.1	ALL	2	3	2	2	7	4	18	28	13	3	1	2	-	-
	-	9	163.6	WHITE	1	1	-	-	2	1	4	4	-	-	-	-	-	-
	-	58	707.3	BLACK	1	2	2	2	5	3	14	24	13	3	1	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	1	152	409.7	ALL	3	7	5	8	17	11	48	48	33	12	6	2	-	-
	-	16	107.4	WHITE	-	-	-	2	1	1	4	8	3	1	-	-	-	-
	1	136	612.6	BLACK	3	7	5	6	16	10	44	40	30	11	6	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	165	229	310.3	ALL	4	2	6	8	25	30	71	84	42	17	10	1	-	-
	40	49	111.9	WHITE	1	-	2	3	4	7	16	19	10	3	-	-	-	-
	125	180	616.4	BLACK	3	2	4	5	21	23	55	65	32	14	10	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	508	601	410.0	ALL	8	16	27	33	55	60	191	225	113	50	14	-	-	-
	197	151	211.8	WHITE	2	3	5	11	13	22	54	56	27	10	2	-	-	-
	311	450	599.2	BLACK	6	13	22	22	42	38	137	169	86	40	12	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS[8]	388	218	525.3	ALL	6	7	11	13	15	13	59	81	46	19	7	-	-	-
	135	18	178.2	WHITE	1	-	-	3	2	1	6	4	4	3	-	-	-	-
	253	200	636.9	BLACK	5	7	11	10	13	12	53	77	42	16	7	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	2	249	333.3	ALL	1	2	9	22	16	25	74	94	49	25	6	-	-	-
	1	62	143.9	WHITE	-	1	4	8	4	4	21	30	8	3	-	-	-	-
	1	187	595.5	BLACK	1	1	5	14	12	21	53	64	41	22	6	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	392	421	384.5	ALL	10	13	18	22	27	41	121	167	78	27	18	-	-	-
	145	143	219.3	WHITE	2	3	10	6	9	21	49	58	25	5	4	-	-	-
	242	273	653.1	BLACK	8	10	8	16	17	20	71	107	53	21	13	-	-	-
	5	5	200.0	OTHER	-	-	-	-	1	-	1	2	-	1	1	-	-	-
MORGAN CITY[8]	273	126	390.1	ALL	2	5	7	2	12	12	38	53	25	5	3	-	-	-
	115	49	238.0	WHITE	-	2	4	-	3	3	12	25	10	-	2	-	-	-
	155	75	728.2	BLACK	2	3	3	2	8	9	25	28	15	4	1	-	-	-
	3	2	285.7	OTHER	-	-	-	-	1	-	1	-	-	1	-	-	-	-
ST TAMMANY	573	504	215.0	ALL	3	10	19	44	44	63	180	197	77	33	14	-	-	-
	325	295	149.6	WHITE	1	8	7	27	32	32	104	113	46	20	11	-	-	-
	245	207	591.4	BLACK	2	4	12	16	12	31	75	83	31	13	3	-	-	-
	3	2	90.9	OTHER	-	-	-	1	-	-	1	1	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
TANGIPAHOA	818	688	420.3	ALL	18	23	42	46	61	64	236	270	98	51	14	3	-	-
	224	158	177.3	WHITE	3	3	12	12	18	12	57	59	24	10	3	2	-	-
	594	530	714.3	BLACK	15	20	30	34	43	52	179	211	72	41	11	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	-	198	536.8	ALL	2	11	15	21	16	21	84	70	28	13	2	1	-	-
	-	29	202.8	WHITE	-	1	3	4	2	2	12	11	5	1	-	-	-	-
	-	169	751.1	BLACK	2	10	12	17	14	19	72	59	21	12	2	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	1	54	524.3	ALL	2	-	1	2	10	3	16	18	8	6	3	1	-	-
	-	6	157.9	WHITE	-	-	-	-	-	1	1	2	3	-	-	-	-	-
	1	48	738.5	BLACK	2	-	1	2	10	2	15	16	5	6	3	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	1070	560	319.5	ALL	8	11	31	52	51	55	200	180	104	52	14	2	-	-
	387	239	199.2	WHITE	1	2	20	29	17	30	103	78	41	21	3	-	-	-
	634	278	636.2	BLACK	7	2	11	20	28	23	84	94	55	26	10	2	-	-
	49	43	370.7	OTHER	-	2	-	3	6	2	13	16	8	5	1	-	-	-
UNION	44	99	315.3	ALL	3	1	7	10	9	6	33	38	15	9	1	-	-	-
	6	17	83.7	WHITE	1	-	1	1	5	-	7	3	3	2	1	-	-	-
	38	82	738.7	BLACK	2	1	6	9	4	6	26	35	12	7	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	194	264	326.3	ALL	4	9	13	15	20	27	84	92	53	20	8	3	-	-
	106	130	220.0	WHITE	2	2	7	9	14	16	48	44	18	9	6	3	-	-
	87	134	670.0	BLACK	2	7	6	6	6	11	38	48	35	11	2	-	-	-
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	189	127	479.2	ALL	4	5	10	6	7	12	40	43	25	12	2	1	-	-
	103	40	305.3	WHITE	2	-	4	2	3	5	14	15	4	3	1	1	-	-
	85	87	731.1	BLACK	2	5	6	4	4	7	26	28	21	9	1	-	-	-
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	87	212	142.8	ALL	3	2	14	15	24	14	69	94	26	18	2	-	-	-
	32	109	106.1	WHITE	-	-	11	10	9	9	39	44	16	9	1	-	-	-
	49	98	255.9	BLACK	3	2	3	5	14	4	28	48	10	9	1	-	-	-
	6	5	64.9	OTHER	-	-	-	-	1	1	2	2	-	1	-	-	-	-
WASHINGTON	177	207	356.4	ALL	4	11	10	22	13	25	81	103	28	21	9	1	-	-
	49	77	181.2	WHITE	1	4	1	11	2	9	27	40	6	2	1	-	-	-
	128	170	834.3	BLACK	3	7	9	11	11	16	54	63	22	19	8	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	49	251	419.0	ALL	8	8	12	23	22	27	93	81	40	17	8	2	-	1
	12	50	157.2	WHITE	-	3	4	4	3	5	19	18	11	1	-	-	-	-
	37	201	717.9	BLACK	8	6	8	19	19	22	74	63	29	16	8	2	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	1	135	389.0	ALL	2	3	3	3	12	13	34	59	26	11	1	2	-	-
	-	42	221.1	WHITE	-	-	-	1	6	7	14	18	8	4	-	-	-	-
	1	93	592.4	BLACK	2	3	3	2	6	6	20	41	20	7	1	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
WEST CARROLL	-	52	278.1	ALL	1	1	3	2	3	3	12	21	8	8	4	-	-	-
	-	16	116.8	WHITE	-	1	1	-	1	1	4	6	4	1	1	-	-	-
	-	36	720.0	BLACK	1	-	2	2	2	2	8	15	4	5	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	2	63	470.1	ALL	-	1	4	7	6	2	20	20	10	8	3	2	-	-
	1	8	121.2	WHITE	-	-	-	3	-	-	3	2	1	2	-	-	-	-
	1	55	808.8	BLACK	-	1	4	4	6	2	17	18	9	6	3	2	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	0	84	371.7	ALL	-	1	6	3	4	11	25	35	10	4	1	1	-	-
	-	25	178.6	WHITE	-	1	2	1	2	2	8	10	2	3	1	1	-	-
	0	59	686.0	BLACK	-	-	4	2	2	9	17	25	16	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	294	-		ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	55	-		WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	239	-		BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RATIO PER 1,000 LIVE BIRTHS
*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	27311	27605	383.0	ALL	428	811	1364	1911	2385	2637	9108	10011	4735	2287	893	140	-	5
	6713	6768	167.1	WHITE	48	162	338	549	657	723	2429	2454	1088	529	188	31	-	1
	20405	20644	680.0	BLACK	378	646	1023	1348	1712	1896	6625	7483	3615	1737	695	107	-	4
	193	193	159.0	OTHER	-	3	3	14	16	18	54	74	32	21	10	2	-	-
SPD 1	9257	8810	437.3	ALL	101	248	450	628	751	863	2940	3035	1563	807	315	47	-	2
	1808	1700	175.5	WHITE	9	37	76	127	141	172	553	604	293	157	74	10	-	-
	7342	7002	712.7	BLACK	92	211	372	492	605	682	2362	2391	1251	636	233	35	-	2
	107	108	169.3	OTHER	-	-	2	9	5	9	25	40	19	14	8	2	-	-
SPD 2	4613	4754	383.3	ALL	71	127	216	321	404	413	1481	1814	825	392	139	32	-	-
	1092	1157	157.4	WHITE	10	27	54	103	122	110	416	455	169	78	23	6	-	-
	3507	3583	639.8	BLACK	61	99	161	217	282	301	1060	1354	652	314	116	26	-	-
	14	14	105.3	OTHER	-	1	1	1	-	2	5	5	4	-	-	-	-	-
SPD 3	1332	1718	316.2	ALL	25	44	69	130	162	168	573	592	324	138	57	9	-	-
	503	579	161.2	WHITE	3	18	31	59	49	67	224	196	101	42	11	2	-	-
	780	1090	645.7	BLACK	22	24	38	67	108	99	334	376	215	91	45	7	-	-
	49	49	316.1	OTHER	-	2	-	4	7	2	15	20	8	5	1	-	-	-
SPD 4	3572	3423	346.6	ALL	51	95	153	219	270	309	1046	1297	620	292	107	10	-	-
	1249	1180	189.1	WHITE	10	23	62	88	107	137	417	443	193	84	30	3	-	-
	2315	2236	628.3	BLACK	41	72	91	131	162	171	627	852	426	207	76	7	-	-
	8	7	90.9	OTHER	-	-	-	-	1	1	2	2	1	1	1	-	-	-
SPD 5	1195	1227	282.5	ALL	17	26	52	92	113	147	430	483	185	82	43	7	-	-
	560	555	175.9	WHITE	8	8	20	52	63	81	224	202	70	38	10	2	-	-
	633	670	579.1	BLACK	9	18	32	40	50	65	205	280	115	43	33	5	-	-
	2	2	84.5	OTHER	-	-	-	-	-	1	1	1	-	-	-	-	-	-
SPD 6	1638	1703	310.4	ALL	33	60	95	112	185	183	815	809	259	139	43	5	-	-
	457	523	150.2	WHITE	2	20	35	40	55	53	203	183	67	53	12	3	-	-
	1170	1170	617.4	BLACK	31	40	60	72	129	107	400	621	192	85	31	2	-	-
	11	10	90.1	OTHER	-	-	-	-	1	3	4	5	-	1	-	-	-	-
SPD 7	3622	3672	423.4	ALL	74	119	182	246	300	362	1209	1371	812	262	120	22	-	2
	681	689	150.0	WHITE	3	20	39	48	75	63	245	224	125	50	18	3	-	1
	2939	3000	721.2	BLACK	71	99	143	196	223	299	962	1146	687	212	102	19	-	1
	2	3	55.6	OTHER	-	-	-	-	2	-	2	1	-	-	-	-	-	-
SPD 8	2082	2298	456.5	ALL	54	92	147	183	200	212	814	830	347	175	69	8	-	1
	363	405	159.3	WHITE	3	9	21	32	45	40	147	147	70	26	10	2	-	-
	1719	1893	764.5	BLACK	51	83	126	151	155	172	667	683	277	149	59	6	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 1	10589	10528	411.8	ALL	126	292	519	758	913	1031	3513	3627	1887	945	372	56	-	2
	2311	2279	171.7	WHITE	12	55	107	186	190	239	777	800	394	199	85	12	-	-
	8122	8092	702.9	BLACK	114	235	410	559	711	781	2698	2767	1466	727	278	42	-	2
	156	157	198.0	OTHER	-	2	2	13	12	11	40	60	27	19	9	2	-	-
HSA 2	9380	9404	344.4	ALL	139	248	421	632	787	869	2957	3574	1630	766	288	49	-	-
	2901	2892	172.7	WHITE	28	58	136	243	292	328	1057	1100	432	201	63	11	-	-
	6455	6489	629.0	BLACK	111	189	284	388	494	537	1892	2466	1193	564	225	38	-	-
	24	23	95.4	OTHER	-	1	1	1	1	4	8	8	5	1	1	-	-	-
HSA 3	7342	7673	399.8	ALL	161	271	424	521	685	737	2638	2810	1218	576	232	35	-	3
	1501	1597	152.3	WHITE	8	49	95	120	175	156	595	554	282	129	40	8	-	1
	5828	6063	710.7	BLACK	153	222	329	401	507	578	2037	2250	956	446	192	27	-	2
	13	13	72.2	OTHER	-	-	-	-	3	3	6	6	-	1	-	-	-	-

RATIO PER 1,000 LIVE BIRTHS

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	38.30	97.04	93.97	86.49	81.11	71.73	63.65	74.27	45.08	23.74	18.85	20.30	21.08	-	55.56
	WHITE	16.71	87.27	78.26	63.89	59.35	45.91	37.17	48.22	20.85	8.55	6.70	7.15	8.16	-	25.00
	BLACK	68.00	98.95	98.93	98.27	95.40	91.99	87.86	92.97	73.76	52.73	44.24	42.30	40.38	-	80.00
	OTHER	15.90	-	100.00	42.86	77.78	48.48	45.00	53.47	25.34	8.77	6.82	7.87	10.53	-	-
ACADIA	ALL	34.11	80.00	100.00	72.73	62.50	51.67	65.63	63.82	39.21	15.26	17.61	21.28	20.00	-	-
	WHITE	21.04	50.00	100.00	53.85	44.44	37.21	51.22	47.69	23.63	8.45	7.69	12.50	-	-	-
	BLACK	68.77	100.00	100.00	100.00	100.00	88.24	91.30	94.20	78.35	39.58	44.74	40.00	66.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY[a]	ALL	45.99	75.00	100.00	50.00	88.89	83.33	69.57	76.47	46.67	21.05	32.50	30.77	-	-	-
	WHITE	26.80	-	100.00	16.67	80.00	71.43	44.44	59.38	21.15	15.79	13.04	33.33	-	-	-
	BLACK	70.25	100.00	100.00	100.00	100.00	90.91	85.71	91.67	81.58	31.58	58.82	28.57	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	ALL	30.28	100.00	100.00	44.44	61.11	44.44	46.67	52.38	39.13	12.78	9.62	18.75	33.33	-	-
	WHITE	19.25	100.00	100.00	16.67	53.33	25.00	20.00	34.09	26.26	5.80	9.76	10.00	-	-	-
	BLACK	62.37	100.00	100.00	100.00	100.00	83.33	100.00	94.74	73.68	43.75	9.09	33.33	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	ALL	30.90	100.00	92.86	83.33	77.78	73.47	63.27	73.51	34.59	17.25	13.66	17.24	57.14	-	-
	WHITE	16.86	-	83.33	66.67	62.50	56.00	50.00	57.83	18.11	7.11	7.94	13.16	25.00	-	-
	BLACK	63.06	100.00	100.00	100.00	100.00	91.67	84.21	92.65	70.69	46.59	35.29	25.00	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	ALL	40.17	100.00	-	100.00	88.24	77.27	59.09	74.80	39.58	35.85	18.87	21.74	25.00	-	-
	WHITE	17.20	-	-	100.00	85.71	42.86	43.75	54.84	14.55	9.26	-	15.38	-	-	-
	BLACK	66.87	100.00	-	100.00	90.00	93.33	100.00	93.75	75.00	64.71	40.74	30.00	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	ALL	39.90	100.00	86.67	69.23	82.35	71.11	58.97	70.54	38.07	28.05	25.77	31.43	-	-	-
	WHITE	20.22	-	77.78	20.00	66.67	47.62	28.57	46.15	16.67	12.12	15.79	11.76	-	-	-
	BLACK	68.08	100.00	100.00	100.00	100.00	91.67	94.44	95.31	78.26	52.31	40.00	52.94	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	ALL	19.92	100.00	100.00	40.00	80.00	36.36	36.59	42.22	22.29	9.72	10.00	9.68	-	-	-
	WHITE	11.86	100.00	-	14.29	50.00	30.00	21.21	27.78	14.57	4.24	4.76	-	-	-	-
	BLACK	58.70	100.00	100.00	100.00	100.00	100.00	100.00	100.00	73.91	39.13	31.25	33.33	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	ALL	46.06	100.00	100.00	100.00	100.00	70.00	80.00	78.57	56.18	30.43	11.43	25.00	50.00	-	-
	WHITE	17.12	100.00	-	-	-	40.00	25.00	30.77	17.14	14.29	5.56	14.29	50.00	-	-
	BLACK	68.53	100.00	100.00	100.00	100.00	100.00	100.00	100.00	81.48	47.06	17.65	40.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	ALL	28.67	100.00	93.33	75.00	73.33	66.13	49.20	65.30	30.77	16.74	13.62	18.64	33.33	-	-
	WHITE	13.68	-	66.67	53.33	47.83	43.75	23.08	38.29	14.20	7.58	8.33	12.82	25.00	-	-
	BLACK	66.67	100.00	100.00	100.00	100.00	89.66	86.21	93.33	71.11	52.17	34.00	37.50	40.00	-	-
	OTHER	10.00	-	-	-	-	100.00	-	50.00	50.00	-	-	-	-	-	-
BOSSIER CITY[a]	ALL	28.34	100.00	90.00	85.71	78.57	66.67	51.02	67.14	27.45	18.15	14.47	19.51	16.67	-	-
	WHITE	15.17	-	-	71.43	53.85	50.00	38.00	44.00	13.91	8.89	11.21	13.33	33.33	-	-
	BLACK	65.05	100.00	100.00	100.00	100.00	92.86	88.89	95.24	88.92	54.10	28.13	50.00	-	-	-
	OTHER	11.76	-	-	-	-	100.00	-	50.00	50.00	-	-	-	-	-	-
CADDO	ALL	47.28	100.00	98.28	91.92	85.53	80.90	72.79	81.54	53.17	31.16	22.71	30.67	20.00	-	100.00
	WHITE	15.82	100.00	87.50	71.43	57.50	56.94	30.68	49.34	17.38	8.73	6.28	8.93	10.00	-	-
	BLACK	73.83	100.00	100.00	97.44	95.54	94.49	91.78	94.66	77.44	59.87	49.21	52.50	40.00	-	100.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
CALCASIEU	ALL	29.83	100.00	72.73	73.81	75.00	62.30	58.33	64.32	34.50	16.62	12.94	10.71	16.00	-	-
	WHITE	18.02	100.00	45.45	47.37	62.79	48.78	47.58	50.18	19.50	8.26	8.38	8.04	12.50	-	-
	BLACK	57.54	100.00	100.00	95.65	90.91	94.74	77.61	87.79	66.79	39.90	28.85	40.35	22.22	-	-
	OTHER	10.00	-	-	-	-	-	100.00	33.33	25.00	-	-	-	-	-	-
LAKE CHARLES[a]	ALL	40.13	100.00	76.47	84.62	92.31	75.93	73.20	78.54	44.88	25.89	21.36	23.47	13.33	-	-
	WHITE	19.27	-	33.33	40.00	75.00	50.00	64.86	58.75	18.57	11.00	13.66	6.67	-	-	-
	BLACK	61.00	100.00	100.00	95.24	100.00	93.94	78.33	89.47	70.62	44.24	33.33	39.22	25.00	-	-
	OTHER	8.33	-	-	-	-	-	-	-	50.00	-	-	-	-	-	-
CALDWELL	ALL	34.87	100.00	100.00	100.00	57.14	55.56	63.64	65.91	34.04	18.22	-	16.67	-	-	-
	WHITE	25.22	-	100.00	100.00	33.33	50.00	50.00	56.67	25.00	9.38	-	-	-	-	-
	BLACK	64.86	100.00	100.00	100.00	75.00	100.00	80.00	85.71	63.64	60.00	-	50.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	ALL	16.92	100.00	50.00	80.00	100.00	66.67	18.18	45.45	17.65	10.00	-	-	50.00	-	-
	WHITE	15.45	100.00	50.00	80.00	100.00	66.67	18.18	45.45	17.65	5.56	-	-	-	-	-
	BLACK	42.86	-	-	-	-	-	-	-	-	50.00	-	-	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	ALL	44.04	-	100.00	66.67	70.00	57.14	64.29	66.67	46.48	32.56	21.43	33.33	-	-	-
	WHITE	13.76	-	100.00	-	25.00	14.29	28.57	25.00	16.67	10.71	-	-	-	-	-
	BLACK	83.33	-	100.00	100.00	100.00	100.00	100.00	100.00	89.66	73.33	54.55	50.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	ALL	52.19	100.00	75.00	100.00	100.00	84.62	72.73	86.96	62.50	31.75	18.18	33.33	100.00	-	-
	WHITE	21.43	-	-	100.00	-	50.00	50.00	55.56	25.93	10.52	6.25	-	-	-	-
	BLACK	67.66	100.00	100.00	100.00	100.00	90.91	85.71	94.59	78.69	41.67	29.41	45.45	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	ALL	54.60	100.00	100.00	92.31	88.24	94.12	50.00	80.28	55.26	34.38	43.18	18.18	33.33	-	-
	WHITE	20.83	-	100.00	66.67	66.67	83.33	41.67	60.71	10.20	8.57	15.38	25.00	-	-	-
	BLACK	83.04	100.00	100.00	100.00	100.00	100.00	62.50	93.02	89.23	65.52	83.33	14.29	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	ALL	46.40	100.00	100.00	100.00	54.55	66.67	60.71	71.08	50.63	28.81	26.53	53.33	-	-	-
	WHITE	19.61	-	100.00	100.00	20.00	41.67	40.00	44.44	20.83	9.84	6.67	20.00	-	-	-
	BLACK	70.48	100.00	100.00	100.00	83.33	91.67	84.62	91.49	75.58	48.12	57.89	70.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	ALL	36.16	91.18	94.92	94.34	90.91	76.73	69.76	80.82	49.12	22.68	16.19	15.79	12.50	-	-
	WHITE	13.22	75.00	75.00	80.00	75.51	50.62	37.25	53.08	22.72	6.82	4.40	3.99	4.00	-	-
	BLACK	61.40	93.33	98.00	97.65	96.83	89.63	87.63	92.31	68.77	47.50	38.24	34.78	26.47	-	-
	OTHER	11.29	-	100.00	100.00	100.00	-	66.67	83.33	23.81	10.81	-	-	-	-	-
BATON ROUGE[a]	ALL	40.41	93.75	96.23	96.51	91.78	80.00	72.24	82.86	54.50	26.43	18.92	17.28	12.88	-	-
	WHITE	14.19	100.00	83.33	80.00	73.33	53.70	34.29	50.91	26.62	7.53	5.28	4.88	5.41	-	-
	BLACK	63.02	93.33	97.87	97.50	96.55	89.40	87.79	92.23	70.29	49.36	40.40	34.36	23.33	-	-
	OTHER	10.26	-	-	100.00	-	-	66.67	75.00	25.00	11.43	-	-	-	-	-
EAST CARROLL	ALL	67.11	100.00	100.00	100.00	90.00	88.89	81.82	92.06	68.12	52.08	30.00	66.67	50.00	-	100.00
	WHITE	11.43	-	-	100.00	-	-	-	50.00	20.00	7.14	-	-	-	-	-
	BLACK	77.20	100.00	100.00	100.00	90.00	94.12	81.82	93.44	76.27	70.59	42.86	66.67	50.00	-	100.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
E FELICIANA	ALL	42.72	50.00	100.00	100.00	100.00	88.89	50.00	84.44	48.25	28.77	21.74	22.22	-	-	-
	WHITE	15.22	50.00	100.00	100.00	100.00	50.00	-	61.54	17.31	8.11	-	-	-	-	-
	BLACK	65.85	-	100.00	100.00	100.00	100.00	75.00	93.75	74.19	50.00	47.62	38.36	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	ALL	37.00	100.00	100.00	94.44	73.33	58.06	59.38	70.09	37.84	19.90	27.69	17.65	-	-	-
	WHITE	19.29	100.00	-	87.50	64.71	33.33	41.18	51.67	17.56	5.56	17.50	12.50	-	-	-
	BLACK	63.20	100.00	100.00	100.00	84.62	92.31	80.00	89.47	67.03	47.69	45.83	22.22	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	ALL	49.86	100.00	100.00	81.82	77.78	74.07	60.71	72.73	54.92	32.53	29.55	23.53	-	-	-
	WHITE	23.71	-	-	33.33	63.64	30.00	28.57	39.47	30.30	10.87	15.63	9.09	-	-	-
	BLACK	80.24	100.00	100.00	100.00	100.00	100.00	92.86	98.00	83.93	59.46	66.67	50.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	ALL	31.75	100.00	75.00	100.00	27.27	50.00	47.06	50.98	30.23	26.67	21.21	17.65	25.00	-	-
	WHITE	21.89	100.00	66.67	100.00	20.00	41.67	42.86	45.45	22.06	6.52	14.81	-	33.33	-	-
	BLACK	70.00	-	100.00	-	100.00	100.00	50.00	83.33	61.11	92.86	50.00	60.00	-	-	-
	OTHER	100.00	-	-	-	-	-	100.00	100.00	-	-	-	-	-	-	-
IBERIA	ALL	38.88	100.00	100.00	96.15	75.51	76.09	56.14	74.07	48.11	22.83	22.58	20.89	11.11	-	-
	WHITE	21.40	100.00	100.00	92.31	52.00	57.14	41.94	56.99	26.89	9.60	13.68	10.42	-	-	-
	BLACK	65.33	100.00	100.00	100.00	100.00	92.00	78.26	92.47	73.22	52.21	40.00	36.11	100.00	-	-
	OTHER	11.76	-	-	-	-	-	33.33	33.33	-	20.00	-	-	-	-	-
NEW IBERIA[a]	ALL	43.72	100.00	100.00	94.44	75.00	70.00	51.35	71.07	50.23	28.65	29.79	24.00	20.00	-	-
	WHITE	23.61	100.00	100.00	85.71	50.00	36.36	36.84	49.06	25.44	15.83	17.86	13.79	-	-	-
	BLACK	72.63	100.00	100.00	100.00	100.00	89.47	75.00	90.91	78.18	59.26	52.94	44.44	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	ALL	46.18	100.00	100.00	100.00	85.71	82.76	71.79	81.63	51.06	31.98	30.49	26.19	66.67	-	-
	WHITE	23.05	-	100.00	100.00	83.33	66.67	43.75	62.86	32.00	7.23	12.12	-	-	-	-
	BLACK	62.61	100.00	100.00	100.00	87.50	90.00	91.30	92.06	64.29	55.06	42.86	44.00	66.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	ALL	35.11	-	100.00	60.00	85.71	71.43	33.33	58.54	38.03	20.00	22.73	-	-	-	-
	WHITE	15.25	-	100.00	-	66.67	33.33	7.69	26.09	23.91	3.13	-	-	-	-	-
	BLACK	70.59	-	100.00	100.00	100.00	100.00	100.00	100.00	64.00	56.25	62.50	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	ALL	31.42	100.00	95.31	84.62	82.14	73.28	65.49	75.28	43.10	18.12	13.46	12.27	18.18	-	100.00
	WHITE	18.14	100.00	88.89	72.73	65.22	57.14	51.60	59.72	27.74	8.44	6.47	7.21	7.55	-	-
	BLACK	65.51	100.00	97.83	100.00	90.95	95.69	83.45	93.32	72.09	49.47	43.07	30.28	47.37	-	100.00
	OTHER	18.48	-	-	-	77.78	16.67	66.67	52.17	26.92	9.89	18.39	17.24	20.00	-	-
GRETNA[a]	ALL	37.25	100.00	88.89	90.00	75.00	75.00	58.33	71.58	47.98	20.28	14.58	16.67	40.00	-	100.00
	WHITE	24.27	100.00	66.67	75.00	50.00	50.00	56.00	56.00	37.37	11.88	4.55	8.33	-	-	-
	BLACK	67.24	-	100.00	100.00	100.00	92.86	70.00	90.70	66.67	55.17	47.83	44.44	66.67	-	100.00
	OTHER	10.34	-	-	-	100.00	-	-	50.00	25.00	-	-	-	-	-	-
WESTWEGO[a]	ALL	49.07	100.00	100.00	100.00	57.14	69.23	57.89	69.39	51.28	40.38	33.33	-	-	-	-
	WHITE	34.38	-	100.00	100.00	57.14	40.00	38.46	53.33	38.46	21.43	14.29	-	-	-	-
	BLACK	74.68	100.00	100.00	100.00	-	87.50	100.00	94.74	79.17	63.64	63.64	-	-	-	-
	OTHER	28.57	-	-	-	-	-	-	-	50.00	50.00	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
JEFF DAVIS	ALL	29.60	100.00	100.00	75.00	87.50	59.38	45.83	64.77	33.71	17.11	11.24	15.63	20.00	-	-
	WHITE	21.17	100.00	100.00	71.43	90.91	50.00	50.00	60.00	22.63	10.26	4.62	-	-	-	-
	BLACK	57.36	100.00	100.00	80.00	80.00	87.50	-	78.26	73.68	41.18	33.33	45.45	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	ALL	28.84	100.00	96.15	87.50	74.14	72.34	57.27	70.94	40.70	19.35	12.65	12.45	13.79	-	-
	WHITE	15.52	-	83.33	76.92	58.06	61.11	45.83	56.25	23.75	10.20	4.92	4.44	-	-	-
	BLACK	60.96	100.00	100.00	94.74	92.59	87.50	78.95	88.89	72.06	46.15	42.14	37.29	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE[8]	ALL	32.23	100.00	94.12	88.89	73.68	75.41	60.27	72.48	48.71	22.15	13.82	12.93	21.05	-	-
	WHITE	15.84	-	66.67	83.33	55.56	63.64	46.34	56.44	26.12	10.15	4.63	5.56	-	-	-
	BLACK	63.21	100.00	100.00	91.67	90.00	89.29	78.13	87.74	74.26	48.70	44.00	35.14	66.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	ALL	28.38	85.71	78.95	68.18	76.19	51.61	44.16	57.66	34.44	16.37	13.45	17.28	30.00	-	-
	WHITE	16.47	50.00	69.23	53.85	60.87	36.59	25.00	40.85	21.10	9.02	6.04	8.47	22.22	-	-
	BLACK	71.75	100.00	100.00	100.00	94.44	84.21	87.50	90.67	79.00	55.56	51.35	50.00	100.00	-	-
	OTHER	26.09	-	-	-	100.00	50.00	-	40.00	57.14	-	-	-	-	-	-
LASALLE	ALL	27.72	100.00	66.67	60.00	83.33	33.33	50.00	55.81	22.50	9.09	25.00	-	-	-	-
	WHITE	12.59	-	40.00	50.00	66.67	-	30.00	32.14	4.92	9.68	20.00	-	-	-	-
	BLACK	84.21	100.00	100.00	100.00	100.00	100.00	100.00	100.00	87.50	-	100.00	-	-	-	-
	OTHER	33.33	-	-	-	-	-	-	-	33.33	-	-	-	-	-	-
LINCOLN	ALL	36.86	100.00	100.00	69.23	70.00	65.22	62.07	67.90	44.63	26.54	16.25	8.25	45.45	-	-
	WHITE	5.92	-	100.00	20.00	40.00	20.00	-	18.75	8.97	1.02	5.88	-	-	-	-
	BLACK	71.71	100.00	100.00	100.00	100.00	100.00	100.00	100.00	72.73	66.67	37.04	25.00	71.43	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON[8]	ALL	40.63	100.00	100.00	77.78	71.43	85.71	85.71	82.50	52.50	25.93	3.33	13.33	37.50	-	-
	WHITE	7.76	-	100.00	33.33	50.00	50.00	-	41.67	14.81	-	-	-	-	-	-
	BLACK	68.84	100.00	100.00	100.00	100.00	100.00	100.00	100.00	71.70	80.00	10.00	40.00	60.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	ALL	22.48	100.00	83.33	57.58	75.68	52.94	35.21	52.56	23.34	11.08	7.14	8.67	14.29	-	-
	WHITE	17.99	-	83.33	55.17	67.86	49.18	29.23	47.09	18.20	8.31	5.18	4.88	14.29	-	-
	BLACK	70.87	100.00	-	75.00	100.00	85.71	100.00	92.31	80.56	55.00	30.77	25.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	ALL	60.09	100.00	90.91	87.50	60.00	80.95	72.22	76.71	59.74	35.29	40.74	60.00	100.00	-	-
	WHITE	16.95	100.00	-	-	-	33.33	42.86	33.33	13.04	-	-	40.00	-	-	-
	BLACK	75.15	100.00	90.91	87.50	69.23	88.89	90.91	85.25	79.63	54.55	52.38	80.00	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	ALL	51.34	100.00	88.89	83.87	73.33	50.00	73.17	69.68	48.37	35.71	28.57	50.00	50.00	-	-
	WHITE	16.74	100.00	-	54.55	20.00	25.00	33.33	31.15	11.25	9.09	9.09	-	50.00	-	-
	BLACK	78.50	100.00	100.00	100.00	100.00	80.00	96.15	94.68	77.67	58.49	56.52	70.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP[8]	ALL	60.00	100.00	100.00	93.75	82.35	62.50	72.00	77.27	58.82	44.90	36.36	37.50	50.00	-	-
	WHITE	16.85	100.00	-	-	-	40.00	14.29	23.81	12.90	13.33	11.76	-	50.00	-	-
	BLACK	79.50	100.00	100.00	100.00	100.00	78.57	94.44	94.03	80.00	58.82	62.50	50.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
NATCHITOCHES	ALL	42.03	100.00	88.89	81.25	83.33	65.22	61.54	71.43	47.64	26.83	21.95	11.54	50.00	-	-
	WHITE	13.28	-	66.67	25.00	57.14	44.44	21.43	37.84	13.68	12.33	-	-	-	-	-
	BLACK	72.31	100.00	100.00	100.00	100.00	78.57	87.50	91.04	81.25	48.98	51.43	33.33	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	ALL	61.33	95.59	97.09	96.75	95.81	92.59	81.47	93.93	72.92	46.88	34.36	31.71	28.85	-	100.00
	WHITE	16.72	-	87.50	61.54	88.24	53.85	64.86	67.33	32.42	10.85	7.88	9.27	14.29	-	-
	BLACK	73.77	98.48	97.56	98.29	96.14	95.14	93.33	95.51	79.49	60.19	51.58	47.79	38.71	-	100.00
	OTHER	15.05	-	-	100.00	-	50.00	83.33	71.43	23.73	11.48	8.25	6.67	14.29	-	-
OUACHITA	ALL	44.51	100.00	97.56	92.54	86.36	69.30	65.31	77.24	51.86	26.83	22.97	26.13	11.11	-	-
	WHITE	15.52	-	75.00	61.54	57.14	39.58	29.03	41.29	18.73	9.58	6.61	3.64	-	-	-
	BLACK	76.07	100.00	100.00	100.00	100.00	90.91	91.76	95.70	83.29	59.63	50.00	49.09	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE[a]	ALL	61.49	100.00	100.00	98.08	90.16	86.11	78.72	88.22	70.70	41.31	36.26	29.51	16.67	-	-
	WHITE	15.04	-	-	-	14.29	61.54	25.00	34.15	23.81	10.00	2.86	5.00	-	-	-
	BLACK	78.80	100.00	100.00	100.00	100.00	91.53	93.24	96.34	85.06	62.64	57.14	42.50	22.22	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	ALL	31.93	100.00	100.00	100.00	85.71	78.57	55.56	74.47	39.19	13.39	19.74	23.81	25.00	-	-
	WHITE	18.08	100.00	100.00	100.00	75.00	66.67	25.00	57.14	25.29	6.67	8.93	23.08	-	-	-
	BLACK	57.86	100.00	100.00	100.00	100.00	85.71	88.89	91.67	60.38	33.33	52.94	14.29	100.00	-	-
	OTHER	38.89	-	-	-	-	100.00	-	50.00	50.00	-	33.33	100.00	-	-	-
POINTE COUPEE	ALL	45.25	100.00	100.00	100.00	72.73	86.67	70.59	81.13	50.88	29.03	28.99	36.36	66.67	-	-
	WHITE	12.58	100.00	-	100.00	33.33	50.00	33.33	42.86	16.33	2.08	7.69	12.50	-	-	-
	BLACK	71.72	100.00	100.00	100.00	87.50	100.00	90.91	94.87	78.13	57.78	56.67	50.00	66.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	ALL	34.89	100.00	100.00	86.27	74.63	72.80	55.10	70.26	38.24	19.10	17.13	18.30	15.38	-	-
	WHITE	15.40	100.00	100.00	63.16	51.85	45.10	27.03	42.37	18.06	6.05	9.33	7.69	10.00	-	-
	BLACK	67.68	100.00	100.00	100.00	90.00	91.89	83.33	90.79	72.27	52.35	35.71	35.71	50.00	-	-
	OTHER	11.11	-	-	-	-	-	100.00	100.00	40.00	-	-	-	-	-	-
ALEXANDRIA[a]	ALL	50.35	100.00	100.00	100.00	84.82	87.14	78.79	87.28	55.33	30.40	26.57	19.70	16.67	-	-
	WHITE	17.89	100.00	100.00	100.00	62.50	58.33	38.46	60.00	21.10	6.67	14.08	5.71	-	-	-
	BLACK	71.04	100.00	100.00	100.00	90.32	93.10	88.68	93.09	75.13	54.40	40.00	36.67	100.00	-	-
	OTHER	9.09	-	-	-	-	-	-	-	50.00	-	-	-	-	-	-
RED RIVER	ALL	40.13	100.00	100.00	100.00	50.00	50.00	58.33	65.63	38.18	30.00	28.57	16.67	-	-	-
	WHITE	12.50	-	100.00	-	-	40.00	28.57	31.25	9.38	11.54	-	-	-	-	-
	BLACK	76.47	100.00	100.00	100.00	100.00	100.00	100.00	100.00	81.82	64.29	60.00	25.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	ALL	47.67	100.00	90.00	85.71	64.29	69.23	68.75	73.49	47.46	34.78	28.85	47.06	-	-	-
	WHITE	16.13	-	-	33.33	37.50	20.00	28.57	29.03	18.33	12.73	-	27.27	-	-	-
	BLACK	80.90	100.00	100.00	100.00	100.00	100.00	100.00	100.00	77.59	69.44	62.50	83.33	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	ALL	36.31	100.00	83.33	60.00	81.90	45.00	60.00	58.44	37.80	20.65	13.79	33.33	50.00	-	-
	WHITE	20.00	100.00	75.00	55.56	27.27	12.50	53.85	42.22	16.28	13.70	9.52	12.50	-	-	-
	BLACK	70.91	100.00	100.00	100.00	100.00	83.64	71.43	80.65	82.93	50.00	25.00	57.14	100.00	-	-
	OTHER	50.00	-	-	-	-	100.00	-	100.00	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
ST BERNARD	ALL	25.63	100.00	100.00	80.95	80.00	53.13	52.50	66.91	29.96	12.69	13.61	14.29	40.00	-	-
	WHITE	21.78	100.00	100.00	73.33	75.86	42.31	48.57	60.71	26.24	10.71	11.04	13.33	25.00	-	-
	BLACK	66.67	-	100.00	100.00	100.00	100.00	80.00	95.65	83.33	42.86	80.00	50.00	100.00	-	-
	OTHER	6.25	-	-	-	100.00	-	-	100.00	-	-	-	-	-	-	-
ST CHARLES	ALL	29.11	100.00	100.00	83.33	93.75	84.52	69.44	75.96	45.74	12.69	9.47	17.78	-	-	-
	WHITE	11.78	-	100.00	33.33	100.00	50.00	69.23	63.41	18.75	4.10	4.44	3.23	-	-	-
	BLACK	62.41	100.00	100.00	100.00	90.91	84.62	69.57	84.13	73.91	39.68	32.26	53.85	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	ALL	48.91	100.00	100.00	100.00	50.00	77.78	44.44	66.67	50.91	43.33	23.08	14.29	66.67	-	-
	WHITE	16.36	100.00	100.00	-	-	66.67	25.00	44.44	18.18	-	-	-	-	-	-
	BLACK	70.73	100.00	100.00	100.00	66.67	83.33	60.00	77.78	72.73	76.47	33.33	50.00	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	ALL	40.97	100.00	100.00	100.00	88.89	94.44	78.57	90.57	47.52	25.19	21.82	24.00	66.67	-	-
	WHITE	10.74	-	-	-	100.00	50.00	33.33	57.14	20.51	4.41	3.57	-	-	-	-
	BLACK	61.26	100.00	100.00	100.00	85.71	100.00	90.91	95.65	64.52	47.62	40.74	33.33	66.67	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	ALL	31.03	80.00	100.00	85.71	72.73	83.33	73.17	78.02	43.08	17.14	11.64	20.00	16.67	-	-
	WHITE	11.19	50.00	-	66.67	75.00	44.44	43.75	50.00	19.39	5.75	3.03	-	-	-	-
	BLACK	61.64	100.00	100.00	100.00	71.43	100.00	92.00	93.22	67.71	47.76	31.82	55.56	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	ALL	41.00	100.00	94.12	87.10	76.74	75.34	63.16	73.75	46.39	27.63	23.58	17.50	-	-	-
	WHITE	21.18	100.00	75.00	62.50	57.89	52.00	50.00	54.00	23.93	12.00	9.43	5.13	-	-	-
	BLACK	59.92	100.00	100.00	95.65	91.67	87.50	74.51	86.16	67.60	46.99	37.74	29.27	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS[a]	ALL	52.53	100.00	100.00	78.57	92.86	75.00	59.09	76.82	62.79	40.00	33.93	24.14	-	-	-
	WHITE	17.82	100.00	-	-	100.00	66.67	16.67	42.86	19.05	11.43	15.00	-	-	-	-
	BLACK	63.89	100.00	100.00	91.67	90.91	76.47	75.00	84.13	71.30	52.50	44.44	36.84	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	ALL	33.33	100.00	100.00	81.82	88.00	57.14	80.98	69.16	39.83	23.22	18.25	13.04	-	-	-
	WHITE	14.39	-	100.00	66.67	80.00	26.67	30.77	46.67	21.13	6.35	3.49	-	-	-	-
	BLACK	59.55	100.00	100.00	100.00	93.33	92.31	77.78	86.86	68.09	48.81	43.14	28.57	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	ALL	38.45	100.00	92.86	72.00	64.71	64.29	59.42	65.76	42.39	26.44	18.00	34.62	-	-	-
	WHITE	21.93	100.00	75.00	62.50	37.50	40.91	45.65	47.12	25.33	12.92	5.56	15.38	-	-	-
	BLACK	65.31	100.00	100.00	88.89	94.12	94.44	86.96	92.21	68.15	54.64	38.89	61.90	-	-	-
	OTHER	20.00	-	-	-	-	50.00	-	33.33	25.00	-	16.67	20.00	-	-	-
MORGAN CITY[a]	ALL	39.01	100.00	100.00	70.00	33.33	63.16	57.14	62.30	43.44	26.88	15.63	37.50	-	-	-
	WHITE	23.00	-	100.00	57.14	-	30.00	27.27	35.29	29.76	15.15	-	40.00	-	-	-
	BLACK	72.82	100.00	100.00	100.00	100.00	100.00	90.00	96.15	75.68	57.89	44.44	50.00	-	-	-
	OTHER	28.57	-	-	-	-	100.00	-	100.00	-	-	33.33	-	-	-	-
ST TAMMANY	ALL	21.50	100.00	83.33	76.00	78.57	61.97	52.94	63.60	34.50	10.88	6.13	6.76	-	-	-
	WHITE	14.96	100.00	75.00	58.33	71.05	59.26	38.10	53.06	25.17	7.42	4.18	5.73	-	-	-
	BLACK	59.14	100.00	100.00	92.31	94.12	75.00	88.57	88.24	68.60	38.27	27.08	25.00	-	-	-
	OTHER	9.09	-	-	-	100.00	-	-	50.00	100.00	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER												
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TANGIPAHOA	ALL	42.03	94.74	100.00	85.71	74.19	62.89	59.81	69.82	45.92	24.87	22.08	21.54	30.00	-	-
	WHITE	17.73	75.00	100.00	63.16	48.00	40.00	25.00	40.71	19.54	9.45	6.71	8.57	28.57	-	-
	BLACK	71.43	100.00	100.00	100.00	91.89	82.69	88.14	90.40	74.04	55.38	50.62	36.67	33.33	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND[8]	ALL	53.66	66.67	100.00	100.00	87.50	88.89	72.41	86.60	56.91	34.87	28.00	11.76	25.00	-	-
	WHITE	20.28	-	100.00	100.00	66.67	66.67	28.57	60.00	22.45	12.82	4.17	-	-	-	-
	BLACK	75.11	100.00	100.00	100.00	94.44	93.33	86.36	93.51	79.73	58.33	48.00	22.22	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	ALL	52.43	66.67	-	100.00	66.67	90.91	50.00	76.19	69.23	28.57	35.29	50.00	50.00	-	-
	WHITE	15.79	-	-	-	-	-	33.33	20.00	25.00	17.65	-	-	-	-	-
	BLACK	73.85	66.67	-	100.00	100.00	100.00	66.67	93.75	88.89	45.45	66.67	50.00	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	ALL	31.95	100.00	100.00	77.50	82.54	59.30	50.00	64.52	33.27	18.59	19.48	17.50	12.50	-	-
	WHITE	19.92	100.00	100.00	71.43	74.36	36.17	42.25	53.85	19.07	10.46	10.94	6.25	-	-	-
	BLACK	63.62	100.00	100.00	100.00	100.00	93.33	88.46	94.38	68.12	48.25	42.62	45.45	33.33	-	-
	OTHER	37.07	-	100.00	-	75.00	66.67	15.38	44.83	44.44	32.00	35.71	10.00	-	-	-
UNION	ALL	31.53	100.00	100.00	87.50	83.33	52.94	28.57	55.93	34.55	18.52	18.75	9.09	-	-	-
	WHITE	8.37	100.00	-	50.00	33.33	38.46	-	22.58	4.76	4.84	5.88	9.09	-	-	-
	BLACK	73.87	100.00	100.00	100.00	100.00	100.00	75.00	92.86	74.47	63.16	50.00	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	ALL	32.63	80.00	100.00	86.67	75.00	71.43	58.70	71.19	38.02	22.18	13.51	16.67	33.33	-	-
	WHITE	22.00	66.67	100.00	77.78	64.29	63.64	47.06	59.26	25.43	10.34	7.83	16.67	33.33	-	-
	BLACK	67.00	100.00	100.00	100.00	100.00	100.00	91.67	97.30	72.73	58.32	40.74	22.22	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE[8]	ALL	47.92	100.00	100.00	100.00	100.00	100.00	86.67	96.96	51.19	36.23	25.53	18.18	25.00	-	-
	WHITE	30.53	100.00	-	100.00	100.00	100.00	45.45	70.00	35.71	12.50	12.00	16.67	25.00	-	-
	BLACK	73.11	100.00	100.00	100.00	100.00	100.00	100.00	100.00	70.00	65.63	56.25	33.33	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	ALL	14.26	100.00	28.57	73.68	48.39	37.50	14.74	31.94	13.66	6.88	10.84	5.88	-	-	-
	WHITE	10.61	-	-	68.75	40.00	23.08	11.39	23.78	9.21	6.23	8.26	5.26	-	-	-
	BLACK	25.59	100.00	100.00	100.00	83.33	60.87	26.67	57.14	26.52	10.42	19.51	8.33	-	-	-
	OTHER	6.49	-	-	-	-	50.00	100.00	66.67	6.90	-	6.25	-	-	-	-
WASHINGTON	ALL	35.64	100.00	100.00	83.33	62.86	56.52	41.67	57.45	39.77	17.39	21.88	37.50	12.50	-	-
	WHITE	18.12	100.00	100.00	50.00	52.38	18.18	22.50	34.82	24.24	5.45	3.51	9.09	-	-	-
	BLACK	63.43	100.00	100.00	90.00	78.57	91.67	80.00	85.71	67.02	43.14	48.72	61.54	20.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	ALL	41.90	100.00	100.00	85.71	76.87	75.86	75.00	78.81	38.94	24.54	24.29	33.33	66.67	-	50.00
	WHITE	15.72	-	100.00	66.67	36.36	37.50	45.45	48.72	14.52	11.22	2.56	-	-	-	50.00
	BLACK	71.79	100.00	100.00	100.00	100.00	90.48	88.00	93.87	75.00	45.31	51.61	75.00	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	ALL	38.90	100.00	100.00	100.00	100.00	80.00	52.00	69.39	54.63	24.76	17.19	7.69	33.33	-	-
	WHITE	22.11	-	-	-	100.00	75.00	38.89	51.85	34.62	8.96	11.43	-	-	-	-
	BLACK	59.24	100.00	100.00	100.00	100.00	85.71	85.71	90.91	73.21	52.63	24.14	16.67	50.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII-A
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
WEST CARROLL	ALL	27.81	100.00	25.00	75.00	33.33	33.33	23.08	33.33	32.31	16.67	25.00	44.44	-	-	-
	WHITE	11.68	-	25.00	50.00	-	14.29	10.00	14.81	12.50	10.53	6.25	20.00	-	-	-
	BLACK	72.00	100.00	-	100.00	100.00	100.00	66.67	88.89	88.24	40.00	62.50	75.00	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	ALL	47.01	-	100.00	80.00	100.00	75.00	40.00	76.92	55.56	28.57	34.78	25.00	100.00	-	-
	WHITE	12.12	-	-	-	100.00	-	-	33.33	11.76	4.76	16.67	-	-	-	-
	BLACK	80.38	-	100.00	100.00	100.00	100.00	100.00	100.00	94.74	64.29	54.55	60.00	100.00	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	ALL	37.17	-	100.00	75.00	42.86	44.44	84.62	65.79	37.63	29.51	14.29	20.00	100.00	-	-
	WHITE	17.86	-	100.00	50.00	20.00	28.57	50.00	38.10	17.54	5.41	14.29	33.33	100.00	-	-
	BLACK	66.60	-	-	100.00	100.00	100.00	100.00	100.00	69.44	66.67	14.29	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*CITIES INCLUDED IN PARISH TOTALS

TABLE XII-B
PERCENT OF LIVE BIRTHS BORN TO UNMARRIED MOTHERS
BY AGE, RESIDENCE, AND RACE OF MOTHER
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	RACE	ALL AGES	AGE OF MOTHER													
			LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
STATE	ALL	38.30	97.04	93.97	86.49	81.11	71.73	63.85	74.27	45.08	23.74	18.85	20.30	21.08	-	55.56
	WHITE	16.71	87.27	78.26	63.89	59.35	45.91	37.17	48.22	20.85	8.55	6.70	7.15	8.16	-	25.00
	BLACK	68.00	98.95	98.93	98.27	95.40	91.99	87.86	92.97	73.76	52.73	44.24	42.30	40.38	-	80.00
	OTHER	15.90	-	100.00	42.86	77.78	48.48	45.00	53.47	25.34	8.77	6.82	7.87	10.53	-	-
SPD 1	ALL	43.73	97.12	96.12	91.84	89.71	82.98	77.47	84.80	55.74	28.16	21.10	20.62	21.17	-	66.67
	WHITE	17.55	100.00	88.10	70.37	70.56	55.95	48.86	59.21	27.59	9.31	6.68	8.00	7.94	-	-
	BLACK	71.27	98.92	97.69	98.41	96.66	94.68	91.05	94.82	77.03	56.53	48.96	43.31	41.67	-	100.00
	OTHER	16.93	-	-	50.00	81.82	35.71	69.23	59.52	26.32	9.95	8.05	12.31	16.67	-	-
SPD 2	ALL	36.33	93.42	96.21	87.10	82.73	71.25	60.29	73.32	44.34	22.13	17.47	17.80	22.22	-	-
	WHITE	15.74	76.92	87.10	65.85	65.61	48.61	32.74	48.54	21.20	7.11	5.45	5.09	7.89	-	-
	BLACK	63.98	96.83	99.00	97.58	94.35	89.24	86.99	91.62	70.48	49.81	40.73	38.94	40.63	-	-
	OTHER	10.53	-	100.00	100.00	100.00	-	66.67	83.33	20.83	9.76	-	-	-	-	-
SPD 3	ALL	31.62	92.59	91.67	78.41	82.28	65.08	56.00	67.97	37.61	18.78	15.03	18.75	20.93	-	-
	WHITE	16.12	60.00	81.82	64.58	73.75	39.52	39.18	50.34	19.58	8.02	6.30	5.79	8.70	-	-
	BLACK	64.57	100.00	100.00	100.00	91.78	92.98	86.09	91.76	71.21	50.00	40.09	45.45	38.89	-	-
	OTHER	31.61	-	100.00	-	80.00	63.64	14.29	44.12	44.44	22.86	20.83	6.67	-	-	-
SPD 4	ALL	34.66	96.23	96.94	85.00	73.24	67.16	60.12	70.06	42.12	21.95	17.08	17.31	10.99	-	-
	WHITE	18.91	83.33	88.46	72.09	55.35	48.64	45.97	52.85	23.83	9.98	7.08	7.61	4.55	-	-
	BLACK	62.83	100.00	100.00	96.81	94.24	90.00	80.66	89.96	70.71	48.97	40.99	36.02	28.00	-	-
	OTHER	9.09	-	-	-	-	50.00	25.00	28.57	13.33	4.76	4.76	7.69	-	-	-
SPD 5	ALL	28.25	100.00	78.79	66.67	73.02	57.36	51.94	59.97	32.93	15.37	11.75	16.54	18.42	-	-
	WHITE	17.59	100.00	53.33	45.45	63.41	44.68	40.50	46.47	19.78	7.70	7.28	5.78	8.33	-	-
	BLACK	57.91	100.00	100.00	94.12	90.91	92.59	79.27	88.36	68.60	40.35	28.29	38.82	35.71	-	-
	OTHER	6.45	-	-	-	-	-	100.00	33.33	16.67	-	-	-	-	-	-
SPD 6	ALL	31.04	100.00	84.51	81.20	67.47	62.29	45.40	60.89	30.12	18.49	18.81	17.06	18.52	-	-
	WHITE	15.02	100.00	64.52	61.40	44.94	36.91	23.98	37.11	13.94	7.08	10.66	7.74	15.79	-	-
	BLACK	61.74	100.00	100.00	100.00	93.51	88.36	79.26	89.08	62.84	46.27	38.28	34.07	28.57	-	-
	OTHER	9.01	-	-	-	-	50.00	100.00	80.00	12.82	-	5.00	-	-	-	-
SPD 7	ALL	42.34	100.00	95.97	86.67	79.61	73.35	66.79	75.85	46.97	26.77	20.31	26.97	36.67	-	50.00
	WHITE	15.00	100.00	80.00	60.00	45.71	46.01	30.00	43.13	15.76	8.96	6.17	7.73	12.00	-	33.33
	BLACK	72.12	100.00	100.00	98.62	97.06	91.39	90.61	94.13	76.96	55.78	45.49	50.50	54.29	-	100.00
	OTHER	5.56	-	-	-	-	100.00	-	50.00	11.11	-	-	-	-	-	-
SPD 8	ALL	45.65	98.18	92.93	88.55	77.62	66.89	61.27	72.68	49.70	28.23	24.82	32.55	20.51	-	50.00
	WHITE	15.93	100.00	60.00	53.85	43.84	34.35	25.48	35.42	17.95	9.22	6.22	9.26	9.52	-	-
	BLACK	76.45	98.08	98.81	99.21	95.82	92.26	91.01	94.81	80.45	60.09	52.46	57.28	33.33	-	50.00
	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 1	ALL	41.16	96.18	95.42	89.79	88.34	79.12	72.91	81.51	51.67	25.94	19.92	20.31	21.13	-	66.67
	WHITE	17.17	85.71	85.94	68.59	71.54	50.53	45.70	56.35	25.08	8.94	6.59	7.62	8.05	-	-
	BLACK	70.29	99.13	97.92	98.56	96.05	94.42	90.39	94.43	76.18	55.47	47.64	43.64	41.18	-	100.00
	OTHER	19.80	-	100.00	33.33	81.25	48.00	40.74	52.63	30.46	11.95	9.80	11.25	14.29	-	-
HSA 2	ALL	34.44	95.21	94.30	83.20	77.74	67.50	58.84	69.91	41.67	21.01	16.46	17.42	17.95	-	-
	WHITE	17.27	84.85	80.56	64.15	61.06	47.71	39.33	49.67	21.89	8.27	6.38	6.18	6.63	-	-
	BLACK	62.90	98.23	99.47	96.93	93.95	89.82	83.91	90.70	70.36	48.42	39.50	36.89	36.89	-	-
	OTHER	9.54	-	100.00	100.00	50.00	25.00	50.00	50.00	17.78	6.94	1.35	3.33	-	-	-
HSA 3	ALL	39.98	99.38	92.18	86.00	76.06	68.18	59.10	70.84	42.50	24.78	21.07	25.52	27.78	-	50.00
	WHITE	15.23	100.00	69.01	59.01	44.84	39.50	26.53	38.89	15.59	8.45	7.47	8.06	12.31	-	33.33
	BLACK	71.07	99.35	99.55	99.10	95.93	90.86	88.38	93.23	74.80	54.66	45.88	48.48	45.00	-	66.67
	OTHER	7.22	-	-	-	-	75.00	60.00	66.67	12.00	-	2.78	-	-	-	-

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	602	594	8.2	ALL	8	9	18	22	24	46	119	176	134	83	47	15	1	11
	224	218	5.4	WHITE	4	1	3	7	5	17	33	84	49	39	20	8	-	1
	377	375	12.4	BLACK	4	8	15	15	19	29	86	112	85	43	27	7	1	10
	1	1	0.8	OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
ACADIA	4	9	9.2	ALL	-	-	1	1	-	-	2	3	2	1	-	1	-	-
	2	4	5.6	WHITE	-	-	-	1	-	-	1	1	-	1	-	1	-	-
	2	5	18.6	BLACK	-	-	1	-	-	-	1	2	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY[a]	4	2	7.3	ALL	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	2	1	6.5	WHITE	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	2	1	8.3	BLACK	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	1	6	16.7	ALL	-	-	-	-	-	1	1	3	2	-	-	-	-	-
	-	4	15.1	WHITE	-	-	-	-	-	1	1	2	1	-	-	-	-	-
	1	2	21.5	BLACK	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	7	6.4	ALL	-	-	-	1	3	-	4	1	-	1	1	-	-	-
	-	3	4.0	WHITE	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	-	4	12.0	BLACK	-	-	-	1	3	-	4	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	4	11.4	ALL	-	-	-	-	-	-	-	-	1	2	1	-	-	-
	-	1	5.4	WHITE	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	3	18.4	BLACK	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	1	5	7.9	ALL	-	-	-	-	-	3	3	1	-	-	-	1	-	-
	-	1	2.7	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	1	4	15.4	BLACK	-	-	-	-	-	3	3	-	-	-	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	8	5	9.5	ALL	-	-	-	-	-	-	-	2	2	-	1	-	-	-
	5	3	7.0	WHITE	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	3	2	21.7	BLACK	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER[a]	7	3	14.3	ALL	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	5	1	7.9	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2	2	25.0	BLACK	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	1	3.9	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	7.0	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	4	7	4.9	ALL	-	-	-	-	-	-	-	2	1	1	2	1	-	-
	2	4	4.0	WHITE	-	-	-	-	-	-	-	-	1	1	1	1	-	-
	2	3	7.4	BLACK	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER CITY[a]	4	4	4.2	ALL	-	-	-	-	-	-	-	2	-	1	1	-	-	-
	2	2	2.9	WHITE	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	2	2	8.1	BLACK	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	54	35	8.5	ALL	-	-	2	3	1	4	10	10	9	4	1	1	-	-
	14	5	2.7	WHITE	-	-	1	-	-	1	2	1	1	-	-	1	-	-
	40	30	13.4	BLACK	-	-	1	3	1	3	8	9	8	4	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHREVEPORT[a]	53	33	9.4	ALL	-	-	2	1	1	4	8	10	9	4	1	1	-	-
	14	5	3.6	WHITE	-	-	1	-	-	1	2	1	1	-	-	1	-	-
	39	28	13.4	BLACK	-	-	1	1	1	3	6	9	8	4	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
CALCASIEU	19	19	6.8	ALL	-	-	-	2	-	2	4	8	3	1	2	-	-	1
	10	9	4.7	WHITE	-	-	-	-	-	-	-	5	2	-	1	-	-	1
	9	10	12.0	BLACK	-	-	-	2	-	2	4	3	1	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES[a]	16	10	7.4	ALL	-	-	-	2	-	2	4	5	1	-	-	-	-	-
	7	2	3.0	WHITE	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	9	8	11.8	BLACK	-	-	-	2	-	2	4	3	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR[a]	3	3	8.8	ALL	-	-	-	-	-	-	-	2	-	-	-	-	-	1
	3	3	9.7	WHITE	-	-	-	-	-	-	-	2	-	-	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	2	1	6.6	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	27.0	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	1	2	8.0	ALL	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	12.0	BLACK	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	1	1	3.2	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	5.8	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	2	4.6	ALL	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	-	1	4.9	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	1	4.4	BLACK	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	69	56	8.5	ALL	1	-	3	-	5	5	13	17	7	11	7	-	-	-
	24	15	4.5	WHITE	1	-	-	-	1	-	1	2	2	5	4	-	-	-
	45	41	13.1	BLACK	-	-	3	-	4	5	12	15	5	6	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BATON ROUGE[a]	64	48	9.1	ALL	1	-	3	-	4	5	12	13	6	9	7	-	-	-
	21	11	4.7	WHITE	1	-	-	-	-	-	-	1	1	4	4	-	-	-
	43	37	13.0	BLACK	-	-	3	-	4	5	12	12	5	5	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BAKER[a]	1	1	3.6	ALL	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	11.5	BLACK	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	2	8.8	ALL	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	10.4	BLACK	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
E FELICIANA	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	6	7	11.3	ALL	-	-	-	-	-	1	1	2	2	2	-	-	-	-
	2	3	8.2	WHITE	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	4	4	16.0	BLACK	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	5	13.9	ALL	-	-	1	-	-	-	1	2	2	-	-	-	-	-
	-	4	20.6	WHITE	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	1	6.0	BLACK	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	1	4.0	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	20.0	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	6	14	11.2	ALL	-	-	-	-	1	2	3	5	2	2	1	1	-	-
	3	7	9.6	WHITE	-	-	-	-	1	-	1	3	1	1	1	-	-	-
	3	7	14.0	BLACK	-	-	-	-	-	2	2	2	1	1	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA[a]	6	9	13.3	ALL	-	-	-	-	1	1	2	4	1	1	1	-	-	-
	3	6	15.9	WHITE	-	-	-	-	1	-	1	3	-	1	1	-	-	-
	3	3	10.5	BLACK	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	1	1	1.7	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	1	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	2.9	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	1	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	67	70	9.7	ALL	1	1	1	3	2	6	13	17	18	11	7	1	-	2
	37	34	7.0	WHITE	-	-	-	1	-	3	4	10	8	6	5	1	-	-
	30	35	17.4	BLACK	1	1	1	2	2	3	9	7	10	4	2	-	-	2
	-	1	3.3	OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
KENNER[a]	3	10	8.1	ALL	-	-	-	-	-	1	1	3	3	2	1	-	-	-
	1	6	7.4	WHITE	-	-	-	-	-	1	1	1	1	2	1	-	-	-
	2	4	10.9	BLACK	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRETNA[a]	16	8	14.7	ALL	1	-	-	1	-	2	3	1	2	1	-	-	-	-
	6	4	11.7	WHITE	-	-	-	-	-	2	2	-	1	1	-	-	-	-
	10	4	23.0	BLACK	1	-	-	1	-	-	1	1	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN[a]	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO[a]	-	2	9.3	ALL	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	1	7.8	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	1	12.7	BLACK	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
JEFF DAVIS	2	3	5.5	ALL	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	2	3	7.3	WHITE	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS[a]	2	1	4.3	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2	1	6.5	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	55	20	6.9	ALL	-	-	-	2	-	1	3	4	4	3	4	2	-	-
	22	13	6.4	WHITE	-	-	-	1	-	-	1	2	4	2	2	2	-	-
	33	7	8.2	BLACK	-	-	-	1	-	1	2	2	-	1	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE[a]	55	12	6.8	ALL	-	-	-	1	-	1	2	3	1	2	3	1	-	-
	22	7	6.1	WHITE	-	-	-	-	-	-	-	2	1	1	2	1	-	-
	33	5	8.1	BLACK	-	-	-	1	-	1	2	1	-	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	7	9	6.2	ALL	-	-	2	-	-	1	3	-	3	2	1	-	-	-
	6	7	6.3	WHITE	-	-	2	-	-	1	3	-	2	2	-	-	-	-
	1	2	6.5	BLACK	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THIBODAUX[a]	3	3	9.9	ALL	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	2	1	6.8	WHITE	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	2	13.1	BLACK	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	4	7	12.8	ALL	-	1	1	-	-	-	2	-	2	1	1	1	-	-
	1	2	7.0	WHITE	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	3	5	19.4	BLACK	-	1	1	-	-	-	2	-	2	-	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON[a]	4	4	15.6	ALL	-	1	1	-	-	-	2	-	2	-	-	-	-	-
	1	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	4	29.0	BLACK	-	1	1	-	-	-	2	-	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	6	5.0	ALL	-	-	-	-	1	-	1	-	2	3	-	-	-	-
	-	6	5.4	WHITE	-	-	-	-	1	-	1	-	2	3	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	1	1	4.4	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	5.9	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH[a]	1	1	5.6	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	6.8	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	4	6	11.5	ALL	-	1	-	-	-	-	1	1	3	-	1	-	-	-
	2	1	4.4	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	2	5	17.1	BLACK	-	1	-	-	-	-	1	1	2	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP[a]	4	3	10.3	ALL	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	2	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	15.0	BLACK	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
NATCHITOCHES	1	2	3.8	ALL	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	1	3.7	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	1	1	3.8	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES[a]	1	1	3.3	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	5.2	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	125	92	10.0	ALL	1	2	3	1	4	9	19	28	21	11	5	2	-	7
	19	4	2.3	WHITE	-	-	-	-	-	1	1	1	-	1	1	-	-	-
	105	88	12.2	BLACK	1	2	3	1	4	8	18	25	21	10	4	2	-	7
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	31	17	7.1	ALL	1	1	-	1	-	1	3	7	3	3	-	-	-	-
	12	6	4.9	WHITE	1	1	-	1	-	-	2	3	-	-	-	-	-	-
	19	11	9.6	BLACK	-	-	-	-	-	1	1	4	3	3	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE[a]	25	9	6.7	ALL	-	1	-	-	-	1	2	2	2	3	-	-	-	-
	9	1	2.8	WHITE	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	16	8	8.2	BLACK	-	-	-	-	-	1	1	2	2	3	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE[a]	6	6	15.7	ALL	-	-	-	1	-	-	1	4	1	-	-	-	-	-
	3	3	10.3	WHITE	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	3	3	33.7	BLACK	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	1	1	2.3	ALL	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	7.1	BLACK	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	29	20	9.1	ALL	1	-	-	1	1	2	4	7	5	1	2	-	-	-
	12	7	5.2	WHITE	-	-	-	-	-	1	1	3	3	-	-	-	-	-
	17	13	15.8	BLACK	1	-	-	1	1	1	3	4	2	1	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA[a]	17	13	12.9	ALL	1	-	-	1	1	1	3	5	2	-	2	-	-	-
	9	1	2.6	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	8	12	19.4	BLACK	1	-	-	1	1	1	3	4	2	-	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PINEVILLE[a]	12	3	9.8	ALL	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	3	2	8.3	WHITE	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	9	1	16.4	BLACK	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	1	6.4	ALL	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	14.7	BLACK	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	4	11.0	ALL	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	-	2	10.8	WHITE	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	-	2	11.2	BLACK	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	1	6	17.3	ALL	-	1	-	-	-	-	1	-	2	1	-	1	1	-
	-	2	8.5	WHITE	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	1	4	36.4	BLACK	-	1	-	-	-	-	1	-	2	-	-	-	1	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
ST BERNARD	-	8	8.4	ALL	-	-	-	-	-	-	-	3	3	2	-	-	-	-
	-	5	5.9	WHITE	-	-	-	-	-	-	-	-	3	2	-	-	-	-
	-	3	34.5	BLACK	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	3	3.9	ALL	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	-	1	2.0	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	2	7.5	BLACK	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	5	13.5	ALL	-	-	-	-	-	-	-	3	1	1	-	-	-	-
	-	1	6.7	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	4	18.0	BLACK	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	5	6	8.1	ALL	-	-	-	1	-	-	1	1	4	-	-	-	-	-
	2	2	4.6	WHITE	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	3	4	13.7	BLACK	-	-	-	-	-	-	-	-	4	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	16	20	13.6	ALL	-	-	1	1	2	3	7	2	7	2	1	1	-	-
	7	4	5.6	WHITE	-	-	-	-	-	3	3	-	1	-	-	-	-	-
	9	16	21.3	BLACK	-	-	1	1	2	-	4	2	6	2	1	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS[a]	12	11	26.5	ALL	-	-	1	-	2	2	5	2	3	-	1	-	-	-
	4	2	19.8	WHITE	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	8	9	28.7	BLACK	-	-	1	-	2	-	3	2	3	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE[a]	4	1	4.0	ALL	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	3	1	6.5	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	1	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	6	8.0	ALL	-	-	-	1	-	-	1	3	1	-	1	-	-	-
	-	1	2.3	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	5	15.9	BLACK	-	-	-	1	-	-	1	2	1	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	10	14	12.8	ALL	-	1	1	1	-	1	4	7	1	-	2	-	-	-
	6	6	9.2	WHITE	-	-	-	-	-	1	1	5	-	-	-	-	-	-
	4	8	19.1	BLACK	-	1	1	1	-	-	3	2	1	-	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORGAN CITY[a]	7	5	15.5	ALL	-	-	-	-	-	1	1	2	-	-	2	-	-	-
	4	2	9.4	WHITE	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	3	3	29.1	BLACK	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	16	15	6.4	ALL	-	-	-	-	1	-	1	3	2	8	1	-	-	-
	9	9	4.6	WHITE	-	-	-	-	-	-	-	1	-	7	1	-	-	-
	7	6	17.1	BLACK	-	-	-	-	1	-	1	2	2	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL[a]	9	6	11.5	ALL	-	-	-	-	1	-	1	-	-	4	1	-	-	-
	6	5	12.0	WHITE	-	-	-	-	-	-	-	-	-	4	1	-	-	-
	3	1	9.6	BLACK	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS													
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
TANGIPAHOA	12	14	8.6	ALL	2	1	-	1	2	1	5	3	3	1	-	-	-	-
	6	7	7.9	WHITE	2	-	-	-	1	1	2	1	2	-	-	-	-	-
	6	7	9.4	BLACK	-	1	-	1	1	-	3	2	1	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND[a]	-	1	2.7	ALL	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	1	7.0	WHITE	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	23	13	7.4	ALL	-	-	-	2	-	1	3	5	3	-	2	-	-	-
	12	10	8.3	WHITE	-	-	-	2	-	1	3	4	1	-	2	-	-	-
	11	3	6.9	BLACK	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOUMA[a]	3	5	6.2	ALL	-	-	-	-	-	1	1	2	1	-	1	-	-	-
	3	4	8.4	WHITE	-	-	-	-	-	1	1	2	-	-	1	-	-	-
	-	1	3.7	BLACK	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	1	3	9.6	ALL	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	1	2	9.9	WHITE	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	-	1	9.0	BLACK	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	2	9	11.1	ALL	-	-	-	-	1	-	1	2	4	1	-	1	-	-
	1	5	8.5	WHITE	-	-	-	-	1	-	1	1	3	-	-	-	-	-
	1	4	20.0	BLACK	-	-	-	-	-	-	-	1	1	1	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE[a]	1	3	11.3	ALL	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	1	7.6	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	1	2	16.8	BLACK	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	6	9	6.1	ALL	-	-	-	-	-	-	-	5	4	-	-	-	-	-
	3	6	5.8	WHITE	-	-	-	-	-	-	-	4	2	-	-	-	-	-
	3	3	7.8	BLACK	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	4	7	10.1	ALL	-	-	1	-	-	-	1	4	-	1	1	-	-	-
	-	2	4.7	WHITE	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	4	5	18.7	BLACK	-	-	1	-	-	-	1	3	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA[a]	4	2	8.5	ALL	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	-	1	7.5	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	4	1	9.8	BLACK	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	1	3	5.0	ALL	-	-	-	-	-	1	1	1	-	-	-	1	-	-
	1	2	6.3	WHITE	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	-	1	3.6	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINDEN[a]	1	3	12.0	ALL	-	-	-	-	-	1	1	1	-	-	-	1	-	-
	1	2	21.7	WHITE	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	-	1	6.4	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	1	2.9	ALL	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	6.4	BLACK	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XIII-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
WEST CARROLL	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	3	22.4	ALL	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	-	3	45.5	WHITE	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	8		ALL	-	-	-	1	-	-	1	2	2	1	2	-	-	-
	-	6		WHITE	-	-	-	-	-	-	-	1	2	1	2	-	-	-
	-	2		BLACK	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	-	-		OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RATIO PER 1,000 LIVE BIRTHS
*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XIII-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	602	594	8.2	ALL	8	9	18	22	24	46	119	176	134	83	47	15	1	11
	224	218	5.4	WHITE	4	1	3	7	5	17	33	64	49	39	20	8	-	1
	377	375	12.4	BLACK	4	8	15	15	19	29	86	112	85	43	27	7	1	10
	1	1	0.8	OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SPD 1	209	186	9.2	ALL	2	3	4	4	7	15	33	48	44	33	13	3	-	9
	65	52	5.4	WHITE	-	-	-	1	-	4	5	12	11	16	7	1	-	-
	143	133	13.5	BLACK	2	3	4	3	7	11	28	37	33	16	6	2	-	9
	1	1	1.6	OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SPD 2	86	95	7.3	ALL	3	1	4	2	11	6	24	25	13	20	9	-	-	1
	31	36	4.9	WHITE	3	-	-	-	3	1	4	5	7	12	5	-	-	-
	55	59	10.5	BLACK	-	1	4	2	8	5	20	20	6	8	4	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 3	35	40	7.4	ALL	-	-	2	3	-	2	7	9	13	6	5	-	-	-
	20	22	6.1	WHITE	-	-	2	3	-	2	7	6	4	3	2	-	-	-
	15	18	10.7	BLACK	-	-	-	-	-	-	-	3	9	3	3	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 4	99	99	10.0	ALL	-	1	3	6	4	8	22	28	23	11	9	6	-	-
	43	43	6.9	WHITE	-	-	-	2	2	5	9	13	10	5	3	3	-	-
	56	56	15.7	BLACK	-	1	3	4	2	3	13	15	13	6	6	3	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 5	30	33	7.6	ALL	-	-	-	2	-	3	5	14	9	1	3	-	-	1
	17	19	6.0	WHITE	-	-	-	-	-	1	1	9	7	-	1	-	-	1
	13	14	12.1	BLACK	-	-	-	2	-	2	4	5	2	1	2	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 6	37	36	6.6	ALL	1	-	-	1	1	5	7	15	9	1	2	1	-	-
	15	14	4.0	WHITE	-	-	-	-	-	1	1	8	5	-	-	-	-	-
	22	22	11.6	BLACK	1	-	-	1	1	4	6	7	4	1	2	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 7	66	66	7.6	ALL	-	2	4	3	1	5	15	19	14	7	5	5	1	-
	18	17	3.8	WHITE	-	-	1	-	-	2	3	3	2	3	2	4	-	-
	48	49	11.8	BLACK	-	2	3	3	1	3	12	16	12	4	3	1	1	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPD 8	40	39	7.7	ALL	2	2	1	1	-	2	6	17	9	4	1	-	-	-
	15	15	5.9	WHITE	1	1	-	1	-	1	3	8	3	-	-	-	-	-
	25	24	9.7	BLACK	1	1	1	-	-	1	3	9	6	4	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 1	244	226	8.8	ALL	2	3	6	7	7	17	40	58	57	39	18	3	-	9
	95	74	5.6	WHITE	-	-	2	4	-	6	12	18	15	19	9	1	-	-
	158	151	13.1	BLACK	2	3	4	3	7	11	28	40	42	19	9	2	-	9
	1	1	1.3	OTHER	-	-	-	-	-	-	-	-	-	1	-	-	-	-
HSA 2	215	227	8.3	ALL	3	2	7	10	15	17	51	67	45	32	21	6	-	2
	91	98	5.9	WHITE	3	-	-	2	5	7	14	27	24	17	9	3	-	1
	124	129	12.5	BLACK	-	2	7	8	10	10	37	40	21	15	12	3	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 3	143	141	7.3	ALL	3	4	5	5	2	12	28	51	32	12	8	6	1	-
	48	46	4.4	WHITE	1	1	1	1	-	4	7	19	10	3	2	4	-	-
	95	95	11.1	BLACK	2	3	4	4	2	8	21	32	22	9	6	2	1	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RATIO PER 1,000 LIVE BIRTHS

TABLE XIV
STILLBIRTHS SHOWN BY SELECTED CAUSE AND AGE AND RACE OF MOTHER
LOUISIANA RESIDENTS, 1991

ICD-9 CAUSE OF STILLBIRTH	RATIO	RACE	TOTAL	AGE							
				LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TOTAL	824.1	ALL	594	8	119	176	134	83	47	15	1	11
	538.2	WHITE	218	4	33	64	49	39	20	8	-	1
	1235.2	BLACK	375	4	86	112	85	43	27	7	1	10
	82.4	OTHER	1	-	0	-	-	1	-	-	-	-
CONGENITAL ANOMALIES - (740-759)	44.4	ALL	32	-	5	7	7	7	5	-	-	1
	46.9	WHITE	19	-	2	3	4	6	3	-	-	1
	42.8	BLACK	13	-	3	4	3	1	2	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	8.3	ALL	6	-	1	3	1	1	-	-	-	-
	4.9	WHITE	2	-	0	-	1	1	-	-	-	-
	13.2	BLACK	4	-	1	3	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
SPINA BIFIDA - (741)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	2.8	ALL	2	-	0	2	-	-	-	-	-	-
	4.9	WHITE	2	-	0	2	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	4.2	ALL	3	-	0	-	1	1	1	-	-	-
	7.4	WHITE	3	-	0	-	1	1	1	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	13.9	ALL	10	-	1	2	3	3	-	-	-	1
	17.3	WHITE	7	-	0	1	2	3	-	-	-	1
	9.9	BLACK	3	-	1	1	1	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	15.3	ALL	11	-	3	-	2	2	4	-	-	-
	12.3	WHITE	5	-	2	-	-	1	2	-	-	-
	19.8	BLACK	6	-	1	-	2	1	2	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	52.7	ALL	38	-	11	10	5	7	5	-	-	-
	19.8	WHITE	8	-	1	3	1	2	1	-	-	-
	98.8	BLACK	30	-	10	7	4	5	4	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	31.9	ALL	23	-	8	4	4	4	3	-	-	-
	14.8	WHITE	6	-	1	2	1	1	1	-	-	-
	56.0	BLACK	17	-	7	2	3	3	2	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
MATERNAL INJURY - (760.5)	2.8	ALL	2	-	1	-	1	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	6.6	BLACK	2	-	1	-	1	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV
STILLBIRTHS SHOWN BY SELECTED CAUSE AND AGE AND RACE OF MOTHER
LOUISIANA RESIDENTS, 1991

ICD-9 CAUSE OF STILLBIRTH	RATIO	RACE	TOTAL	AGE							
				LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	18.0	ALL	13	-	2	6	-	3	2	-	-	-
	4.9	WHITE	2	-	0	1	-	1	-	-	-	-
	36.2	BLACK	11	-	2	5	-	2	2	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761)	104.1	ALL	75	3	13	23	20	6	9	1	-	-
	56.8	WHITE	23	2	3	7	7	2	2	-	-	-
	171.3	BLACK	52	1	10	16	13	4	7	1	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
PREMATURE RUPTURE OF MEMBRANES - (761.1)	36.1	ALL	26	1	6	8	3	4	3	1	-	-
	9.9	WHITE	4	-	1	1	1	1	-	-	-	-
	72.5	BLACK	22	1	5	7	2	3	3	1	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
MULTIPLE PREGNANCY - (761.5)	48.6	ALL	35	2	4	11	12	-	6	-	-	-
	37.0	WHITE	15	2	1	4	6	-	2	-	-	-
	65.9	BLACK	20	-	3	7	6	-	4	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	19.4	ALL	14	-	3	4	5	2	-	-	-	-
	9.9	WHITE	4	-	1	2	-	1	-	-	-	-
	32.9	BLACK	10	-	2	2	5	1	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	265.0	ALL	191	-	31	62	44	34	13	7	-	-
	219.7	WHITE	89	-	14	32	16	16	7	4	-	-
	332.7	BLACK	101	-	17	30	28	17	6	3	-	-
	82.4	OTHER	1	-	0	-	-	1	-	-	-	-
PLACENTA PRAEVIA - (762.0)	5.5	ALL	4	-	1	1	1	-	-	1	-	-
	2.5	WHITE	1	-	0	-	-	-	-	1	-	-
	9.9	BLACK	3	-	1	1	1	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	93.0	ALL	67	-	10	27	15	12	2	1	-	-
	61.7	WHITE	25	-	3	11	4	5	1	1	-	-
	138.3	BLACK	42	-	7	16	11	7	1	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	37.5	ALL	27	-	3	6	6	8	4	-	-	-
	37.0	WHITE	15	-	1	2	3	6	3	-	-	-
	39.5	BLACK	12	-	2	4	3	2	1	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
PLACENTAL TRANSFUSION SYNDROMES - (762.3)	2.8	ALL	2	-	0	-	2	-	-	-	-	-
	4.9	WHITE	2	-	0	-	2	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	2.8	ALL	2	-	1	1	-	-	-	-	-	-
	2.5	WHITE	1	-	1	-	-	-	-	-	-	-
	3.3	BLACK	1	-	0	1	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV
STILLBIRTHS SHOWN BY SELECTED CAUSE AND AGE AND RACE OF MOTHER
LOUISIANA RESIDENTS, 1991

ICD-9 CAUSE OF STILLBIRTH	RATIO	RACE	TOTAL	AGE							
				LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	63.8	ALL	46	-	8	14	12	6	3	3	-	-
	56.8	WHITE	23	-	3	9	5	4	1	1	-	-
	75.8	BLACK	23	-	5	5	7	2	2	2	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	33.3	ALL	24	-	6	5	7	2	2	2	-	-
	34.6	WHITE	14	-	5	4	2	-	2	1	-	-
	29.6	BLACK	9	-	1	1	5	1	-	1	-	-
	82.4	OTHER	1	-	0	-	-	1	-	-	-	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	26.4	ALL	19	-	2	8	1	6	2	-	-	-
	18.8	WHITE	8	-	1	6	-	1	-	-	-	-
	36.2	BLACK	11	-	1	2	1	5	2	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	4.2	ALL	3	-	0	1	1	-	-	1	-	-
	4.9	WHITE	2	-	0	1	1	-	-	-	-	-
	3.3	BLACK	1	-	0	-	-	-	-	1	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	86.0	ALL	62	3	15	18	13	7	2	3	-	1
	39.5	WHITE	16	2	3	3	4	3	-	1	-	-
	151.5	BLACK	46	1	12	15	9	4	2	2	-	1
	-	OTHER	-	-	-	-	-	-	-	-	-	-
BIRTH TRAUMA - (767)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	19.4	ALL	14	-	2	4	4	4	-	-	-	-
	17.3	WHITE	7	-	0	2	3	2	-	-	-	-
	23.1	BLACK	7	-	2	2	1	2	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)	1.4	ALL	1	-	0	-	-	-	-	1	-	-
	2.5	WHITE	1	-	0	-	-	-	-	1	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	6.9	ALL	5	-	2	1	1	1	-	-	-	-
	2.5	WHITE	1	-	0	1	-	-	-	-	-	-
	13.2	BLACK	4	-	2	-	1	1	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
UNSPECIFIED CAUSE - (779.9, 799.9)	199.8	ALL	144	2	35	39	33	17	8	2	1	7
	96.3	WHITE	39	-	7	6	11	8	5	2	-	-
	345.8	BLACK	105	2	28	33	22	9	3	-	1	7
	-	OTHER	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES - (RESIDUAL)	40.2	ALL	29	-	5	11	6	-	5	-	-	2
	32.1	WHITE	13	-	3	6	2	-	2	-	-	-
	52.7	BLACK	16	-	2	5	4	-	3	-	-	2
	-	OTHER	-	-	-	-	-	-	-	-	-	-

* RATIO PER 100,000 LIVE BIRTHS

TABLE XV
INDUCED TERMINATIONS OF PREGNANCY
BY WEEKS OF GESTATION, RACE, AGE, AND MARITAL STATUS
REPORTED OCCURRING IN LOUISIANA, 1991

WEEKS OF GESTATION	RACE	TOTAL	AGE									MARITAL STATUS		
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
ALL	ALL	12190	128	2562	4221	2549	1543	878	260	13	36	1966	7344	2880
	W	6809	43	1418	2330	1430	895	522	151	6	14	1157	4078	1574
	NW	5275	83	1130	1852	1095	638	350	106	7	14	793	3207	1275
	UNK	106	2	14	39	24	10	6	3	-	8	16	59	31
8 AND UNDER	ALL	5362	43	959	1811	1192	769	444	121	8	15	941	3241	1180
	W	3375	18	610	1135	721	497	301	81	5	7	600	2054	721
	NW	1948	24	344	665	460	268	138	39	3	7	333	1166	449
	UNK	39	1	5	11	11	4	5	1	-	1	8	21	10
9	ALL	2279	16	436	800	518	291	166	48	2	2	386	1350	543
	W	1227	3	238	430	290	158	82	25	-	1	210	716	301
	NW	1031	13	195	362	223	131	83	21	2	1	174	617	240
	UNK	21	-	3	8	5	2	1	2	-	-	2	17	2
10	ALL	1587	19	344	572	313	193	101	38	3	4	253	989	345
	W	779	5	173	286	162	87	45	18	1	2	139	470	170
	NW	798	14	170	280	149	105	56	20	2	2	112	512	174
	UNK	10	-	1	6	2	1	-	-	-	-	2	7	1
11	ALL	664	6	156	243	138	70	38	10	-	3	99	427	138
	W	328	1	85	116	70	34	15	5	-	2	52	206	70
	NW	331	5	71	125	66	35	23	5	-	1	45	219	67
	UNK	5	-	-	2	2	1	-	-	-	-	2	2	1
12	ALL	611	7	169	206	105	70	40	13	-	1	93	362	156
	W	300	4	81	98	45	42	24	6	-	-	56	170	74
	NW	305	3	87	107	57	27	16	7	-	1	36	188	81
	UNK	6	-	1	1	3	1	-	-	-	-	1	4	1
13	ALL	317	5	92	114	58	28	16	4	-	-	42	173	102
	W	155	2	47	52	31	14	7	2	-	-	21	90	44
	NW	159	3	44	60	27	14	9	2	-	-	21	83	55
	UNK	3	-	1	2	-	-	-	-	-	-	-	-	3
14	ALL	230	5	71	76	38	24	10	6	-	-	21	150	58
	W	118	2	36	34	20	13	9	4	-	-	7	80	31
	NW	111	3	34	42	18	11	1	2	-	-	14	69	28
	UNK	1	-	1	-	-	-	-	-	-	-	-	1	-
15	ALL	129	3	45	41	25	10	2	3	-	-	14	83	32
	W	59	1	17	18	14	5	2	2	-	-	10	32	17
	NW	68	2	28	22	11	4	-	1	-	-	4	50	14
	UNK	2	-	-	1	-	1	-	-	-	-	-	1	1
16	ALL	209	6	64	73	34	17	8	7	-	-	28	144	37
	W	91	-	30	30	15	11	3	2	-	-	14	59	18
	NW	116	6	33	42	19	6	5	5	-	-	14	84	18
	UNK	2	-	1	1	-	-	-	-	-	-	-	1	1
17	ALL	143	3	41	61	19	13	5	1	-	-	17	77	49
	W	69	1	22	29	7	7	3	-	-	-	9	39	21
	NW	73	2	19	31	12	6	2	1	-	-	8	38	27
	UNK	1	-	-	1	-	-	-	-	-	-	-	-	1
18	ALL	171	4	55	50	34	16	11	1	-	-	24	99	48
	W	68	-	21	22	17	2	6	-	-	-	10	38	20
	NW	102	4	34	28	16	14	5	1	-	-	14	60	28
	UNK	1	-	-	-	1	-	-	-	-	-	-	1	-
19	ALL	121	3	30	50	20	9	8	1	-	-	17	60	44
	W	63	2	12	22	14	5	7	1	-	-	13	30	20
	NW	56	1	18	26	6	4	1	-	-	-	4	28	24
	UNK	2	-	-	2	-	-	-	-	-	-	-	2	-
20	ALL	117	3	31	39	19	14	6	2	-	3	12	68	37
	W	45	2	12	14	8	6	-	1	-	2	5	23	17
	NW	72	1	19	25	11	8	6	1	-	1	7	45	20
	UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
21 AND OVER	ALL	153	5	55	54	18	6	12	2	-	1	11	60	82
	W	76	2	26	28	7	4	8	1	-	-	6	29	41
	NW	75	2	29	25	11	2	4	1	-	1	4	31	40
	UNK	2	1	-	1	-	-	-	-	-	-	1	-	1
UNKNOWN	ALL	97	-	14	31	18	13	11	3	-	7	8	61	28
	W	56	-	8	16	9	10	10	3	-	-	5	42	9
	NW	30	-	5	12	9	3	1	-	-	-	3	17	10
	UNK	11	-	1	3	-	-	-	-	-	7	-	2	9

TABLE XVI
INDUCED TERMINATIONS OF PREGNANCY
BY WEEKS OF GESTATION AND TYPE OF PROCEDURE
REPORTED OCCURRING IN LOUISIANA, 1991

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION		HYSTEROTOMY	HYSTERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
		SUCTION	SHARP	SALINE	PROSTAGLANDIN					
ALL	12190	10391	3	-	2	-	-	242	-	1552
8 AND UNDER	5362	4694	-	-	-	-	-	5	-	663
9	2279	2005	-	-	-	-	-	-	-	274
10	1587	1423	-	-	-	-	-	2	-	162
11	664	596	-	-	-	-	-	1	-	67
12	611	525	3	-	-	-	-	2	-	81
13	317	270	-	-	-	-	-	-	-	47
14	230	187	-	-	-	-	-	9	-	34
15	129	106	-	-	-	-	-	4	-	19
16	209	154	-	-	1	-	-	35	-	19
17	143	72	-	-	-	-	-	38	-	33
18	171	100	-	-	-	-	-	40	-	31
19	121	63	-	-	1	-	-	34	-	23
20	117	52	-	-	-	-	-	42	-	23
21 AND OVER	153	61	-	-	-	-	-	30	-	62
UNKNOWN	97	83	-	-	-	-	-	-	-	14

TABLE XVII
INDUCED TERMINATIONS OF PREGNANCY
BY REASON FOR ABORTION AND AGE
REPORTED OCCURRING IN LOUISIANA, 1991

REASON FOR ABORTION	TOTAL	AGE								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ALL REASONS	12190	128	2562	4221	2549	1543	878	280	13	36
MENTAL HEALTH	3031	31	580	1045	669	412	226	62	3	3
PHYSICAL HEALTH	83	1	15	24	14	13	9	7	-	-
RISK OF FETAL DEFORMITY	63	-	7	13	13	11	10	9	-	-
RAPE OR INCEST	18	1	9	4	3	-	-	1	-	-
OTHER	17	-	2	5	8	-	2	-	-	-
UNKNOWN	8978	95	1949	3130	1842	1107	631	181	10	33

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS													
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
STATE	38551	38092	9.0	ALL	754	155	77	106	352	520	1276	1694	2480	5030	8592	10054	6994	8
	13782	13524		WM	194	40	21	32	143	186	494	636	956	2024	3603	3598	1595	2
	12510	12375		WF	131	27	12	23	57	52	141	264	537	1226	2451	3796	3658	-
	6648	6602		BM	251	46	29	28	129	212	474	519	600	1024	1367	1283	635	5
	5472	5461		BF	175	38	14	19	22	62	160	262	378	734	1151	1353	1092	1
	88	78		OM	1	1	1	4	1	7	6	7	3	17	8	15	7	-
	51	52		OF	2	3	-	-	-	1	1	6	6	5	12	9	7	-
ACADIA	396	553	9.8	ALL	14	4	-	-	8	4	11	13	39	80	126	147	107	-
	158	229		WM	6	-	-	-	5	1	5	5	18	48	47	64	30	-
	166	219		WF	3	2	-	-	3	-	4	5	12	14	54	59	63	-
	40	53		BM	1	2	-	-	-	2	2	2	8	11	14	8	3	-
	32	52		BF	4	-	-	-	-	1	-	1	1	7	11	16	11	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	239	173	12.3	ALL	5	1	-	-	-	-	2	4	10	20	42	51	38	-
	95	52		WM	2	-	-	-	-	-	-	1	2	7	13	16	11	-
	101	75		WF	1	-	-	-	-	-	1	2	5	4	19	23	20	-
	22	21		BM	-	1	-	-	-	-	1	-	2	4	7	5	1	-
	21	25		BF	2	-	-	-	-	-	-	1	1	5	3	7	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	185	220	10.2	ALL	3	-	1	-	-	1	3	7	9	40	60	51	45	-
	84	96		WM	1	-	-	-	-	1	3	2	4	17	30	24	14	-
	68	82		WF	-	-	-	-	-	-	-	2	3	18	16	23	20	-
	17	19		BM	1	-	1	-	-	-	-	-	1	2	5	2	7	-
	14	18		BF	1	-	-	-	-	-	-	2	1	2	7	2	3	-
	2	4		OM	-	-	-	-	-	-	-	1	-	1	1	-	1	-
	-	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ASCENSION	319	395	6.7	ALL	8	-	-	3	4	9	17	24	31	56	77	94	72	-
	119	153		WM	2	-	-	1	1	4	6	8	12	29	34	34	22	-
	101	123		WF	3	-	-	1	2	1	3	4	4	14	17	37	37	-
	48	62		BM	1	-	-	-	1	3	6	10	9	8	14	10	-	-
	51	57		BF	2	-	-	1	-	1	2	2	6	5	12	13	13	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	92	181	7.9	ALL	3	1	-	-	1	3	4	9	19	28	42	47	24	-
	29	60		WM	-	-	-	-	1	2	1	3	7	13	14	13	6	-
	25	50		WF	1	-	-	-	-	-	1	2	2	5	13	19	7	-
	22	39		BM	1	-	-	-	-	-	1	4	6	5	6	9	7	-
	16	32		BF	1	1	-	-	-	1	1	-	4	5	9	6	4	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	286	434	11.1	ALL	8	-	-	1	2	1	10	21	36	45	102	116	92	-
	118	182		WM	3	-	-	1	2	1	6	8	14	23	55	47	22	-
	94	148		WF	3	-	-	-	-	-	2	5	4	7	26	48	53	-
	42	57		BM	1	-	-	-	-	-	1	5	11	12	9	9	9	-
	32	47		BF	1	-	-	-	-	-	1	3	7	3	12	12	8	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	224	270	8.9	ALL	3	2	-	2	1	3	6	9	9	35	71	77	52	-
	104	135		WM	2	1	-	2	-	3	2	5	4	19	42	40	15	-
	95	101		WF	1	-	-	-	1	-	-	1	4	8	21	32	33	-
	10	14		BM	-	-	-	-	-	-	2	2	-	3	5	2	-	-
	15	20		BF	-	1	-	-	-	-	2	1	1	5	3	3	4	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	168	94	9.9	ALL	1	-	-	-	-	1	4	5	6	13	23	20	21	-
	71	32		WM	1	-	-	-	-	1	-	3	1	4	10	8	4	-
	75	34		WF	-	-	-	-	-	-	-	-	4	2	8	7	13	-
	8	12		BM	-	-	-	-	-	-	2	2	-	2	4	2	-	-
	14	16		BF	-	-	-	-	-	-	2	-	1	5	1	3	4	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
BIENVILLE	129	204	12.7	ALL	3	-	-	-	1	1	3	9	11	18	32	69	57	-
	40	60		WM	-	-	-	-	-	-	1	5	3	3	14	24	10	-
	38	62		WF	1	-	-	-	1	1	-	-	4	2	5	26	22	-
	26	45		BM	2	-	-	-	-	-	2	3	3	9	5	13	8	-
	25	37		BF	-	-	-	-	-	-	-	1	1	4	8	6	17	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	488	628	7.2	ALL	10	2	3	2	5	7	20	25	47	99	125	165	118	-
	212	265		WM	3	1	1	1	3	4	8	11	27	46	69	68	23	-
	185	236		WF	-	-	1	1	1	1	6	8	13	34	40	68	63	-
	47	70		BM	4	-	1	-	-	2	5	3	3	12	11	14	15	-
	43	55		BF	3	1	-	-	1	-	1	3	3	7	5	14	17	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2		OF	-	-	-	-	-	-	-	-	1	-	-	1	-	-
BOSSIER CITY*	431	403	7.6	ALL	9	1	2	-	2	2	9	17	25	68	82	121	65	-
	186	180		WM	2	1	1	-	1	1	5	7	15	29	51	49	18	-
	172	166		WF	-	-	-	-	1	-	1	4	7	27	28	58	40	-
	35	26		BM	4	-	1	-	-	1	3	3	-	7	-	5	2	-
	37	29		BF	3	-	-	-	-	-	-	3	2	5	3	8	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2		OF	-	-	-	-	-	-	-	-	1	-	-	1	-	-
CADDO	3570	2509	10.1	ALL	37	13	5	10	19	36	67	91	144	296	592	666	533	-
	1224	778		WM	5	-	-	2	6	8	18	26	54	107	222	201	129	-
	1045	754		WF	6	2	1	1	2	1	6	14	21	64	144	249	243	-
	698	502		BM	13	7	3	6	8	20	34	29	45	71	123	99	44	-
	601	474		BF	13	4	1	1	3	7	9	21	24	54	103	117	117	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SHREVEPORT*	3444	2176	10.9	ALL	33	13	5	9	18	33	57	79	123	241	507	576	482	-
	1168	648		WM	4	-	-	1	6	7	13	18	43	87	183	170	116	-
	1005	653		WF	5	2	1	1	2	1	3	13	16	52	125	213	219	-
	683	458		BM	13	7	3	6	8	20	32	28	43	63	110	83	42	-
	586	416		BF	11	4	1	1	2	5	9	19	21	39	89	110	105	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
CALCASIEU	1585	1486	8.8	ALL	31	12	1	3	14	20	52	67	95	226	346	397	222	-
	647	596		WM	16	1	-	-	8	10	26	26	44	101	145	164	55	-
	573	525		WF	5	3	1	2	3	3	6	12	28	64	108	161	129	-
	206	215		BM	6	4	-	-	3	6	17	19	13	41	56	36	14	-
	155	148		BF	4	4	-	1	-	1	3	10	9	20	37	35	24	-
	3	1		OM	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	1	1		OF	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LAKE CHARLES*	1143	773	10.9	ALL	16	9	-	1	6	12	30	35	38	109	196	198	123	-
	436	250		WM	8	-	-	-	3	4	12	6	12	38	65	76	26	-
	400	233		WF	1	2	-	-	1	2	1	2	11	25	53	67	68	-
	182	180		BM	6	4	-	-	2	5	16	19	7	32	46	31	12	-
	122	109		BF	1	3	-	1	-	1	1	8	8	14	32	23	17	-
	3	1		OM	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	292	178	8.8	ALL	2	1	-	-	2	2	5	9	9	25	43	52	28	-
	135	78		WM	2	-	-	-	1	1	3	4	5	14	18	20	10	-
	121	89		WF	-	1	-	-	1	1	1	3	4	10	20	30	18	-
	12	6		BM	-	-	-	-	-	-	-	-	-	-	4	2	-	-
	23	5		BF	-	-	-	-	-	-	1	2	-	1	1	-	-	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	99	115	11.7	ALL	1	1	-	-	3	2	5	1	6	10	25	35	26	-
	33	48		WM	-	1	-	-	2	1	2	1	1	2	14	15	9	-
	45	53		WF	1	-	-	-	1	-	2	-	3	6	8	17	15	-
	16	10		BM	-	-	-	-	-	1	1	-	2	2	2	1	1	-
	5	4		BF	-	-	-	-	-	-	-	-	-	-	1	2	1	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS													
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
CAMERON	41	60	6.5	ALL	-	-	1	1	1	-	1	1	2	7	15	23	8	-
	17	31		WM	-	-	1	1	1	-	1	1	1	5	8	9	3	-
	19	25		WF	-	-	-	-	-	-	-	-	1	2	5	12	5	-
	3	4		BM	-	-	-	-	-	-	-	-	-	-	2	2	-	-
	1	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	41	132	11.9	ALL	1	-	-	1	2	3	2	2	7	18	27	44	25	-
	15	49		WM	-	-	-	-	-	1	1	2	4	6	13	17	5	-
	10	39		WF	-	-	-	1	1	-	-	-	1	6	9	12	9	-
	13	25		BM	1	-	-	-	1	-	-	-	1	5	3	8	6	-
	3	19		BF	-	-	-	-	-	2	1	-	1	1	2	7	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	183	235	13.5	ALL	3	2	-	-	2	2	6	9	11	21	42	74	63	-
	55	69		WM	-	-	-	-	1	1	1	6	2	9	11	22	16	-
	52	61		WF	-	-	-	-	-	-	-	1	-	5	12	20	23	-
	44	57		BM	1	1	-	-	1	1	3	1	6	5	10	14	14	-
	32	48		BF	2	1	-	-	-	-	2	1	3	2	9	18	10	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	201	206	9.8	ALL	5	-	2	1	-	1	8	8	7	30	38	62	44	-
	61	61		WM	2	-	-	-	-	1	5	4	2	9	15	17	6	-
	52	57		WF	-	-	-	1	-	-	1	2	2	10	9	14	18	-
	38	44		BM	2	-	1	-	-	-	2	2	2	8	6	14	7	-
	50	44		BF	1	-	1	-	-	-	-	-	1	3	8	17	13	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	163	262	10.3	ALL	6	1	-	-	1	2	7	9	20	35	59	65	57	-
	49	78		WM	3	-	-	-	-	2	3	5	2	9	20	28	6	-
	51	58		WF	2	-	-	-	-	-	-	-	4	6	13	13	20	-
	24	57		BM	-	-	-	-	1	-	2	2	7	8	15	10	12	-
	38	68		BF	1	1	-	-	-	-	2	2	7	11	11	14	19	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E BATON ROUGE	3628	2754	7.2	ALL	68	8	7	10	29	41	107	162	187	352	630	674	478	1
	1163	848		WM	12	2	-	1	12	7	32	38	62	116	248	220	98	-
	1148	846		WF	9	1	2	2	3	6	8	16	40	89	170	252	248	-
	728	600		BM	31	2	4	6	11	25	50	77	48	85	113	97	50	1
	574	450		BF	15	3	1	1	3	3	17	28	37	61	95	104	82	-
	9	4		OM	-	-	-	-	-	-	-	1	-	-	2	1	-	-
	6	6		OF	1	-	-	-	-	-	-	2	-	1	2	-	-	-
BATON ROUGE*	2990	2249	10.2	ALL	57	7	4	8	23	38	83	142	160	280	501	537	408	1
	913	625		WM	7	2	-	-	8	6	21	30	50	85	177	159	80	-
	912	656		WF	6	-	1	2	1	5	3	10	29	62	137	192	208	-
	644	546		BM	29	2	3	5	11	24	44	71	46	77	100	87	46	1
	509	414		BF	14	3	-	1	3	3	15	28	35	55	84	99	74	-
	6	3		OM	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	6	5		OF	1	-	-	-	-	-	-	2	-	1	1	-	-	-
BAKER*	27	98	7.4	ALL	3	-	-	1	-	-	-	5	6	14	29	31	9	-
	9	42		WM	1	-	-	1	-	-	-	2	1	6	16	12	3	-
	14	37		WF	-	-	-	-	-	-	-	1	3	4	8	15	6	-
	3	13		BM	1	-	-	-	-	-	-	2	1	3	4	2	-	-
	1	6		BF	1	-	-	-	-	-	-	-	1	1	1	2	-	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	81	127	13.1	ALL	2	-	1	-	-	-	5	5	11	15	30	42	16	-
	15	19		WM	-	-	-	-	-	-	1	-	1	1	9	6	1	-
	16	20		WF	1	-	-	-	-	-	-	-	1	1	3	14	-	-
	20	42		BM	1	-	1	-	-	-	2	2	7	5	10	10	4	-
	30	46		BF	-	-	-	-	-	-	2	3	2	8	8	12	11	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
E FELICIANA	90	194	10.0	ALL	8	-	-	1	-	2	5	5	8	26	54	53	32	-
	19	54		WM	3	-	-	-	-	2	1	1	2	5	16	19	5	-
	29	51		WF	-	-	-	1	-	-	1	-	2	5	10	17	15	-
	24	50		BM	2	-	-	-	-	-	3	1	1	12	17	8	6	-
	18	39		BF	3	-	-	-	-	-	-	3	3	4	11	9	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	347	363	10.8	ALL	6	2	1	-	6	1	12	11	17	44	63	131	69	-
	151	178		WM	2	1	-	-	6	1	7	6	8	22	31	65	29	-
	145	137		WF	1	1	-	-	-	-	2	2	2	14	24	56	35	-
	29	27		BM	2	-	1	-	-	-	2	1	5	4	6	6	-	-
	22	21		BF	1	-	-	-	-	-	1	2	2	4	2	4	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	205	268	11.9	ALL	8	-	-	-	-	1	4	12	12	29	53	84	65	-
	79	102		WM	1	-	-	-	-	-	2	5	3	14	24	31	22	-
	70	95		WF	2	-	-	-	-	-	-	3	3	6	14	35	32	-
	33	41		BM	4	-	-	-	-	1	2	3	3	6	7	11	4	-
	23	30		BF	1	-	-	-	-	-	-	1	3	3	8	7	7	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	62	176	10.0	ALL	4	-	-	1	1	-	4	4	8	29	42	50	33	-
	21	84		WM	3	-	-	-	-	-	2	2	2	16	23	28	8	-
	28	66		WF	-	-	-	1	1	-	-	1	4	4	19	15	21	-
	9	14		BM	1	-	-	-	-	-	2	-	1	5	-	4	1	-
	4	12		BF	-	-	-	-	-	-	-	1	1	4	-	3	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	525	565	8.2	ALL	12	4	3	1	4	3	24	18	37	80	134	157	88	-
	176	194		WM	2	-	1	1	3	1	10	4	18	27	54	52	21	-
	166	187		WF	3	2	1	-	1	1	4	3	7	21	39	57	48	-
	92	86		BM	1	-	1	-	-	1	5	5	8	12	21	22	10	-
	84	92		BF	6	-	-	-	-	-	5	5	4	19	19	25	9	-
	4	3		OM	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	3	3		OF	-	1	-	-	-	-	-	1	-	-	1	-	-	-
NEW IBERIA+	447	323	10.1	ALL	8	2	1	-	-	1	7	11	20	41	74	96	62	-
	137	102		WM	2	-	1	-	-	1	2	1	9	8	29	33	16	-
	144	113		WF	1	-	-	-	-	-	2	2	5	12	22	33	36	-
	81	42		BM	-	-	-	-	-	-	2	4	5	5	11	13	2	-
	79	60		BF	5	-	-	-	-	-	1	3	1	15	11	16	8	-
	3	3		OM	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	3	3		OF	-	1	-	-	-	-	-	1	-	-	1	-	-	-
IBERVILLE	214	280	9.0	ALL	4	-	-	1	3	3	7	13	20	38	53	84	54	-
	65	88		WM	-	-	-	-	2	1	2	4	6	13	20	29	11	-
	60	79		WF	-	-	-	-	-	1	1	1	2	12	12	21	29	-
	46	59		BM	3	-	-	-	1	1	2	5	6	7	13	16	5	-
	41	54		BF	1	-	-	1	-	-	2	3	6	6	8	18	9	-
	2	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	108	193	12.3	ALL	2	-	1	3	1	5	4	5	13	16	43	58	42	-
	33	60		WM	1	-	1	1	-	1	-	-	5	7	18	21	5	-
	43	82		WF	1	-	-	-	1	4	1	-	3	6	16	23	27	-
	20	25		BM	-	-	-	-	-	-	2	4	4	2	4	2	7	-
	12	26		BF	-	-	-	2	-	-	1	1	1	1	5	12	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	3870	3601	8.0	ALL	68	20	5	10	34	43	126	148	246	508	849	947	597	-
	1649	1596		WM	23	5	3	4	13	23	69	79	129	265	436	404	143	-
	1542	1430		WF	17	4	-	1	8	3	18	33	77	145	291	435	398	-
	347	299		BM	14	6	2	2	12	12	25	21	24	46	64	56	15	-
	310	256		BF	12	5	-	2	1	4	13	13	15	48	57	47	39	-
	10	12		OM	1	-	-	1	-	1	1	2	1	3	-	2	-	-
	12	8		OF	1	-	-	-	-	-	-	-	1	1	3	2	-	

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
KENNER*	372	423	5.9	ALL	12	2	1	-	7	9	27	26	39	55	86	98	61	-
	141	180		WM	4	2	1	-	2	6	9	18	18	25	39	41	15	-
	160	159		WF	4	-	-	-	2	2	7	4	14	17	29	44	36	-
	40	47		BM	2	-	-	-	3	1	7	3	5	4	10	7	5	-
	29	36		BF	2	-	-	-	-	-	4	1	2	8	8	6	5	-
	1	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
GRETNA*	340	358	20.6	ALL	3	1	-	1	4	6	17	18	26	57	81	90	54	-
	129	157		WM	-	-	-	1	1	4	12	10	14	33	38	31	13	-
	133	127		WF	-	1	-	-	1	-	2	2	5	10	27	43	36	-
	35	36		BM	1	-	-	-	1	1	2	4	5	8	5	8	1	-
	41	37		BF	2	-	-	-	1	1	-	2	2	6	11	8	4	-
	1	1		OM	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	1	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN*	24	54	5.4	ALL	-	-	-	-	-	-	-	1	5	8	16	21	3	-
	12	33		WM	-	-	-	-	-	-	-	1	2	6	10	14	-	-
	8	21		WF	-	-	-	-	-	-	-	-	3	2	6	7	3	-
	1	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	25	129	11.5	ALL	2	1	-	1	1	2	4	7	9	21	41	20	20	-
	10	59		WM	-	1	-	-	1	1	2	3	4	9	22	9	7	-
	11	49		WF	1	-	-	-	-	-	-	2	3	7	14	11	11	-
	2	7		BM	1	-	-	-	-	-	1	1	1	-	2	-	1	-
	2	14		BF	-	-	-	1	-	1	1	1	1	5	3	-	1	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	241	300	9.7	ALL	8	2	1	2	2	-	7	9	18	47	66	85	53	-
	113	135		WM	1	1	-	1	1	-	5	5	7	30	27	36	21	-
	76	98		WF	2	1	-	1	-	-	1	2	3	8	20	34	24	-
	23	33		BM	1	-	1	-	1	-	-	1	3	3	10	11	2	-
	29	36		BF	4	-	-	-	-	-	1	1	5	6	9	4	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	164	147	12.9	ALL	5	2	-	2	2	-	4	3	9	20	36	34	30	-
	74	62		WM	1	1	-	1	1	-	3	2	5	13	12	13	10	-
	53	45		WF	1	1	-	1	-	-	-	-	2	2	10	14	14	-
	16	19		BM	1	-	-	-	1	-	-	-	1	2	7	5	2	-
	21	21		BF	2	-	-	-	-	-	1	1	1	3	7	2	4	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	1616	1094	6.6	ALL	23	5	3	3	5	15	42	53	77	161	230	271	206	-
	634	436		WM	9	3	2	1	5	9	21	31	30	78	102	98	47	-
	566	420		WF	4	2	-	2	-	3	5	8	25	45	77	119	130	-
	227	137		BM	7	-	1	-	-	3	11	7	14	23	27	32	12	-
	186	99		BF	3	-	-	-	-	-	5	6	8	15	24	22	16	-
	1	1		OM	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2	1		OF	-	-	-	-	-	-	-	-	-	-	-	-	1	-
LAFAYETTE*	1486	774	8.0	ALL	16	2	1	1	2	10	30	39	53	120	169	185	146	-
	565	292		WM	6	1	-	1	2	4	14	20	19	58	69	67	31	-
	523	285		WF	3	1	-	-	-	3	5	5	15	33	56	75	89	-
	214	113		BM	5	-	1	-	-	3	8	7	13	16	23	27	10	-
	181	83		BF	2	-	-	-	-	-	3	6	6	13	21	16	16	-
	1	1		OM	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	2	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
LAFOURCHE	549	650	7.5	ALL	11	3	1	3	10	13	19	28	42	92	161	158	109	-
	232	292		WM	5	1	1	1	6	8	14	12	21	45	78	69	31	-
	229	272		WF	4	1	-	2	4	2	1	9	10	30	67	73	69	-
	45	41		BM	2	-	-	-	-	2	2	4	5	7	10	7	2	-
	39	40		BF	-	-	-	-	-	1	1	3	6	9	5	8	7	-
	3	4		OM	-	-	-	-	-	-	1	-	-	1	1	1	-	-
	1	1		OF	-	1	-	-	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	277	199	14.2	ALL	5	-	-	-	-	4	1	10	14	23	43	56	43	-
	96	68		WM	1	-	-	-	-	1	-	3	5	7	16	23	12	-
	117	83		WF	3	-	-	-	-	-	-	2	1	6	20	24	27	-
	35	20		BM	1	-	-	-	-	2	-	2	4	4	4	3	-	-
	29	27		BF	-	-	-	-	-	1	1	3	4	5	3	6	4	-
	-	1		OM	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	120	156	11.4	ALL	3	1	-	-	3	3	-	5	9	21	42	44	25	-
	66	88		WM	2	1	-	-	2	1	-	4	6	16	28	19	9	-
	48	59		WF	1	-	-	-	1	-	-	1	2	4	13	23	14	-
	4	5		BM	-	-	-	-	-	1	-	-	1	-	1	1	1	-
	2	3		BF	-	-	-	-	-	-	-	-	-	1	-	1	1	-
	-	1		OM	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	352	334	7.9	ALL	4	1	-	1	4	3	7	10	14	32	87	95	76	-
	141	131		WM	-	1	-	-	-	3	3	5	4	13	44	44	14	-
	103	84		WF	1	-	-	-	2	-	1	-	1	8	19	23	29	-
	56	66		BM	2	-	-	-	2	-	2	3	9	7	14	9	18	-
	52	53		BF	1	-	-	1	-	-	1	2	-	4	10	19	15	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RUSTON*	295	156	7.8	ALL	1	1	-	-	1	2	1	6	5	17	44	44	34	-
	121	61		WM	-	1	-	-	-	2	-	2	1	8	24	20	3	-
	84	48		WF	1	-	-	-	-	-	-	-	-	4	11	13	19	-
	47	26		BM	-	-	-	-	1	-	1	2	4	4	4	4	6	-
	43	21		BF	-	-	-	-	-	-	-	2	-	1	5	7	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	177	498	7.0	ALL	7	1	1	2	12	8	17	22	33	67	137	117	74	-
	96	266		WM	5	1	1	2	8	6	10	14	22	48	70	58	21	-
	69	195		WF	2	-	-	-	4	1	4	5	11	17	57	48	46	-
	8	19		BM	-	-	-	-	-	1	3	3	-	1	4	5	2	-
	4	18		BF	-	-	-	-	-	-	-	-	-	1	6	6	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	140	169	13.5	ALL	3	-	-	1	1	2	2	7	9	14	42	54	33	1
	25	36		WM	-	-	-	1	-	-	-	2	1	3	13	11	5	-
	24	43		WF	-	-	-	-	1	1	-	-	3	3	10	13	12	-
	51	48		BM	3	-	-	-	-	1	1	2	4	5	11	12	8	1
	40	42		BF	-	-	-	-	-	-	1	3	1	3	8	18	8	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	130	131	15.4	ALL	2	-	-	-	-	1	1	5	8	11	32	42	28	1
	21	19		WM	-	-	-	-	-	-	-	1	1	2	10	3	2	-
	22	28		WF	-	-	-	-	-	-	-	-	2	2	4	10	10	-
	48	44		BM	2	-	-	-	-	1	-	2	4	4	11	11	8	1
	39	40		BF	-	-	-	-	-	-	1	2	1	3	7	18	8	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	314	341	10.6	ALL	7	4	-	2	1	5	7	9	16	44	87	108	51	-
	100	108		WM	3	-	-	-	1	2	3	3	8	14	30	36	8	-
	99	97		WF	1	1	-	-	-	-	-	2	1	12	19	38	23	-
	61	79		BM	1	2	-	2	-	2	4	2	3	12	22	20	9	-
	53	57		BF	2	1	-	-	-	-	1	2	4	6	16	14	11	-
	1	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
BASTROP*	254	198	14.2	ALL	3	3	-	1	-	4	6	4	8	20	54	60	35	-
	83	53		WM	1	-	-	-	-	1	3	1	2	4	18	17	6	-
	75	58		WF	-	-	-	-	-	-	-	-	1	6	11	23	17	-
	52	54		BM	1	2	-	1	-	2	3	2	2	8	16	12	5	-
	44	33		BF	1	1	-	-	-	1	-	1	3	2	9	8	7	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	249	365	9.9	ALL	4	1	2	1	5	3	9	12	21	39	77	117	74	-
	83	136		WM	1	1	2	-	3	1	2	1	7	17	35	50	16	-
	78	102		WF	-	-	-	-	1	1	2	3	5	5	19	32	34	-
	46	66		BM	2	-	-	1	1	-	3	5	7	10	12	16	9	-
	42	61		BF	1	-	-	-	-	1	2	3	2	7	11	19	15	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	197	153	9.2	ALL	2	-	1	1	2	-	4	5	3	14	29	58	34	-
	62	42		WM	1	-	1	-	1	-	1	-	-	4	11	19	4	-
	62	37		WF	-	-	-	-	-	-	-	1	-	-	4	16	16	-
	35	35		BM	-	-	-	1	1	-	1	3	2	6	6	10	5	-
	38	39		BF	1	-	-	-	-	-	2	1	1	4	8	13	9	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	6451	5753	11.6	ALL	133	16	15	7	79	125	278	345	404	718	1162	1436	1032	3
	1610	1179		WM	8	3	2	-	3	8	56	96	89	145	289	313	166	1
	1489	1344		WF	6	1	1	-	1	2	7	14	35	94	224	450	509	-
	1916	1827		BM	73	7	4	2	63	94	166	169	179	290	355	309	115	1
	1411	1381		BF	46	4	7	4	11	19	49	63	101	187	290	360	237	1
	16	13		OM	-	-	1	1	1	2	-	-	-	1	2	2	3	-
	9	9		OF	-	1	-	-	-	-	-	1	-	1	2	2	2	-
OUACHITA	1546	1221	8.5	ALL	27	5	2	4	9	11	35	53	65	175	263	323	249	-
	543	423		WM	7	-	-	1	4	3	14	21	30	59	117	120	47	-
	508	409		WF	2	1	1	1	1	-	3	8	18	59	69	118	128	-
	239	186		BM	10	3	1	2	4	5	13	18	7	21	39	44	19	-
	256	202		BF	8	1	-	-	-	3	5	6	10	36	38	41	54	-
	-	1		OM	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE*	1118	640	11.6	ALL	17	4	1	2	3	8	19	26	32	91	130	149	138	-
	341	149		WM	-	-	-	-	1	1	3	5	10	22	39	47	21	-
	356	187		WF	1	-	-	1	-	-	1	4	9	24	31	57	59	-
	208	142		BM	9	3	1	1	2	4	11	12	5	16	33	33	12	-
	213	162		BF	7	1	-	-	-	3	4	5	8	29	27	32	46	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	305	242	17.1	ALL	2	1	1	1	1	1	6	8	13	28	55	67	58	-
	154	99		WM	1	-	-	1	-	-	5	3	5	11	30	31	12	-
	117	110		WF	-	1	1	-	-	-	1	2	5	15	18	29	38	-
	12	13		BM	-	-	-	-	1	1	-	2	2	-	2	3	2	-
	22	20		BF	1	-	-	-	-	-	-	1	1	2	5	4	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	108	228	8.9	ALL	4	3	-	1	3	4	9	12	20	39	48	58	27	-
	60	98		WM	2	2	-	-	2	3	6	5	9	19	19	24	7	-
	17	68		WF	-	-	-	-	-	-	1	5	[illegible]	7	13	21	16	-
	16	28		BM	1	1	-	-	1	1	2	1	2	6	7	4	2	-
	10	25		BF	1	-	-	-	-	-	-	-	2	7	6	7	2	-
	4	5		OM	-	-	-	1	-	-	-	1	-	-	1	2	-	-
	1	4		OF	-	-	-	-	-	-	-	-	2	-	2	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
POINTE COUPEE	181	249	11.0	ALL	3	-	-	-	2	4	10	12	14	31	52	74	47	-
	53	78		WM	-	-	-	-	1	2	3	3	3	7	20	27	12	-
	55	73		WF	-	-	-	-	1	-	3	1	5	11	10	23	19	-
	37	57		BM	1	-	-	-	-	1	3	7	5	9	11	15	5	-
	36	40		BF	2	-	-	-	-	1	1	1	1	4	11	9	10	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1		OF	-	-	-	-	-	-	-	-	-	-	-	-	1	-
RAPIDES	1794	1237	9.3	ALL	23	7	1	5	7	16	30	48	68	141	293	348	250	-
	763	467		WM	7	3	-	1	4	9	14	23	28	63	137	120	58	-
	555	428		WF	5	-	-	2	1	3	3	6	17	28	83	143	137	-
	259	174		BM	6	2	1	2	2	3	9	10	10	30	35	48	16	-
	211	164		BF	5	2	-	-	-	1	4	8	12	19	38	37	38	-
	4	2		OM	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	2	2		OF	-	-	-	-	-	-	-	1	1	-	-	-	-	-
ALEXANDRIA+	1225	601	12.1	ALL	15	5	1	2	2	5	17	28	36	65	127	175	123	-
	463	176		WM	2	1	-	-	1	2	6	12	8	22	53	44	25	-
	469	181		WF	2	-	-	1	-	-	-	3	11	10	26	68	60	-
	120	114		BM	6	2	1	1	1	2	7	6	7	16	22	32	11	-
	169	129		BF	5	2	-	-	-	1	4	6	10	17	26	31	27	-
	2	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PINEVILLE+	132	158	12.9	ALL	4	-	-	1	-	4	3	6	9	11	52	36	32	-
	40	73		WM	3	-	-	-	-	3	2	3	5	4	27	16	10	-
	29	61		WF	1	-	-	-	-	1	1	1	2	4	18	14	19	-
	30	14		BM	-	-	-	1	-	-	-	2	1	2	3	5	-	-
	33	10		BF	-	-	-	-	-	-	-	-	1	1	4	1	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	85	103	11.0	ALL	2	-	-	1	-	-	1	-	3	16	17	33	30	-
	39	47		WM	1	-	-	-	-	-	-	-	1	8	9	16	12	-
	21	25		WF	1	-	-	-	-	-	-	-	1	3	4	10	6	-
	13	15		BM	-	-	-	-	-	-	1	-	1	4	-	5	4	-
	11	15		BF	-	-	-	1	-	-	-	-	-	-	4	2	8	-
	1	1		OM	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	230	235	11.4	ALL	1	1	1	-	2	1	6	4	14	24	50	72	59	-
	80	76		WM	-	-	-	-	2	1	1	-	6	6	17	25	18	-
	83	79		WF	-	-	-	-	-	-	1	1	2	8	19	26	22	-
	34	35		BM	1	1	-	-	-	-	1	1	3	6	3	10	9	-
	33	45		BF	-	-	1	-	-	-	3	2	3	4	11	11	10	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	195	266	11.7	ALL	3	4	2	-	2	3	8	10	16	33	53	69	63	-
	90	118		WM	1	-	1	-	1	-	5	3	7	17	28	36	19	-
	69	101		WF	1	1	-	-	1	3	-	1	7	10	19	26	32	-
	17	24		BM	1	2	1	-	-	-	1	6	1	5	1	2	4	-
	18	22		BF	-	1	-	-	-	-	2	-	1	1	5	4	8	-
	1	1		OM	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST BERNARD	535	649	9.7	ALL	7	1	-	1	3	7	15	35	48	90	200	169	73	-
	244	343		WM	3	-	-	-	3	5	11	26	29	49	116	80	21	-
	222	273		WF	2	1	-	-	-	1	4	7	16	37	76	80	49	-
	34	14		BM	-	-	-	1	-	-	-	-	2	3	3	5	-	-
	30	16		BF	2	-	-	-	-	-	-	1	1	1	4	4	3	-
	4	2		OM	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	1	1		OF	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ST CHARLES	209	274	6.4	ALL	7	2	-	1	5	1	12	15	16	38	62	61	54	-
	64	98		WM	1	1	-	1	3	1	3	3	5	20	26	17	17	-
	87	94		WF	4	-	-	-	1	-	1	5	3	5	23	24	28	-
	34	47		BM	2	1	-	-	1	-	6	4	6	8	4	11	4	-
	24	35		BF	-	-	-	-	-	-	2	3	2	5	9	9	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ST HELENA	66	91	9.2	ALL	3	-	-	-	1	3	2	3	9	5	13	28	24	-
	24	26		WM	-	-	-	-	1	2	-	1	1	1	1	14	5	-
	21	24		WF	1	-	-	-	-	-	-	1	1	1	5	5	10	-
	16	24		BM	1	-	-	-	-	1	2	1	4	-	6	5	4	-
	5	17		BF	1	-	-	-	-	-	-	-	3	3	1	4	5	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	90	168	7.9	ALL	3	-	-	-	1	1	5	11	11	26	33	42	35	-
	29	39		WM	1	-	-	-	-	-	2	1	3	9	4	15	4	-
	23	31		WF	1	-	-	-	-	-	1	-	-	2	10	6	11	-
	22	56		BM	-	-	-	-	1	1	1	6	4	13	12	10	8	-
	16	41		BF	1	-	-	-	-	-	1	4	4	2	6	11	12	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ST JOHN	233	270	6.7	ALL	10	1	1	2	1	8	13	11	26	36	62	58	41	-
	58	73		WM	1	-	-	1	-	4	3	5	7	10	18	15	9	-
	70	71		WF	2	-	-	-	-	1	5	1	4	8	13	18	19	-
	52	71		BM	5	1	1	1	1	3	4	3	9	9	14	16	4	-
	53	55		BF	2	-	-	-	-	-	1	2	6	9	17	9	9	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	619	766	9.5	ALL	22	3	1	-	3	8	28	38	40	102	178	199	144	-
	216	257		WM	5	1	-	-	2	1	8	16	9	37	76	68	34	-
	179	212		WF	2	-	-	-	-	-	6	6	8	17	47	66	60	-
	122	167		BM	10	2	1	-	1	3	12	9	13	26	35	34	21	-
	102	130		BF	5	-	-	-	-	4	2	7	10	22	20	31	29	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	397	243	13.4	ALL	8	-	-	-	-	5	10	11	14	25	50	67	53	-
	135	65		WM	-	-	-	-	-	-	2	2	1	6	17	24	13	-
	114	59		WF	-	-	-	-	-	-	2	2	2	5	14	16	18	-
	75	65		BM	7	-	-	-	-	2	5	6	8	7	13	11	4	-
	73	54		BF	1	-	-	-	-	3	1	1	3	7	4	16	18	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	99	126	11.2	ALL	4	-	-	-	-	-	3	8	6	15	31	38	21	-
	43	49		WM	3	-	-	-	-	-	1	5	1	8	16	13	2	-
	38	49		WF	1	-	-	-	-	-	1	2	2	4	8	18	13	-
	10	16		BM	-	-	-	-	-	-	1	-	-	2	5	3	5	-
	8	12		BF	-	-	-	-	-	-	-	1	3	1	2	4	1	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	169	334	7.5	ALL	8	3	1	1	1	4	12	9	28	45	73	81	68	-
	60	110		WM	1	1	-	-	-	2	3	-	9	16	31	32	15	-
	55	93		WF	-	-	-	-	-	-	3	1	7	9	19	24	30	-
	33	74		BM	4	-	-	1	-	1	6	4	6	12	12	16	12	-
	21	57		BF	3	2	1	-	1	1	-	4	6	8	11	9	11	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	396	481	8.2	ALL	5	2	2	2	5	8	13	22	37	72	116	107	90	-
	151	181		WM	2	1	1	-	3	2	8	7	19	30	54	32	22	-
	128	155		WF	1	-	-	-	-	-	-	5	5	18	36	45	45	-
	66	78		BM	2	-	-	-	2	1	3	6	10	15	17	13	9	-
	50	65		BF	-	1	1	2	-	4	2	4	3	9	9	16	14	-
	-	1		OM	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MORGAN CITY*	195	145	9.9	ALL	3	-	-	-	1	-	6	4	9	19	35	37	31	-
	75	56		WM	1	-	-	-	1	-	3	2	5	10	19	12	3	-
	78	62		WF	1	-	-	-	-	-	-	2	2	3	13	18	23	-
	21	14		BM	1	-	-	-	-	-	2	-	2	2	2	3	2	-
	20	13		BF	-	-	-	-	-	-	1	-	-	4	1	4	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ST TAMMANY	1077	1040	7.0	ALL	18	3	3	4	10	8	34	43	77	155	264	245	176	-
	459	460		WM	5	2	2	3	8	6	22	27	33	87	131	89	45	-
	483	451		WF	6	1	1	1	2	1	7	14	27	50	101	131	109	-
	68	74		BM	3	-	-	-	-	1	5	2	11	12	17	12	11	-
	67	55		BF	4	-	-	-	-	-	-	-	6	6	15	13	11	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL*	529	311	12.9	ALL	4	-	1	1	2	3	13	8	17	49	85	79	49	-
	215	136		WM	-	-	-	-	1	3	9	5	8	28	42	27	13	-
	259	148		WF	3	-	1	1	1	-	2	3	6	15	37	48	31	-
	28	16		BM	1	-	-	-	-	-	2	-	1	3	4	2	3	-
	27	11		BF	-	-	-	-	-	-	-	-	2	3	2	2	2	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	852	906	10.4	ALL	23	2	-	2	5	10	33	40	58	126	206	256	145	-
	311	334		WM	10	-	-	-	3	4	17	15	23	51	77	100	34	-
	292	299		WF	6	-	-	-	1	1	3	7	10	32	62	97	80	-
	128	141		BM	6	1	-	1	1	3	10	11	13	22	29	28	16	-
	121	132		BF	1	1	-	1	-	2	3	7	12	21	38	31	15	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	251	241	15.0	ALL	5	1	-	-	-	2	11	11	12	32	48	75	44	-
	91	72		WM	-	-	-	-	-	-	4	1	2	6	17	33	9	-
	88	91		WF	2	-	-	-	-	-	-	2	2	10	17	29	29	-
	36	39		BM	3	-	-	-	-	1	4	5	5	8	6	4	3	-
	36	39		BF	-	1	-	-	-	1	3	3	3	8	8	9	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	28	95	13.5	ALL	-	-	-	-	-	2	2	6	6	8	26	26	19	-
	7	29		WM	-	-	-	-	-	1	1	-	3	-	14	6	4	-
	3	16		WF	-	-	-	-	-	-	-	-	-	2	3	7	4	-
	12	28		BM	-	-	-	-	-	1	1	3	3	3	6	6	5	-
	6	22		BF	-	-	-	-	-	-	-	3	-	3	3	7	6	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	889	735	7.5	ALL	16	6	5	2	6	12	35	36	72	106	155	173	111	-
	402	333		WM	6	3	2	1	3	6	16	17	35	47	85	78	34	-
	307	253		WF	3	2	1	1	1	4	7	12	20	35	45	60	62	-
	92	80		BM	4	-	1	-	2	-	8	3	11	10	15	16	10	-
	63	45		BF	3	1	1	-	-	-	-	4	3	8	9	13	3	-
	19	18		OM	-	-	-	-	-	2	3	-	2	6	-	4	1	-
	6	6		OF	-	-	-	-	-	-	1	-	1	-	1	2	1	-
HOUMA*	705	356	11.6	ALL	6	1	-	1	2	-	17	16	34	41	76	95	67	-
	343	150		WM	2	-	-	1	-	-	6	8	18	14	37	42	22	-
	250	126		WF	-	-	-	-	1	-	3	5	9	15	24	32	37	-
	60	46		BM	4	-	-	-	1	-	6	2	3	6	9	9	6	-
	33	25		BF	-	1	-	-	-	-	-	1	2	5	5	9	2	-
	15	5		OM	-	-	-	-	-	-	1	-	1	1	-	2	-	-
	4	4		OF	-	-	-	-	-	-	1	-	1	-	1	1	-	-
UNION	195	274	13.2	ALL	1	-	-	-	5	2	6	12	15	41	61	77	54	-
	61	108		WM	-	-	-	-	3	-	3	4	5	18	31	36	8	-
	65	87		WF	1	-	-	-	-	1	-	2	6	10	13	28	26	-
	33	43		BM	-	-	-	-	1	1	2	4	2	10	9	8	6	-
	36	36		BF	-	-	-	-	1	-	1	2	2	3	8	5	14	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	377	484	9.6	ALL	9	1	1	5	3	8	13	17	22	54	106	125	120	-
	159	210		WM	2	1	-	1	1	5	9	8	12	27	67	50	27	-
	178	217		WF	4	-	-	1	1	1	-	7	9	19	29	61	85	-
	24	34		BM	2	-	1	1	1	1	2	-	1	6	6	7	6	-
	15	22		BF	1	-	-	1	-	1	2	2	-	2	4	7	2	-
	1	1		OM	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ABBEVILLE*	193	135	12.0	ALL	6	-	1	2	-	2	5	5	4	19	23	34	34	-
	75	47		WM	1	-	-	-	-	-	1	3	2	10	8	13	9	-
	84	51		WF	2	-	-	-	-	-	-	1	1	2	9	13	23	-
	20	27		BM	2	-	1	1	-	1	2	-	1	6	5	6	2	-
	13	10		BF	1	-	-	1	-	1	2	1	-	1	1	2	-	-
	1	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	229	335	5.4	ALL	17	4	-	-	3	14	10	8	24	50	62	92	51	-
	102	154		WM	6	1	-	-	1	7	2	2	15	25	35	43	17	-
	82	125		WF	5	-	-	-	1	3	-	3	7	15	21	39	31	-
	21	25		BM	2	1	-	-	-	3	5	3	-	5	2	3	1	-
	21	27		BF	4	2	-	-	1	1	2	-	2	2	4	7	2	-
	2	3		OM	-	-	-	-	-	-	1	-	-	2	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
WASHINGTON	429	511	11.8	ALL	6	-	2	-	5	4	17	21	26	69	115	145	101	-
	145	176		WM	3	-	-	-	1	1	4	10	11	30	45	49	22	-
	130	159		WF	-	-	1	-	2	1	3	5	5	15	29	51	47	-
	73	84		BM	2	-	1	-	2	1	6	4	6	14	25	13	10	-
	81	93		BF	1	-	-	-	-	1	4	2	4	10	16	32	22	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	263	255	17.8	ALL	2	-	-	-	2	2	8	6	9	37	58	79	52	-
	82	77		WM	1	-	-	-	-	1	2	2	5	14	16	24	12	-
	81	86		WF	-	-	-	-	1	1	1	3	1	11	16	28	24	-
	44	40		BM	1	-	-	-	1	-	4	-	1	6	14	10	3	-
	56	52		BF	-	-	-	-	-	-	1	1	2	6	12	17	13	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	352	479	11.4	ALL	6	-	-	1	1	3	8	14	27	51	121	141	106	-
	103	159		WM	1	-	-	1	-	2	4	4	11	18	47	57	14	-
	136	165		WF	-	-	-	-	1	-	3	2	3	14	40	48	54	-
	59	80		BM	3	-	-	-	-	1	1	4	7	11	20	19	14	-
	53	74		BF	2	-	-	-	-	-	-	4	6	8	13	17	24	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
MINDEN*	197	193	14.0	ALL	1	-	-	-	1	-	2	8	12	22	47	56	44	-
	44	46		WM	-	-	-	-	-	-	1	1	1	8	12	19	4	-
	75	62		WF	-	-	-	-	1	-	1	1	1	4	16	14	24	-
	35	36		BM	-	-	-	-	-	-	-	2	5	5	9	9	6	-
	42	48		BF	1	-	-	-	-	-	-	4	5	5	9	14	10	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
W BATON ROUGE	62	173	8.8	ALL	1	-	-	-	1	2	-	14	19	28	46	38	24	-
	18	45		WM	1	-	-	-	-	1	-	3	2	11	13	10	4	-
	17	38		WF	-	-	-	-	-	-	-	1	3	4	13	6	11	-
	17	52		BM	-	-	-	-	1	-	-	8	8	8	15	10	2	-
	10	38		BF	-	-	-	-	-	1	-	2	6	5	5	12	7	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	73	145	12.0	ALL	4	-	-	1	1	1	2	7	3	14	28	53	31	-
	37	70		WM	2	-	-	1	1	1	1	1	1	5	17	26	14	-
	24	56		WF	2	-	-	-	-	-	-	3	2	5	6	21	17	-
	9	12		BM	-	-	-	-	-	-	1	2	-	2	3	4	-	-
	3	7		BF	-	-	-	-	-	-	-	1	-	2	2	2	-	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS													
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
W FELICIANA	53	78	6.0	ALL	1	-	1	-	-	1	5	3	7	13	14	20	12	1
	16	15		WM	-	-	-	-	-	-	2	-	2	1	1	5	3	1
	10	17		WF	-	-	1	-	-	-	-	1	1	3	4	5	2	-
	17	27		BM	1	-	-	-	-	1	3	2	2	5	4	6	3	-
	10	19		BF	-	-	-	-	-	-	-	-	2	4	5	4	4	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	138	176	10.8	ALL	3	1	-	-	3	-	2	2	11	22	53	42	37	-
	52	67		WM	2	-	-	-	1	-	2	1	4	9	19	12	17	-
	43	57		WF	1	-	-	-	-	-	-	-	2	5	16	18	15	-
	22	28		BM	-	-	-	-	2	-	-	-	4	4	9	7	2	-
	21	24		BF	-	1	-	-	-	-	-	1	1	4	9	5	3	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN***	-	18		ALL	-	-	-	-	-	3	2	-	3	4	1	2	1	2
	-	10		WM	-	-	-	-	-	3	1	-	3	3	-	-	-	-
	-	1		WF	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-	7		BM	-	-	-	-	-	-	1	-	-	1	1	1	1	2
	-	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	680	1139		ALL	24	10	5	3	10	33	58	81	99	182	263	251	120	-
	304	562		WM	7	4	2	-	6	21	38	50	50	105	137	114	28	-
	211	346		WF	10	3	3	1	3	5	10	9	19	36	76	102	69	-
	99	145		BM	4	2	-	1	1	4	7	14	22	30	35	15	10	-
	62	73		BF	3	1	-	1	-	2	2	3	6	8	15	19	13	-
	2	12		OM	-	-	-	-	-	1	1	4	2	3	-	1	-	-
	2	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-

RATE PER 1,000 POPULATION
*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS
***PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVIII-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
STATE	38551	38092	9.0	ALL	754	155	77	106	352	520	1276	1694	2480	5030	8592	10054	6994	8
	13782	13524		WM	194	40	21	32	143	186	494	636	956	2024	3603	3598	1595	2
	12510	12375		WF	131	27	12	23	57	52	141	264	537	1226	2451	3796	3658	-
	6648	6602		BM	251	46	29	28	129	212	474	519	600	1024	1367	1283	635	5
	5472	5461		BF	175	38	14	19	22	62	160	262	378	734	1151	1353	1092	1
	88	78		OM	1	1	1	4	1	7	6	7	3	17	8	15	7	-
	51	52		OF	2	3	-	-	-	1	1	6	6	5	12	9	7	-
SPD 1	12041	11271	9.5	ALL	230	43	23	23	129	187	462	583	795	1510	2523	2855	1905	3
	4022	3676		WM	41	12	7	7	29	45	164	233	289	565	991	910	382	1
	3753	3566		WF	31	7	2	2	11	7	37	73	160	333	705	1117	1081	-
	2381	2242		BM	91	14	6	5	76	108	198	193	218	357	446	386	143	1
	1828	1733		BF	65	9	7	6	12	23	62	79	125	249	372	431	292	1
	34	32		OM	1	-	1	3	1	3	1	4	1	4	4	6	3	-
	23	22		OF	1	1	-	-	-	1	-	1	2	2	5	5	4	-
SPD 2	6071	6129	8.1	ALL	132	11	11	19	62	87	220	319	412	811	1397	1583	1063	2
	2029	2083		WM	36	3	1	4	29	30	77	97	146	312	545	565	237	1
	1932	1904		WF	21	1	4	4	13	11	26	42	84	203	389	562	544	-
	1142	1175		BM	48	3	5	7	17	37	88	129	102	171	251	213	103	1
	951	956		BF	26	4	1	4	3	9	29	48	80	124	208	242	178	-
	11	4		OM	-	-	-	-	-	-	-	1	-	-	2	1	-	-
	6	7		OF	1	-	-	-	-	-	-	2	-	1	2	-	1	-
SPD 3	2062	2278	7.3	ALL	50	13	7	8	24	38	88	110	186	326	515	539	374	-
	814	895		WM	14	5	3	4	13	21	39	41	78	144	225	207	101	-
	741	771		WF	15	3	1	3	6	7	16	29	39	85	171	200	196	-
	267	334		BM	14	2	2	1	5	6	22	24	41	52	61	69	35	-
	211	248		BF	7	2	1	-	-	2	6	16	25	38	55	56	40	-
	22	22		OM	-	-	-	-	-	2	4	-	2	7	1	5	1	-
	7	8		OF	-	1	-	-	-	-	1	-	1	-	2	2	1	-
SPD 4	4445	4640	8.3	ALL	99	24	12	12	35	51	155	181	297	638	1026	1218	892	-
	1705	1795		WM	29	8	4	3	25	22	71	77	123	285	462	461	225	-
	1583	1640		WF	18	7	1	3	5	5	24	37	75	157	325	487	496	-
	633	656		BM	29	4	5	2	4	12	43	34	65	109	138	138	73	-
	512	538		BF	23	3	2	3	1	11	17	31	34	86	100	130	97	-
	6	6		OM	-	1	-	1	-	1	-	1	-	1	-	1	-	-
	6	5		OF	-	1	-	-	-	-	-	1	-	-	1	1	1	-
SPD 5	2276	2336	8.9	ALL	45	16	4	8	18	24	69	93	133	355	558	633	380	-
	965	993		WM	20	3	1	4	10	14	37	39	60	172	252	273	108	-
	831	829		WF	8	4	1	3	4	3	7	17	39	100	170	262	211	-
	259	285		BM	8	4	2	-	4	6	19	22	17	49	78	53	23	-
	214	222		BF	9	5	-	1	-	1	6	14	16	33	56	44	37	-
	6	5		OM	-	-	-	-	-	-	-	1	-	1	1	1	1	-
	1	2		OF	-	-	-	-	-	-	-	-	1	-	1	-	-	-
SPD 6	2871	2852	9.1	ALL	64	13	3	9	21	38	66	98	170	356	659	798	557	-
	1198	1152		WM	25	5	-	2	10	20	32	46	75	167	325	303	142	-
	912	979		WF	15	-	-	5	5	6	6	18	39	79	196	312	298	-
	408	372		BM	13	3	2	2	5	7	19	20	30	69	65	94	43	-
	344	340		BF	11	5	1	-	1	4	8	13	25	37	73	89	73	-
	6	6		OM	-	-	-	-	-	1	1	-	-	3	-	-	1	-
	3	3		OF	-	-	-	-	-	-	-	1	1	1	-	-	-	-
SPD 7	5766	5385	9.8	ALL	78	24	12	16	40	60	136	189	314	640	1205	1494	1177	-
	2036	1841		WM	15	3	4	4	14	21	45	66	118	247	499	546	259	-
	1778	1648		WF	12	3	2	2	9	7	18	29	59	151	315	515	526	-
	1030	982		BM	28	10	5	7	13	24	54	56	89	142	211	201	142	-
	915	907		BF	23	8	1	3	4	8	19	37	47	98	179	230	250	-
	2	2		OM	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	5	5		OF	-	-	-	-	-	-	-	1	1	1	1	1	-	-
SPD 8	3019	3183	10.4	ALL	56	11	5	11	23	32	78	121	170	390	708	932	645	1
	1013	1079		WM	14	1	1	4	13	10	28	37	64	129	304	333	141	-
	980	1037		WF	11	2	1	1	4	6	7	19	42	118	180	340	306	-
	528	549		BM	20	6	2	4	5	12	30	41	38	74	116	128	72	1
	497	517		BF	11	2	1	2	1	4	13	24	26	69	108	131	125	-
	1	1		OM	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RATE PER 1,000 POPULATION
UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN REGION RESIDENCE DATA

TABLE XVIII-C
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO DECEDENT'S USUAL RESIDENCE AND SHOWN BY RACE-SEX AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE SEX	AGE IN YEARS												
					LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
HSA 1	14103	13549	9.0	ALL	280	56	30	31	153	225	550	693	981	1836	3038	3394	2279	3
	4836	4571		WM	55	17	10	11	42	66	203	274	367	709	1216	1117	483	1
	4494	4337		WF	46	10	3	5	17	14	53	102	199	418	876	1317	1277	-
	2648	2576		BM	105	16	8	6	81	114	220	217	259	409	507	455	178	1
	2039	1981		BF	72	11	8	6	12	25	68	95	150	287	427	487	332	1
	56	54		OM	1	-	1	3	1	5	5	4	3	11	5	11	4	-
	30	30		OF	1	2	-	-	-	1	1	1	3	2	7	7	5	-
HSA 2	12792	13105	8.3	ALL	276	51	27	39	115	162	444	593	842	1804	2981	3434	2335	2
	4699	4871		WM	85	14	6	11	64	66	185	213	329	769	1259	1299	570	1
	4346	4373		WF	47	12	6	10	22	19	57	96	198	460	884	1311	1251	-
	2034	2116		BM	85	11	12	9	25	55	150	185	184	329	467	404	199	1
	1677	1716		BF	58	12	3	8	4	21	52	93	130	243	364	416	312	-
	23	15		OM	-	1	-	1	-	1	-	3	-	2	3	3	1	-
	13	14		OF	1	1	-	-	-	-	-	3	1	1	4	1	2	-
HSA 3	11656	11420	9.8	ALL	198	48	20	36	84	130	280	408	654	1386	2572	3224	2379	1
	4247	4072		WM	54	9	5	10	37	51	105	149	257	543	1128	1182	542	-
	3670	3664		WF	38	5	3	8	18	19	31	66	140	348	691	1167	1130	-
	1966	1903		BM	61	19	9	13	23	43	103	117	157	285	392	423	257	1
	1756	1764		BF	45	15	3	5	6	16	40	74	98	204	360	450	448	-
	9	9		OM	-	-	-	-	-	1	1	-	-	4	-	1	2	-
	8	8		OF	-	-	-	-	-	-	-	2	2	2	1	1	-	-

RATE PER 1,000 POPULATION
UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN REGION RESIDENCE DATA

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS													
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
TOTAL	38551	764	158	76	104	349	525	1292	1719	2525	5107	8695	10191	7039	7
IN HOSPITAL	25051	649	117	43	57	157	213	638	1044	1653	3513	6050	6807	4108	2
NURSING HOME	3866	-	1	2	-	1	1	15	31	53	171	499	1297	1795	-
OUT OF HOSPITAL OR NURSING HOME	9634	115	40	31	47	191	311	639	644	819	1423	2146	2087	1136	5
ACADIA	396	7	2	1	1	4	6	4	8	33	41	88	110	91	-
ACADIA-ST. LANDRY HOSPITAL	45	-	1	-	-	-	-	-	-	5	3	10	13	13	-
AMERICAN LEGION HOSPITAL	148	3	-	-	-	-	1	-	-	12	9	37	45	41	-
NURSING HOME	46	-	-	-	-	-	-	-	1	1	2	6	19	17	-
OUT OF HOSPITAL	157	4	1	1	1	4	5	4	7	15	27	35	33	20	-
ALLEN	185	1	1	-	-	-	-	3	5	2	24	51	49	49	-
ALLEN PARISH HOSPITAL	51	-	-	-	-	-	-	-	1	1	5	10	20	14	-
HUMANA HOSPITAL- OAKDALE	74	-	1	-	-	-	-	-	3	1	7	22	18	22	-
NURSING HOME	21	-	-	-	-	-	-	-	-	-	2	4	6	9	-
OUT OF HOSPITAL	39	1	-	-	-	-	-	3	1	-	10	15	5	4	-
ASCENSION	319	1	-	-	-	3	7	19	15	20	47	60	87	60	-
EAST ASCENSION GENERAL HOSPITAL	62	-	-	-	-	-	2	4	1	2	11	14	20	8	-
PREVOST MEMORIAL HOSPITAL	37	-	-	-	-	-	-	-	1	2	5	4	12	13	-
RIVERVIEW MEDICAL CENTER	96	1	-	-	-	-	-	-	5	8	14	22	28	18	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	-	4	2	12	-
OUT OF HOSPITAL	106	-	-	-	-	3	5	15	8	8	17	16	25	9	-
ASSUMPTION	92	-	1	-	-	-	1	2	4	11	11	21	24	17	-
ASSUMPTION GENERAL HOSPITAL	26	-	-	-	-	-	-	-	1	-	4	6	8	7	-
NURSING HOME	10	-	-	-	-	-	-	-	-	-	-	2	5	3	-
OUT OF HOSPITAL	56	-	1	-	-	-	1	2	3	11	7	13	11	7	-
AVOYELLES	286	4	-	-	-	4	1	5	16	17	29	46	77	87	-
BUNKIE GENERAL HOSPITAL	64	1	-	-	-	-	-	-	2	4	6	10	14	27	-
HUMANA HOSPITAL-MARKSVILLE	61	1	-	-	-	-	-	1	-	3	3	9	21	23	-
NURSING HOME	65	-	-	-	-	-	-	-	-	2	1	7	22	33	-
OUT OF HOSPITAL	96	2	-	-	-	4	1	4	14	8	19	20	20	4	-
BEAUREGARD	224	-	1	-	1	-	3	6	8	12	27	46	64	56	-
BEAUREGARD MEMORIAL HOSPITAL	124	-	-	-	-	-	-	1	6	8	16	28	34	31	-
MERRYVILLE GENERAL HOSPITAL	14	-	1	-	-	-	-	-	-	1	1	1	5	5	-
NURSING HOME	43	-	-	-	-	-	-	1	1	1	3	6	13	18	-
OUT OF HOSPITAL	43	-	-	-	1	-	3	4	1	2	7	11	12	2	-
BIENVILLE	129	3	-	1	-	1	1	5	7	7	8	16	38	42	-
BIENVILLE GENERAL HOSPITAL	42	1	-	-	-	-	-	-	1	1	4	6	14	15	-
NURSING HOME	36	-	-	-	-	-	-	1	-	-	-	1	15	19	-
OUT OF HOSPITAL	51	2	-	1	-	1	1	4	6	6	4	9	9	8	-
BOSSIER	488	3	1	1	2	4	7	9	15	34	60	102	143	107	-
U S AIR FORCE BASE HOSPITAL	14	1	-	-	-	-	-	-	-	1	4	6	1	1	-
BOSSIER MEDICAL CENTER	257	1	1	-	1	2	3	8	8	20	34	55	82	42	-
RIVERSIDE COMMUNITY HOSPITAL	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
NURSING HOME	105	-	-	-	-	-	-	-	-	1	3	11	37	54	-
OUT OF HOSPITAL	109	-	-	1	1	2	4	1	7	12	19	30	22	10	-
CADDO	3570	76	17	9	9	24	39	105	137	222	503	873	926	630	-
L.S.U. MEDICAL CENTER	640	47	6	-	2	9	10	38	41	79	118	110	113	67	-
HIGHLAND HOSPITAL	152	2	-	-	1	2	1	5	4	8	20	37	40	32	-
NORTH CADDO MEMORIAL HOSPITAL	34	-	-	-	-	-	-	-	-	-	4	5	14	11	-
DOCTORS HOSPITAL OF CADDO	47	-	-	-	-	-	-	-	1	1	4	13	17	11	-
PHYSICIANS AND SURGEONS HOSPITAL	83	-	-	-	-	-	-	-	4	1	4	19	28	27	-
T. E. SCHUMPERT HOSPITAL	756	13	4	5	2	-	3	15	28	36	101	195	235	119	-
VETERANS ADMIN. MEDICAL CENTER	337	-	-	-	-	-	-	3	5	14	92	139	69	15	-
WILLIS KNIGHTON MEDICAL CENTER	624	12	4	1	2	7	11	14	23	42	92	162	166	88	-
NURSING HOME	372	-	-	-	-	-	-	1	1	6	11	81	105	187	-
OUT OF HOSPITAL	525	2	3	3	2	6	14	29	30	35	57	132	139	73	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS												
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
CALCASIEU	1585	30	10	1	4	15	22	41	67	100	242	367	449	237	-
DEQUINCY GENERAL HOSPITAL	14	-	-	-	-	1	-	-	-	-	-	2	8	3	-
HUMANA HOSPITAL-LAKE CHARLES	37	9	-	-	-	1	-	1	-	-	2	7	11	6	-
DR. WALTER OLIN MOSS REGIONAL HOSP	22	-	-	-	-	-	-	2	3	5	9	2	1	-	-
LAKE CHARLES MEMORIAL HOSPITAL	402	12	4	-	2	4	4	10	16	23	55	108	108	56	-
ST. PATRICKS HOSPITAL	488	2	3	-	-	2	1	6	17	29	79	127	144	78	-
WEST CALCASIEU-CAMERON HOSPITAL	214	3	1	-	-	-	2	2	4	10	34	51	67	40	-
NURSING HOME	69	-	-	-	-	1	-	-	-	1	5	10	28	24	-
OUT OF HOSPITAL	339	4	2	1	2	6	15	20	27	32	58	60	92	30	-
CALDWELL	99	1	1	-	-	3	2	5	-	3	5	20	30	29	-
CALDWELL MEMORIAL HOSPITAL	39	-	-	-	-	1	1	1	-	1	3	8	10	14	-
CITIZENS MEDICAL HOSPITAL	31	1	-	-	-	-	-	-	-	2	-	5	11	12	-
NURSING HOME	5	-	-	-	-	-	-	-	-	-	-	-	3	2	-
OUT OF HOSPITAL	24	-	1	-	-	2	1	4	-	-	2	7	6	1	-
CAMERON	41	-	1	1	1	3	1	2	2	4	6	6	10	4	-
SOUTH CAMERON MEMORIAL HOSPITAL	10	-	-	-	-	-	-	-	-	-	2	4	3	1	-
OUT OF HOSPITAL	31	-	1	1	1	3	1	2	2	4	4	2	7	3	-
CATAHOULA	41	-	-	-	-	1	-	2	1	2	7	12	11	5	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	3	3	3	3	-
OUT OF HOSPITAL	29	-	-	-	-	1	-	2	1	2	4	9	8	2	-
CLAIBORNE	183	1	2	-	1	2	1	4	6	6	18	26	63	53	-
HOMER MEMORIAL HOSPITAL	53	-	1	-	-	-	-	-	1	1	6	12	19	13	-
NORTH CLAIBORNE HOSPITAL	26	-	-	-	-	-	-	1	-	2	1	4	12	6	-
NURSING HOME	34	-	-	-	-	-	-	-	-	1	1	1	12	19	-
OUT OF HOSPITAL	70	1	1	-	1	2	1	3	5	2	10	9	20	15	-
CONCORDIA	201	4	-	-	-	1	1	5	5	10	29	35	58	53	-
CONCORDIA PARISH HOSPITAL	131	2	-	-	-	1	1	1	2	6	19	23	44	32	-
NURSING HOME	21	-	-	-	-	-	-	-	-	-	2	-	4	15	-
OUT OF HOSPITAL	49	2	-	-	-	-	-	4	3	4	8	12	10	6	-
DESOTO	163	1	1	-	1	-	2	4	5	11	16	28	48	46	-
DESOTO GENERAL HOSPITAL	71	-	-	-	-	-	-	-	2	4	2	19	24	20	-
NURSING HOME	26	-	-	-	-	-	-	-	-	-	2	1	11	12	-
OUT OF HOSPITAL	66	1	1	-	1	-	2	4	3	7	12	8	13	14	-
EAST BATON ROUGE	3628	87	4	8	9	32	54	116	198	250	479	851	934	605	1
BATON ROUGE GENERAL HOSPITAL	892	2	1	2	-	3	5	23	47	52	115	211	263	168	-
EARL K. LONG MEMORIAL HOSPITAL	275	29	1	1	1	2	9	23	39	49	49	41	23	8	-
LANE MEMORIAL HOSPITAL	252	5	-	-	1	1	1	1	5	6	31	59	87	53	-
MEDICAL CENTER OF BATON ROUGE	232	1	-	-	-	2	3	3	8	12	32	70	68	33	-
OUR LADY OF THE LAKE MEDICAL CENTER	917	7	-	2	5	12	11	19	45	66	127	250	249	123	1
WOMANS HOSPITAL	44	37	-	-	-	-	-	1	-	-	1	1	3	1	-
NURSING HOME	290	-	-	-	-	-	-	-	2	3	17	39	90	139	-
OUT OF HOSPITAL	726	6	2	3	2	12	25	46	52	60	107	180	151	80	-
EAST CARROLL	81	-	-	1	-	-	1	4	5	5	10	15	23	17	-
REGENT HOSPITAL OF EAST CARROLL	18	-	-	-	-	-	-	1	1	-	1	3	8	4	-
NURSING HOME	22	-	-	-	-	-	-	-	-	-	3	4	7	8	-
OUT OF HOSPITAL	41	-	-	1	-	-	1	3	4	5	6	8	8	5	-
EAST FELICIANA	90	2	-	-	-	3	-	3	4	5	10	24	20	19	-
EAST LOUISIANA STATE HOSPITAL	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NURSING HOME	56	-	-	-	-	-	-	1	4	2	8	11	12	18	-
OUT OF HOSPITAL	33	2	-	-	-	3	-	1	-	3	2	13	8	1	-
EVANGELINE	347	3	-	1	1	4	1	8	10	8	43	74	125	69	-
HUMANA HOSPITAL-VILLE PLATTE	96	-	-	1	-	3	-	3	2	2	5	24	40	16	-
SAVOY MEMORIAL HOSPITAL	164	2	-	-	-	-	1	2	5	2	23	36	57	36	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	1	1	10	13	-
OUT OF HOSPITAL	62	1	-	-	1	1	-	3	3	4	14	13	18	4	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS													
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
FRANKLIN	205	5	-	-	-	-	1	3	9	7	13	41	70	56	-
FRANKLIN PARISH HOSPITAL	126	2	-	-	-	-	-	-	7	4	11	27	44	31	-
NURSING HOME	48	-	-	-	-	-	-	1	-	-	1	8	16	22	-
OUT OF HOSPITAL	31	3	-	-	-	-	1	2	2	3	1	6	10	3	-
GRANT	62	2	-	-	-	-	-	3	1	-	14	13	14	15	-
NURSING HOME	21	-	-	-	-	-	-	-	-	-	1	3	8	9	-
OUT OF HOSPITAL	41	2	-	-	-	-	-	3	1	-	13	10	6	6	-
IBERIA	525	8	3	1	1	1	3	20	17	29	67	127	151	97	-
DAUTERIVE HOSPITAL INC.	151	2	1	-	-	-	-	5	-	5	12	41	54	31	-
IBERIA GENERAL HOSP AND MED CENTER	157	1	1	-	-	-	-	2	7	5	23	47	44	27	-
NURSING HOME	63	-	-	-	-	-	-	-	1	2	2	9	22	27	-
OUT OF HOSPITAL	154	5	1	1	1	1	3	13	9	17	30	30	31	12	-
IBERVILLE	214	3	-	3	2	2	3	6	8	17	25	42	65	38	-
GILLIS LONG MEMORIAL HANSENS DISEASE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
RIVER WEST MEDICAL CENTER	84	-	-	1	-	-	-	1	1	5	11	14	31	20	-
NURSING HOME	30	-	-	2	-	-	-	-	-	1	-	4	10	13	-
OUT OF HOSPITAL	97	3	-	-	2	2	3	5	7	11	14	23	22	5	-
JACKSON	108	-	-	1	2	-	-	1	3	12	12	19	30	28	-
JACKSON PARISH HOSPITAL	58	-	-	1	1	-	-	-	1	6	9	9	13	16	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	-	2	8	8	-
OUT OF HOSPITAL	32	-	-	-	1	-	-	1	2	6	3	8	9	2	-
JEFFERSON	3870	105	34	8	10	32	47	134	167	266	535	937	966	629	-
DOCTORS HOSPITAL OF JEFFERSON	99	-	-	-	-	-	-	1	3	3	13	30	29	20	-
EAST JEFFERSON GENERAL HOSPITAL	739	8	1	-	-	6	1	16	27	56	107	209	207	101	-
OCHSNER FOUNDATION HOSPITAL	626	54	17	5	4	5	9	15	30	54	78	157	146	52	-
LAKESIDE HOSPITAL	18	16	-	-	-	-	-	1	-	-	-	-	1	-	-
BONNABEL HOSPITAL	109	1	-	-	-	-	1	2	4	6	27	30	29	9	-
ST. JUDE MEDICAL CENTER	176	2	-	-	-	2	3	5	8	14	29	38	39	36	-
MEADOWCREST HOSPITAL	186	6	2	-	-	2	5	7	11	16	32	41	41	23	-
WEST JEFFERSON GENERAL HOSPITAL	516	11	11	1	1	3	5	14	21	40	91	146	114	58	-
NURSING HOME	416	-	-	-	-	-	-	3	4	7	9	51	147	195	-
OUT OF HOSPITAL	985	7	3	2	5	14	23	70	59	70	149	235	213	135	-
JEFFERSON DAVIS	241	3	-	1	1	5	1	5	3	13	34	49	64	62	-
JENNINGS AMERICAN LEGION HOSPITAL	90	2	-	-	1	-	-	-	1	3	15	25	26	17	-
WELSH GENERAL HOSPITAL	27	-	-	-	-	-	-	-	-	2	1	2	12	10	-
NURSING HOME	49	-	-	-	-	-	-	-	-	-	3	6	15	25	-
OUT OF HOSPITAL	75	1	-	1	-	5	1	5	2	8	15	16	11	10	-
LAFAYETTE	1616	52	5	4	5	10	11	71	81	125	253	359	388	252	-
HAMILTON MEDICAL CENTER HOSPITAL	61	1	-	-	-	-	-	-	-	2	6	16	23	13	-
UNIVERSITY MEDICAL CENTER	183	15	-	1	-	1	1	19	22	35	59	20	8	2	-
LAFAYETTE GENERAL HOSPITAL	399	11	5	-	3	6	4	15	13	35	52	96	110	49	-
OUR LADY OF LOURDES HOSPITAL	481	1	-	1	-	1	-	12	17	15	73	135	141	85	-
ST. ANNS INFIRMARY	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WOMANS HOSPITAL OF ACADIANA	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	111	-	-	-	-	-	-	1	3	5	1	15	34	52	-
OUT OF HOSPITAL	359	3	-	2	2	2	6	24	26	33	62	77	71	51	-
LAFOURCHE	549	3	3	-	3	7	14	13	26	40	62	121	146	111	-
LADY OF THE SEA HOSPITAL	78	-	-	-	-	2	-	3	5	5	13	19	16	15	-
ST. ANNE HOSPITAL	58	-	1	-	-	-	-	1	-	3	4	17	18	14	-
THIBODAUX GENERAL HOSPITAL	194	1	1	-	-	1	2	1	10	14	17	51	59	37	-
NURSING HOME	50	-	-	-	-	-	-	-	-	-	2	6	15	27	-
OUT OF HOSPITAL	169	2	1	-	3	4	12	8	11	18	26	28	38	18	-
LASALLE	120	2	-	-	-	2	2	-	4	5	16	32	30	27	-
HARDTNER MEDICAL CENTER	21	1	-	-	-	-	-	-	-	3	4	7	4	2	-
LASALLE GENERAL HOSPITAL	66	1	-	-	-	-	2	-	1	1	9	13	20	19	-
NURSING HOME	7	-	-	-	-	-	-	-	-	-	-	1	2	4	-
OUT OF HOSPITAL	26	-	-	-	-	2	-	-	3	1	3	11	4	2	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS													
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
LINCOLN	352	3	1	-	1	4	2	3	9	12	28	95	103	91	-
LINCOLN GENERAL HOSPITAL	247	1	-	-	1	1	-	1	3	6	17	75	73	69	-
NORTH LA REHABILITATION HOSPITAL	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
NURSING HOME	40	-	-	-	-	-	-	-	-	1	3	6	13	17	-
OUT OF HOSPITAL	62	2	1	-	-	3	2	2	6	5	8	13	15	5	-
LIVINGSTON	177	1	-	-	1	7	2	5	10	17	21	47	42	24	-
NURSING HOME	36	-	-	-	-	-	-	-	-	-	-	6	14	16	-
OUT OF HOSPITAL	141	1	-	-	1	7	2	5	10	17	21	41	28	8	-
MADISON	140	1	-	-	1	1	1	3	6	10	17	30	41	29	-
MADISON PARISH HOSPITAL	80	-	-	-	-	-	-	1	2	6	10	16	30	15	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	3	5	3	7	-
OUT OF HOSPITAL	42	1	-	-	1	1	1	2	4	4	4	9	8	7	-
MOREHOUSE	314	3	2	-	3	1	2	4	7	10	37	75	112	58	-
MOREHOUSE GENERAL HOSPITAL	191	-	-	-	1	-	1	-	3	7	28	42	79	30	-
NURSING HOME	61	-	-	-	-	-	-	-	-	-	4	12	20	25	-
OUT OF HOSPITAL	62	3	2	-	2	1	1	4	4	3	5	21	13	3	-
NATCHITOCHES	249	6	-	-	1	3	3	8	8	12	23	39	83	63	-
NATCHITOCHES PARISH HOSPITAL	111	4	-	-	1	-	1	1	5	3	8	20	36	32	-
NURSING HOME	53	-	-	-	-	-	1	-	-	-	2	7	21	22	-
OUT OF HOSPITAL	85	2	-	-	-	3	1	7	3	9	13	12	26	9	-
ORLEANS	6451	188	31	15	16	86	139	322	424	479	870	1319	1519	1038	5
JO ELLEN SMITH MEMORIAL HOSPITAL	286	1	1	-	-	3	2	9	6	15	31	74	92	52	-
SOUTHERN BAPTIST HOSPITAL	440	19	1	-	-	1	5	15	23	22	46	103	126	79	-
CHARITY HOSPITAL OF NEW ORLEANS	858	75	4	5	2	25	42	121	130	125	145	94	68	22	-
CHILDRENS HOSPITAL	49	23	11	5	9	1	-	-	-	-	-	-	-	-	-
UNITED MEDICAL CENTER	120	1	-	-	-	-	1	3	7	10	22	31	24	21	-
F. EDWARD HEBERT HOSPITAL	7	-	-	-	-	-	-	-	2	1	1	1	2	-	-
HUMANA WOMENS HOSPITAL	243	4	1	-	-	2	1	-	4	6	15	59	102	49	-
HOTEL DIEU HOSPITAL	312	-	-	-	-	-	2	9	15	28	46	64	87	61	-
PENDLETON MEMORIAL METHODIST HOSP	374	9	1	-	-	3	3	7	19	29	53	88	101	61	-
MERCY HOSPITAL	472	4	2	-	-	-	2	3	8	23	46	117	153	114	-
MONTELEPRE MEMORIAL HOSPITAL	21	-	-	-	-	-	-	-	1	-	4	7	8	1	-
ST. CHARLES GENERAL HOSPITAL	88	-	-	-	-	-	1	1	2	4	11	22	27	20	-
TOURO INFIRMARY	450	5	1	-	-	2	5	7	25	28	51	92	137	97	-
TULANE MEDICAL CENTER HOSPITAL	246	32	8	2	2	4	3	13	25	21	41	42	39	14	-
VETERANS ADMINISTRATION HOSPITAL	479	-	-	-	-	-	-	5	31	37	152	168	75	11	-
NURSING HOME	453	-	-	-	-	-	-	5	7	7	19	50	135	230	-
OUT OF HOSPITAL	1553	15	1	3	3	45	72	124	119	123	187	307	343	206	5
OUACHITA	1546	35	6	2	4	12	15	41	62	97	231	354	413	274	-
E. A. CONWAY MEMORIAL HOSPITAL	221	9	3	1	1	1	1	18	19	28	68	39	25	8	-
GLENWOOD REGIONAL MEDICAL CENTER	252	3	-	-	1	1	-	2	7	15	37	70	68	48	-
HCA NORTH MONROE HOSPITAL	165	1	-	-	-	-	-	3	3	6	21	42	53	36	-
ST. FRANCIS MEDICAL CENTER	550	16	3	-	-	5	8	6	17	30	70	148	161	86	-
STERLINGTON GENERAL HOSPITAL	48	-	-	-	-	-	-	-	-	2	4	9	20	13	-
NURSING HOME	110	-	-	-	-	-	-	-	1	2	6	9	43	49	-
OUT OF HOSPITAL	200	6	-	1	2	5	6	12	15	14	25	37	43	34	-
PLAQUEMINES	108	-	2	-	-	3	4	11	9	18	16	15	24	6	-
PLAQUEMINES PARISH GENERAL HOSPITAL	16	-	1	-	-	-	-	-	3	2	3	2	4	1	-
OUT OF HOSPITAL	92	-	1	-	-	3	4	11	6	16	13	13	20	5	-
POINTE COUPEE	181	-	-	-	-	1	2	5	7	10	19	33	60	44	-
POINTE COUPEE GENERAL HOSPITAL	106	-	-	-	-	1	1	-	2	4	13	13	35	37	-
NURSING HOME	21	-	-	-	-	-	-	-	-	1	-	2	15	3	-
OUT OF HOSPITAL	54	-	-	-	-	-	1	5	5	5	6	18	10	4	-
RAPIDES	1794	27	7	1	7	8	21	39	54	118	233	469	507	303	-
RAPIDES GENERAL HOSPITAL	533	3	4	1	2	1	6	13	9	33	53	134	174	100	-
WOODVIEW REGIONAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ENGLAND AIR FORCE BASE HOSPITAL	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
HUEY P. LONG CHARITY HOSPITAL	90	3	-	-	1	-	-	6	12	17	24	12	12	3	-
ST. FRANCIS CABRINI HOSPITAL	453	18	-	-	1	4	2	5	10	24	43	117	150	79	-
PINECREST STATE SCHOOL	9	-	1	-	-	-	-	-	-	2	2	3	-	1	-
VETERANS ADMINISTRATION MEDICAL CENTER	284	-	-	-	-	-	-	2	5	17	67	121	60	12	-
NURSING HOME	159	-	-	-	-	-	-	-	1	-	8	22	54	76	-
OUT OF HOSPITAL	264	3	2	-	3	3	13	13	17	25	36	59	56	32	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS													
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
RED RIVER	85	1	-	-	-	-	1	2	1	4	12	13	27	24	-
L. S. MUCKABAY MEMORIAL HOSPITAL	33	-	-	-	-	-	-	-	-	-	3	8	13	9	-
NURSING HOME	17	-	-	-	-	-	-	-	-	1	-	-	9	7	-
OUT OF HOSPITAL	35	1	-	-	-	-	1	2	1	3	9	5	5	8	-
RICHLAND	230	1	-	-	-	1	1	4	5	11	18	41	84	64	-
RICHLAND PARISH HOSPITAL - URBAN	65	1	-	-	-	-	-	-	-	2	5	13	26	18	-
RICHLAND PARISH HOSPITAL - RURAL	72	-	-	-	-	-	-	-	2	2	4	16	27	21	-
NURSING HOME	39	-	-	-	-	-	-	-	-	1	3	3	16	16	-
OUT OF HOSPITAL	54	-	-	-	-	1	1	4	3	6	6	9	15	9	-
SABINE	195	1	3	1	-	3	1	6	3	14	22	31	56	54	-
SABINE MEDICAL CENTER	71	-	-	-	-	-	-	1	1	5	5	11	26	22	-
NURSING HOME	50	-	-	-	-	-	-	-	-	-	3	6	16	25	-
OUT OF HOSPITAL	74	1	3	1	-	3	1	5	2	9	14	14	14	7	-
ST.BERNARD	535	4	-	-	1	4	7	8	20	34	89	154	156	78	-
CHALMETTE GENERAL HOSPITAL	120	1	-	-	1	1	1	2	4	4	18	39	41	8	-
DE LA RONDE HOSPITAL	205	2	-	-	-	2	-	5	4	12	25	61	65	29	-
NURSING HOME	60	-	-	-	-	-	-	-	-	3	6	10	21	20	-
OUT OF HOSPITAL	150	1	-	-	-	1	6	1	12	15	20	44	29	21	-
ST.CHARLES	209	3	1	-	1	3	-	10	17	12	17	33	62	50	-
ST. CHARLES PARISH HOSPITAL	103	-	-	-	-	1	-	3	6	5	11	20	32	25	-
NURSING HOME	38	-	-	-	-	-	-	-	-	1	-	2	17	18	-
OUT OF HOSPITAL	68	3	1	-	1	2	-	7	11	6	6	11	13	7	-
ST. HELENA	66	-	-	-	-	2	1	2	3	7	2	9	20	20	-
ST. HELENA PARISH HOSPITAL	26	-	-	-	-	-	-	-	1	2	-	1	9	13	-
NURSING HOME	7	-	-	-	-	-	-	-	-	-	-	-	2	5	-
OUT OF HOSPITAL	33	-	-	-	-	2	1	2	2	5	2	8	9	2	-
ST. JAMES	90	1	-	-	-	-	3	3	5	4	15	15	19	25	-
ST. JAMES PARISH HOSPITAL	34	1	-	-	-	-	-	1	-	1	4	5	10	12	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	1	3	4	7	-
OUT OF HOSPITAL	41	-	-	-	-	-	3	2	5	3	10	7	5	6	-
ST. JOHN	233	2	1	1	1	1	9	10	9	20	33	53	59	34	-
RIVER PARISHES MEDICAL CENTER	104	1	-	-	-	-	3	5	4	9	15	27	31	9	-
NURSING HOME	35	-	-	-	-	-	-	-	-	-	2	1	13	19	-
OUT OF HOSPITAL	94	1	1	1	1	1	6	5	5	11	16	25	15	6	-
ST. LANDRY	619	10	3	-	-	4	7	20	31	27	68	139	177	133	-
MOOSA MEMORIAL HOSPITAL	66	2	-	-	-	-	-	1	3	1	8	18	22	11	-
OPELOUSAS GENERAL HOSPITAL	209	5	-	-	-	-	2	5	6	5	18	52	72	44	-
DOCTORS HOSPITAL OF ST. LANDRY	102	-	1	-	-	-	-	-	3	6	11	24	33	24	-
NURSING HOME	64	-	-	-	-	-	-	-	1	-	3	6	18	36	-
OUT OF HOSPITAL	176	3	2	-	-	4	5	14	18	15	28	39	32	18	-
ST. MARTIN	159	2	1	1	-	-	5	10	4	15	21	31	46	33	-
GARY MEMORIAL HOSPITAL	25	-	-	-	-	-	-	2	-	1	3	2	8	9	-
NURSING HOME	32	-	-	-	-	-	-	-	-	-	1	1	14	16	-
OUT OF HOSPITAL	112	2	1	1	-	-	5	8	4	14	17	28	24	8	-
ST. MARY	396	3	1	2	2	6	7	13	17	28	56	78	97	86	-
FAIRVIEW HOSPITAL	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
FRANKLIN FOUNDATION HOSPITAL	103	-	-	1	-	1	1	1	4	8	11	21	29	26	-
LAKEWOOD HOSPITAL	149	2	-	-	1	-	1	2	3	11	24	32	37	35	-
NURSING HOME	30	-	-	-	-	-	-	-	-	-	1	4	11	14	-
OUT OF HOSPITAL	114	1	1	1	1	5	5	10	10	9	20	21	20	10	-
ST. TAMMANY	1077	19	1	3	2	10	8	35	39	70	146	276	278	190	-
HIGHLAND PARK HOSPITAL	91	5	-	1	1	1	-	1	4	5	17	26	20	10	-
NORTHSHORE REGIONAL MEDICAL CENTER	205	4	-	-	-	-	3	1	9	16	21	57	58	36	-
ST. TAMMANY PARISH HOSPITAL	182	1	-	-	1	1	-	3	1	13	26	47	52	37	-
SLIDELL MEMORIAL HOSPITAL	200	5	-	1	-	3	1	7	5	8	27	51	60	32	-
SOUTHEAST LOUISIANA STATE HOSPITAL	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
NURSING HOME	77	-	-	-	-	-	-	-	1	1	1	11	27	36	-
OUT OF HOSPITAL	321	4	1	1	-	5	4	22	19	27	54	84	61	39	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS													
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
TANGIPAHOA	852	12	2	1	1	5	10	31	34	53	113	195	248	147	-
HAMMOND STATE HOSPITAL	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
HOOD MEMORIAL HOSPITAL	71	1	-	-	-	-	-	1	-	3	4	15	26	21	-
LALLIE KEMP CHARITY HOSPITAL	43	-	-	-	-	-	-	2	6	8	8	6	7	6	-
E. S. PIKE MEMORIAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
SEVENTH WARD GENERAL HOSPITAL	257	10	2	1	-	1	2	3	7	11	37	54	78	51	-
WEST PARK HOSPITAL	132	-	-	-	-	2	2	8	6	10	17	40	30	17	-
NURSING HOME	108	-	-	-	-	-	-	-	1	-	4	20	50	33	-
OUT OF HOSPITAL	238	1	-	-	1	2	6	17	14	20	42	59	57	19	-
TENSAS	28	-	-	-	-	-	1	2	4	1	4	5	6	5	-
NURSING HOME	5	-	-	-	-	-	-	-	-	-	-	-	3	2	-
OUT OF HOSPITAL	23	-	-	-	-	-	1	2	4	1	4	5	3	3	-
TERREBONNE	889	16	5	6	3	6	15	40	39	75	146	216	205	117	-
SOUTH LOUISIANA MEDICAL CENTER	155	11	1	1	-	3	1	7	11	24	52	26	15	3	-
TERREBONNE PARISH GENERAL HOSPITAL	402	4	-	2	2	2	1	8	15	27	47	135	111	48	-
NURSING HOME	29	-	1	-	-	-	-	-	-	1	5	4	7	11	-
OUT OF HOSPITAL	303	1	3	3	1	1	13	25	13	23	42	51	72	55	-
UNION	195	-	-	-	-	4	-	3	5	5	24	32	67	55	-
TRI-WARD GENERAL HOSPITAL	32	-	-	-	-	-	-	1	-	2	3	5	12	9	-
UNION GENERAL HOSPITAL	78	-	-	-	-	-	-	-	1	2	10	12	30	23	-
NURSING HOME	45	-	-	-	-	-	-	-	-	1	2	9	13	20	-
OUT OF HOSPITAL	40	-	-	-	-	4	-	2	4	-	9	6	12	3	-
VERMILION	377	2	-	1	3	3	8	6	9	17	42	81	98	107	-
ABBOM KAPLAN MEMORIAL HOSPITAL	66	1	-	-	-	-	-	-	1	2	3	12	21	26	-
ABBEVILLE GENERAL HOSPITAL	160	1	-	-	1	-	3	2	2	5	16	36	50	44	-
NURSING HOME	34	-	-	-	-	-	-	-	-	-	2	1	8	23	-
OUT OF HOSPITAL	117	--	-	1	2	3	5	4	6	10	21	32	19	14	-
VERNON	229	9	3	-	1	2	8	10	2	12	34	51	61	36	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	20	5	2	-	-	1	1	-	-	-	2	6	2	1	-
BYRD MEMORIAL HOSPITAL	91	1	-	-	-	-	-	1	1	3	11	26	27	21	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	-	3	9	5	-
OUT OF HOSPITAL	101	3	1	-	1	1	7	9	1	9	21	16	23	9	-
WASHINGTON	429	3	-	-	-	2	1	14	12	18	53	99	129	98	-
BOGALUSA COMMUNITY MEDICAL CENTER	172	-	-	-	-	-	-	-	4	4	21	41	57	45	-
RIVERSIDE MEDICAL CENTER	76	-	-	-	-	-	-	3	2	4	6	12	29	20	-
WASHINGTON-ST. TAMMANY HOSPITAL	27	-	-	-	-	-	-	-	2	3	10	8	4	-	-
NURSING HOME	34	-	-	-	-	-	-	-	-	-	2	1	11	20	-
OUT OF HOSPITAL	120	3	-	-	-	2	1	11	4	7	14	37	28	13	-
WEBSTER	352	3	-	-	1	1	3	3	11	13	32	78	107	100	-
HUMANA HOSPITAL-MINDEN	109	1	-	-	-	-	-	-	1	5	8	20	39	35	-
HUMANA HOSPITAL-SPRINGHILL	91	-	-	-	1	1	-	-	1	2	4	21	26	35	-
NURSING HOME	45	-	-	-	-	-	-	-	-	-	4	5	17	19	-
OUT OF HOSPITAL	107	2	-	-	-	-	3	3	9	6	16	32	25	11	-
WEST BATON ROUGE	62	-	-	-	-	-	3	3	5	6	10	20	6	9	-
NURSING HOME	13	-	-	-	-	-	-	1	1	-	1	5	2	3	-
OUT OF HOSPITAL	49	-	-	-	-	-	3	2	4	6	9	15	4	6	-
WEST CARROLL	73	1	-	-	-	-	1	1	5	2	6	18	23	16	-
WEST CARROLL PARISH HOSPITAL	34	-	-	-	-	-	-	-	1	1	3	10	9	10	-
NURSING HOME	12	-	-	-	-	-	-	-	1	-	1	2	4	4	-
OUT OF HOSPITAL	27	1	-	-	-	-	1	1	3	1	2	6	10	2	-
WEST FELICIANA	53	-	-	-	-	-	1	5	2	10	5	10	11	8	1
ANGOLA GENERAL HOSPITAL	6	-	-	-	-	-	-	-	-	5	-	1	-	-	-
WEST FELICIANA PARISH HOSPITAL	18	-	-	-	-	-	1	-	1	2	1	3	5	4	1
NURSING HOME	7	-	-	-	-	-	-	-	-	-	1	1	3	2	-
OUT OF HOSPITAL	22	-	-	-	-	-	-	5	1	3	3	5	3	2	-

(CONTINUED)

TABLE XIX
HOSPITAL OF DEATH BY AGE AT DEATH
LOUISIANA, 1991

HOSPITAL	TOTAL	AGE IN YEARS												
		LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
WINN	138	-	1	-	-	3	1	2	4	8	18	40	32	29	-
HUMANA HOSPITAL-WINN PARISH	89	-	-	-	-	-	-	-	3	6	8	24	24	24	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	2	5	3	2	-
OUT OF HOSPITAL	37	-	1	-	-	3	1	2	1	2	8	11	5	3	-

TABLE XX
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH	ALL DEATHS		DISEASES OF THE HEART (I09-I09, I02, I04-I29)		MALIGNANT NEOPLASMS (140-208)		CEREBROVASCULAR DISEASE (430-438)		ACCIDENTS AND ADVERSE EFFECTS (800-949)		CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (490-496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
STATE	38092	896.0	12410	291.9	8856	208.3	2424	57.0	1717	40.4	1337	31.4
ACADIA	553	981.0	196	347.7	140	248.4	34	60.3	23	40.8	19	33.7
ALLEN	220	1015.3	84	387.7	58	267.7	18	83.1	4	18.5	9	41.5
ASCENSION	395	669.4	126	213.5	87	147.4	24	40.7	29	49.1	13	22.0
ASSUMPTION	181	791.0	68	297.2	52	227.2	13	56.8	7	30.6	1	4.4
AVOYELLES	434	1106.7	150	408.0	105	267.8	34	86.7	20	51.0	15	38.3
BEAUREGARD	270	891.0	82	270.6	60	198.0	24	79.2	12	39.6	5	16.5
BIENVILLE	204	1272.5	67	417.9	46	286.9	21	131.0	14	87.3	3	18.7
BOSSIER	628	719.6	222	254.4	156	178.8	21	24.1	31	35.5	30	34.4
CADDO	2509	1005.5	842	337.4	608	243.7	104	41.7	120	48.1	103	41.3
CALCASIEU	1486	876.0	485	285.9	392	231.1	83	48.9	83	48.9	51	30.1
CALDWELL	115	1169.4	39	396.6	23	233.9	7	71.2	9	91.5	3	30.5
CAMERON	60	845.9	25	269.1	9	96.9	3	32.3	4	43.1	-	-
CATAHOULA	132	1186.4	48	431.4	26	233.7	18	161.8	5	44.9	5	44.9
CLAIBORNE	235	1352.1	79	454.5	50	287.7	10	57.5	20	115.1	6	34.5
CONCORDIA	206	982.6	64	305.3	48	229.0	17	81.1	13	62.0	9	42.9
DESOTO	262	1028.5	77	302.3	63	247.3	33	129.5	15	58.9	12	47.1
E BATON ROUGE	2754	717.2	881	229.4	643	167.5	155	40.4	110	28.6	72	18.8
EAST CARROLL	127	1305.5	45	462.6	26	267.3	11	113.1	9	92.5	2	20.6
E FELICIANA	194	1002.0	73	377.0	36	185.9	14	72.3	10	51.6	7	36.2
EVANGELINE	363	1083.5	144	429.8	62	185.1	18	53.7	17	50.7	16	47.8
FRANKLIN	268	1191.3	85	377.8	55	244.5	36	160.0	7	31.1	8	35.6
GRANT	176	1003.4	73	416.2	39	222.3	11	62.7	7	39.9	8	45.6
IBERIA	565	820.3	162	235.2	170	246.8	37	53.7	20	29.0	17	24.7
IBERVILLE	280	898.3	74	237.4	63	202.1	27	86.6	12	38.5	9	28.9
JACKSON	193	1228.3	62	394.6	51	324.6	11	70.0	10	63.6	2	12.7
JEFFERSON	3601	737.5	1113	248.5	878	194.4	243	53.8	135	29.9	144	31.9
JEFF DAVIS	300	972.0	107	346.7	69	223.6	22	71.3	8	25.9	12	38.9
LAFAYETTE	1094	856.2	335	200.9	294	176.3	72	43.2	46	27.6	40	24.0
LAFOURCHE	650	749.4	216	249.0	145	167.2	53	61.1	41	47.3	23	26.5
LASALLE	156	1136.5	67	488.1	31	225.8	7	51.0	6	43.7	8	58.3
LINCOLN	334	793.8	98	232.9	72	171.1	43	102.2	15	35.7	16	38.0
LIVINGSTON	498	696.7	139	194.5	124	173.5	23	32.2	34	47.6	25	35.0
MADISON	169	1352.5	73	584.2	29	232.1	17	136.1	3	24.0	3	24.0
MOREHOUSE	341	1081.7	97	302.0	71	221.1	38	118.3	17	52.9	19	59.2
NATCHITOCHES	365	987.9	140	378.9	70	189.5	28	75.8	23	62.2	7	18.9
ORLEANS	5753	1157.0	1659	333.8	1227	246.8	313	62.9	172	34.6	166	33.4
OUACHITA	1221	855.0	392	274.5	286	200.3	67	46.9	42	29.4	49	34.3
PLAQUEMINES	228	888.5	81	315.7	59	229.9	7	27.3	22	85.7	9	35.1
POINTE COUPEE	249	1101.3	85	376.0	61	269.8	24	106.2	12	53.1	8	35.4
RAPIDES	1237	933.8	399	301.2	288	217.4	92	69.5	51	38.5	54	40.8
RED RIVER	103	1097.5	58	618.0	19	202.5	4	42.6	3	32.0	3	32.0
RICHLAND	235	1136.0	83	401.2	57	275.5	14	67.7	9	43.5	8	38.7
SABINE	266	1169.0	97	426.3	50	219.7	26	114.3	14	61.5	10	43.9
ST BERNARD	649	970.1	221	330.3	156	233.2	31	46.3	30	44.8	20	29.9
ST CHARLES	274	839.8	91	212.5	59	137.8	17	39.7	18	42.0	9	21.0
ST HELENA	91	918.1	37	373.3	13	131.2	7	70.6	5	50.4	2	20.2
ST JAMES	168	793.8	49	231.5	34	160.7	19	89.8	11	52.0	1	4.7
ST JOHN	270	866.1	96	236.8	41	101.2	14	34.5	13	32.1	12	29.6
ST LANDRY	786	950.5	283	351.2	170	210.9	34	42.2	39	48.4	35	43.4
ST MARTIN	334	751.9	112	252.1	100	225.1	20	45.0	16	36.0	11	24.8
ST MARY	481	820.2	143	243.8	114	194.4	30	51.2	31	52.8	23	39.2
ST TAMMANY	1040	702.1	338	228.2	251	169.4	64	43.2	62	41.9	33	22.3
TANGIPAHOA	906	1041.1	372	427.5	188	216.0	58	66.6	46	52.9	40	46.0
TENSAS	95	1347.7	40	567.5	20	283.7	7	99.3	1	14.2	3	42.6
TERREBONNE	735	751.3	210	214.7	193	197.3	59	60.3	38	38.8	23	23.5
UNION	274	1318.4	75	360.3	81	293.1	14	67.3	19	91.3	11	52.8
VERMILION	484	984.2	182	362.8	98	195.2	35	69.7	31	61.8	14	27.9
VERNON	335	535.9	109	174.4	70	112.0	19	30.4	30	48.0	14	22.4
WASHINGTON	511	1179.5	184	378.6	114	263.1	50	115.4	22	50.8	20	46.2
WEBSTER	479	1137.7	177	420.4	130	308.8	32	76.0	15	35.6	13	30.9
W BATON ROUGE	173	883.7	85	332.0	48	245.2	14	71.5	9	46.0	2	10.2
WEST CARROLL	145	1195.1	52	428.8	33	272.0	8	65.9	5	41.2	5	41.2
W FELICIANA	78	603.7	31	239.9	14	108.4	4	31.0	2	15.5	7	54.2
WINN	176	1080.3	58	356.0	51	313.0	10	61.4	9	55.2	10	61.4
UNKNOWN***	18		3		-		1		1		-	
OUT OF STATE**	1139		308		254		61		148		34	

(CONTINUED)

* RATE PER 100,000 POPULATION
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XX
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH	DIABETES MELLITUS (250)	PNEUMONIA AND INFLUENZA (480-487)	HOMICIDE AND LEGAL INTERVENTION (960-978)	SUICIDE AND SELF INFLICTED INJURY (950-959)	SEPTICEMIA (038)	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (580-589)	AIDS (42-44)	CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	ATHEROSCLEROSIS (440)	CERTAIN CONDITIONS ORIGINATING IN PERINATAL PERIOD (760-779)	CONGENITAL ANOMALIES (740-759)	ALL OTHERS
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
STATE	1312	1037	824	558	515	465	463	354	353	345	245	4877
ACADIA	19	13	5	5	3	6	2	4	10	8	2	84
ALLEN	3	5	-	2	1	-	-	1	1	1	1	32
ASCENSION	15	12	8	7	4	6	-	1	4	5	1	53
ASSUMPTION	2	1	3	-	1	3	2	2	3	2	1	20
AVOYELLES	17	11	3	6	2	4	1	2	4	5	1	44
BEAUREGARD	6	16	2	2	2	3	-	-	8	1	2	47
BIENVILLE	10	7	-	4	4	1	-	3	4	-	-	20
BOSSIER	37	11	6	18	3	6	3	5	-	4	3	72
CADDO	133	81	60	40	32	20	15	18	3	17	11	322
CALCASIEU	47	43	25	21	24	18	9	13	9	10	10	183
CALDWELL	2	7	-	2	6	2	-	-	-	-	-	15
CAMERON	2	2	-	2	1	1	-	-	-	-	-	11
CATAHOULA	2	6	-	1	2	2	-	1	-	-	1	15
CLAIBORNE	6	14	8	2	4	4	1	1	1	-	2	27
CONCORDIA	2	15	1	3	3	3	1	3	2	1	1	20
DESOTO	0	-	2	4	2	3	-	5	9	4	1	23
E BATON ROUGE	64	83	71	51	42	30	54	30	77	36	18	339
EAST CARROLL	6	3	5	1	2	3	-	-	-	2	-	12
E FELICIANA	7	8	-	1	8	5	-	1	1	5	-	20
EVANGELINE	8	16	-	7	7	6	2	2	1	1	5	51
FRANKLIN	6	13	3	3	5	5	3	2	1	3	-	33
GRANT	4	5	2	2	-	1	1	-	-	1	2	20
IBERIA	22	11	4	9	9	4	3	5	13	3	10	66
IBERVILLE	10	18	8	2	4	6	2	3	4	1	1	38
JACKSON	12	8	-	-	-	4	1	1	1	-	2	28
JEFFERSON	128	68	73	73	50	47	44	43	26	34	28	474
JEFF DAVIS	11	7	2	6	3	3	4	5	4	3	5	29
LAFAYETTE	24	29	15	23	15	14	12	8	11	15	8	133
LAFOURCHE	24	21	7	10	5	11	3	4	8	5	5	69
LASALLE	3	6	1	-	-	5	-	1	2	1	2	18
LINCOLN	9	10	3	2	7	4	1	1	1	-	3	49
LIVINGSTON	15	17	6	10	5	5	5	5	4	2	3	78
MADISON	3	6	2	3	2	3	-	-	1	1	1	22
MOREHOUSE	10	16	3	-	2	9	1	2	3	4	-	49
NATCHITOCHES	8	13	4	2	4	5	1	7	5	-	1	47
ORLEANS	259	109	331	60	104	80	209	74	31	72	30	857
OUACHITA	67	25	20	14	17	15	11	10	9	16	8	173
PLAQUEMINES	8	2	5	1	-	1	3	1	-	2	1	28
POINTE COUPEE	6	3	8	5	3	1	1	3	1	2	1	27
RAPIDES	23	50	13	21	19	15	7	13	5	8	15	184
RED RIVER	2	2	-	-	-	-	-	1	1	1	-	9
RICHLAND	4	10	1	3	5	5	-	-	1	-	1	34
SABINE	8	9	3	4	1	2	1	2	3	1	1	34
ST BERNARD	19	8	6	9	3	6	8	4	-	3	3	122
ST CHARLES	15	6	3	3	6	1	-	2	2	1	4	37
ST HELENA	5	2	2	1	-	2	-	-	1	3	-	11
ST JAMES	5	6	4	1	1	2	1	2	3	1	2	28
ST JOHN	10	3	10	6	8	3	3	5	4	6	1	37
ST LANDRY	22	33	10	17	9	11	8	3	4	8	7	73
ST MARTIN	11	8	4	4	8	2	-	3	4	1	2	32
ST MARY	29	12	8	11	1	6	-	2	3	2	2	84
ST TAMMANY	27	25	13	20	7	9	7	16	8	7	7	145
TANGIPAHOA	20	25	16	7	8	9	6	6	6	10	8	91
TENSAS	2	3	1	1	2	1	-	1	-	-	-	13
TERREBONNE	13	23	6	14	14	10	8	7	24	7	8	82
UNION	17	8	5	4	1	2	3	1	2	1	-	50
VERMILION	18	5	1	8	11	11	6	3	1	3	4	55
VERNON	10	13	3	8	3	4	-	-	9	7	5	31
WASHINGTON	12	12	5	3	8	8	9	5	8	-	3	70
WEBSTER	6	20	9	4	10	5	-	6	1	3	2	37
W BATON ROUGE	1	3	1	-	2	2	1	3	1	1	-	20
WEST CARROLL	5	11	1	1	-	-	-	1	1	2	1	18
W FELICIANA	-	3	3	-	-	2	1	-	-	-	2	9
WINN	3	9	1	2	5	-	-	-	-	2	-	16
UNKNOWN***	1	-	1	2	1	-	1	1	-	-	-	6
OUT OF STATE**	22	32	20	14	17	9	20	17	3	10	13	161

** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
TOTAL	38092	896.0	ALL	754	155	77	106	352	520	1276	1694	2480	5030	8592	10054	6994	8
	13524		WM	194	40	21	32	143	186	494	636	956	2024	3603	3598	1595	2
	12375		WF	131	27	12	23	57	52	141	264	537	1226	2451	3796	3658	-
	6602		BM	251	46	29	28	129	212	474	519	600	1024	1367	1283	635	5
	5461		BF	175	38	14	19	22	62	160	262	378	734	1151	1353	1092	1
	78		OM	1	1	1	4	1	7	6	7	3	17	8	15	7	-
	52		OF	2	3	-	-	-	1	1	6	6	5	12	9	7	-
SHIGELLOSIS AND AMEBIASIS-(004,006)	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	6	0.1	ALL	2	1	-	-	-	-	-	-	-	1	-	-	2	-
	1		WM	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	2		WF	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	2		BM	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		BF	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS-(010-018)	47	1.1	ALL	-	-	1	-	-	-	-	2	6	8	11	13	6	-
	15		WM	-	-	1	-	-	-	-	1	1	2	4	3	3	-
	12		WF	-	-	-	-	-	-	-	1	1	2	3	3	2	-
	15		BM	-	-	-	-	-	-	-	-	4	4	2	4	1	-
	5		BF	-	-	-	-	-	-	-	-	-	-	2	3	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH-(033)	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	5	0.1	ALL	2	1	-	-	-	-	-	-	1	-	1	-	-	-
	2		WM	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	3		WF	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA-(038)	515	12.1	ALL	6	1	-	-	2	2	7	13	24	47	100	180	133	-
	136		WM	3	1	-	-	-	-	-	3	4	15	31	48	31	-
	176		WF	1	-	-	-	2	-	2	2	6	11	27	62	63	-
	95		BM	1	-	-	-	-	2	4	3	9	10	22	27	17	-
	106		BF	1	-	-	-	-	-	1	5	5	11	20	41	22	-
	2		OM	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIDS-(042-044)	463	10.9	ALL	1	2	-	1	2	13	169	175	74	20	2	4	-	-
	288		WM	-	-	-	1	1	5	97	115	54	13	1	1	-	-
	9		WF	-	-	-	-	-	1	1	4	1	1	-	1	-	-
	144		BM	-	-	-	-	-	6	61	51	18	6	1	1	-	-
	19		BF	1	1	-	-	1	1	10	3	1	-	-	1	-	-
	2		OM	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	1		OF	-	1	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ACUTE POLIOMYELITIS-(045)	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS-(070)	53	1.2	ALL	1	-	-	-	-	2	1	13	9	12	7	7	1	-
	22		WM	-	-	-	-	-	1	-	5	4	6	1	5	-	-
	14		WF	1	-	-	-	-	-	-	1	3	3	3	2	1	-
	6		BM	-	-	-	-	-	-	1	1	1	2	1	-	-	-
	8		BF	-	-	-	-	-	1	-	3	1	1	2	-	-	-
	3		OM	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS-(090-097)	4	0.1	ALL	1	-	-	-	-	-	1	-	-	1	1	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		BM	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	1		BF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES- (REMAINDER OF 001-139)	120	2.8	ALL	3	1	1	-	-	3	10	14	10	17	33	21	7	-
	39		WM	-	-	-	-	-	1	1	2	3	5	18	7	2	-
	36		WF	2	1	-	-	-	-	2	-	4	5	8	9	5	-
	23		BM	1	-	-	-	-	2	3	4	1	6	3	3	-	-
	20		BF	-	-	-	-	-	-	4	8	2	1	3	2	-	-
	2		OM	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES- (140-208)	8856	208.3	ALL	-	9	10	9	8	20	97	329	745	1760	2747	2261	860	1
	3455		WM	-	5	3	4	4	8	30	90	258	699	1196	897	261	-
	2732		WF	-	2	2	3	1	2	29	99	236	511	792	727	328	-
	1485		BM	-	2	3	-	1	2	13	69	146	324	439	354	131	1
	1150		BF	-	-	2	-	2	8	24	69	103	218	314	273	137	-
	16		OM	-	-	-	2	-	-	-	-	-	5	-	7	2	-
	18		OF	-	-	-	-	-	-	1	2	2	3	6	3	1	-
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX- (140-149)	174	4.1	ALL	-	-	-	-	1	1	1	10	29	50	48	25	9	-
	79		WM	-	-	-	-	-	-	-	2	13	22	25	12	5	-
	32		WF	-	-	-	-	-	-	-	-	2	8	14	5	3	-
	46		BM	-	-	-	-	1	1	1	6	10	15	8	4	-	-
	16		BF	-	-	-	-	-	-	-	2	4	5	1	3	1	-
	1		OM	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	2005	47.2	ALL	-	-	1	-	-	2	8	53	153	366	614	544	264	-
	714		WM	-	-	-	-	-	1	3	20	62	149	258	169	52	-
	624		WF	-	-	-	-	-	-	-	6	34	93	174	198	119	-
	353		BM	-	-	-	-	-	-	4	20	34	78	98	87	32	-
	305		BF	-	-	1	-	-	1	1	7	22	42	82	89	60	-
	4		OM	-	-	-	-	-	-	-	-	-	2	-	1	1	-
	5		OF	-	-	-	-	-	-	-	-	1	2	2	-	-	-
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS- (160-165)	2850	67.0	ALL	-	-	-	-	1	-	8	66	259	705	1012	666	132	1
	1378		WM	-	-	-	-	-	-	-	26	105	322	528	334	63	-
	689		WF	-	-	-	-	-	-	4	11	65	180	225	163	41	-
	558		BM	-	-	-	-	-	-	3	20	71	152	180	114	17	1
	218		BF	-	-	-	-	1	-	1	8	18	48	79	52	11	-
	5		OM	-	-	-	-	-	-	-	-	-	3	-	2	-	-
	2		OF	-	-	-	-	-	-	-	1	-	-	-	1	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS													
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
MALIGNANT NEOPLASM OF BREAST-(174-175)	684	16.1	ALL	-	-	-	-	-	1	19	73	98	119	172	149	53	-
	3		WM	-	-	-	-	-	-	1	-	-	-	1	-	1	-
	460		WF	-	-	-	-	-	-	10	44	63	80	126	100	37	-
	2		BM	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	214		BF	-	-	-	-	-	1	7	28	35	39	42	48	14	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		OF	-	-	-	-	-	-	1	1	-	-	1	1	1	-
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	983	23.1	ALL	-	-	-	-	1	3	11	26	43	126	289	320	164	-
	381		WM	-	-	-	-	-	-	2	-	3	34	117	156	69	-
	220		WF	-	-	-	-	-	-	3	15	23	38	67	51	23	-
	244		BM	-	-	-	-	-	-	-	-	6	25	69	90	54	-
	138		BF	-	-	-	-	1	3	6	11	11	29	36	23	18	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	348	8.2	ALL	-	1	-	-	-	-	4	7	28	58	110	96	44	-
	163		WM	-	1	-	-	-	-	1	2	12	31	51	49	16	-
	105		WF	-	-	-	-	-	-	-	2	10	17	29	29	18	-
	43		BM	-	-	-	-	-	-	1	3	4	6	16	9	4	-
	36		BF	-	-	-	-	-	-	2	-	2	4	14	8	6	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	-	-	-	-	1	-	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-173,190-199)	1011	23.8	ALL	-	6	5	6	2	8	22	54	88	216	267	235	102	-
	418		WM	-	3	2	3	2	4	12	23	39	91	122	84	33	-
	321		WF	-	1	-	3	-	2	6	10	26	63	79	90	41	-
	136		BM	-	2	3	-	-	-	1	13	15	30	34	24	14	-
	132		BF	-	-	-	-	-	2	3	8	8	31	31	35	14	-
	2		OM	-	-	-	-	-	-	-	-	-	-	-	2	-	-
	2		OF	-	-	-	-	-	-	-	-	-	1	1	-	-	-
LEUKEMIA-(204-208)	303	7.1	ALL	-	2	4	1	3	3	13	17	19	52	64	95	30	-
	136		WM	-	1	1	1	2	1	7	7	13	23	31	44	5	-
	95		WF	-	1	2	-	1	-	2	5	4	10	16	35	19	-
	41		BM	-	-	-	-	-	1	-	2	2	10	11	12	3	-
	30		BF	-	-	1	-	-	1	4	3	-	9	5	4	3	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES-(200-203)	498	11.7	ALL	-	-	-	2	-	2	11	23	28	68	171	131	62	-
	183		WM	-	-	-	-	-	2	4	10	11	27	63	49	17	-
	186		WF	-	-	-	-	-	-	4	6	9	22	62	56	27	-
	62		BM	-	-	-	-	-	-	3	5	4	8	21	14	7	-
	61		BF	-	-	-	-	-	-	-	2	3	11	24	11	10	-
	4		OM	-	-	-	2	-	-	-	-	-	-	-	1	1	-
	2		OF	-	-	-	-	-	-	-	-	1	-	1	-	-	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	123	2.9	ALL	-	1	1	-	-	2	3	6	11	14	29	41	15	-
	46		WM	-	-	-	-	-	-	1	3	4	5	13	16	4	-
	45		WF	-	1	-	-	-	1	-	2	2	5	7	19	8	-
	16		BM	-	-	1	-	-	-	1	-	1	4	5	1	3	-
	16		BF	-	-	-	-	-	1	1	1	4	-	4	5	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIABETES MELLITUS-(250)	1312	30.9	ALL	-	-	-	3	-	3	11	45	93	203	385	358	211	-
	340		WM	-	-	-	-	-	1	7	12	22	56	120	91	31	-
	440		WF	-	-	-	2	-	-	-	10	19	35	114	155	105	-
	199		BM	-	-	-	-	-	2	1	13	27	44	63	29	20	-
	332		BF	-	-	-	1	-	-	3	10	25	67	88	83	55	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NUTRITIONAL DEFICIENCIES-(260-269)	85	2.0	ALL	1	-	-	-	-	1	-	1	-	4	9	34	35	-
	21		WM	-	-	-	-	-	1	-	1	-	1	2	10	6	-
	30		WF	-	-	-	-	-	-	-	-	-	-	3	12	15	-
	16		BM	1	-	-	-	-	-	-	-	-	2	2	5	6	-
	18		BF	-	-	-	-	-	-	-	-	-	1	2	7	8	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS													
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ANEMIAS-(280-285)	89	2.1	ALL	-	2	-	1	1	1	6	3	6	2	19	25	23	-
	25		WM	-	-	-	-	-	1	1	1	1	1	9	6	5	-
	37		WF	-	-	-	-	-	-	-	-	1	1	5	14	16	-
	17		BM	-	1	-	-	1	-	4	1	1	-	5	4	-	-
	10		BF	-	1	-	1	-	-	1	1	3	-	-	1	2	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS-(320-322)	14	0.3	ALL	4	1	1	-	-	-	1	-	-	2	2	2	1	-
	5		WM	2	-	1	-	-	-	-	-	-	1	-	1	-	-
	3		WF	1	-	-	-	-	-	-	-	-	-	1	-	1	-
	3		BM	-	1	-	-	-	-	1	-	-	-	-	1	-	-
	3		BF	1	-	-	-	-	-	-	-	-	1	1	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	15736	370.1	ALL	21	11	3	3	13	15	107	346	827	1954	3555	4834	4047	-
	5368		WM	3	2	1	1	8	7	33	110	356	862	1492	1671	822	-
	5670		WF	4	3	-	1	3	-	10	37	127	380	945	1903	2257	-
	2288		BM	8	3	1	-	2	3	43	130	211	410	581	580	316	-
	2373		BF	6	3	1	1	-	5	20	68	129	295	530	670	645	-
	19		OM	-	-	-	-	-	-	1	1	2	6	2	4	3	-
	18		OF	-	-	-	-	-	-	-	-	2	1	5	6	4	-
DISEASES OF HEART (390-398,402,404-429)	12410	291.9	ALL	16	10	3	3	11	13	86	277	682	1651	2875	3728	3055	-
	4422		WM	2	2	1	1	6	6	30	102	312	777	1232	1332	619	-
	4352		WF	4	3	-	1	3	-	6	27	98	311	757	1457	1685	-
	1786		BM	7	3	1	-	2	3	36	96	173	330	462	429	244	-
	1822		BF	3	2	1	1	-	4	14	51	96	226	418	503	503	-
	14		OM	-	-	-	-	-	-	-	1	2	6	2	2	1	-
	14		OF	-	-	-	-	-	-	-	-	1	1	4	5	3	-
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	62	1.5	ALL	-	-	-	-	1	-	2	4	7	11	14	12	11	-
	15		WM	-	-	-	-	-	-	1	1	1	3	4	4	1	-
	33		WF	-	-	-	-	1	-	-	-	2	7	9	7	7	-
	2		BM	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	12		BF	-	-	-	-	-	-	1	3	4	-	1	1	2	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE-(402)	628	14.8	ALL	-	-	-	-	-	2	3	20	41	72	147	187	156	-
	108		WM	-	-	-	-	-	2	-	5	9	13	28	38	13	-
	211		WF	-	-	-	-	-	-	-	1	7	16	29	68	90	-
	137		BM	-	-	-	-	-	-	1	12	15	24	34	36	15	-
	172		BF	-	-	-	-	-	-	2	2	10	19	56	45	38	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	71	1.7	ALL	-	-	-	-	-	-	-	-	4	6	14	28	19	-
	9		WM	-	-	-	-	-	-	-	-	-	1	2	3	3	-
	23		WF	-	-	-	-	-	-	-	-	1	1	5	9	7	-
	14		BM	-	-	-	-	-	-	-	-	3	1	3	5	2	-
	25		BF	-	-	-	-	-	-	-	-	-	3	4	11	7	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ISCHEMIC HEART DISEASE-(410-414)	7895	185.7	ALL	-	1	-	-	-	2	32	155	467	1115	1936	2402	1785	-
	3153		WM	-	1	-	-	-	1	14	66	242	589	900	947	393	-
	2681		WF	-	-	-	-	-	-	-	14	59	189	514	923	982	-
	1054		BM	-	-	-	-	-	1	14	52	115	203	288	251	130	-
	988		BF	-	-	-	-	-	-	4	22	49	129	229	277	278	-
	11		OM	-	-	-	-	-	-	-	1	1	4	2	2	1	-
	8		OF	-	-	-	-	-	-	-	-	1	1	3	2	1	-
ACUTE MYOCARDIAL INFARCTION-(410)	4519	106.3	ALL	-	-	-	-	-	1	24	115	332	753	1162	1349	783	-
	1905		WM	-	-	-	-	-	-	10	52	177	401	535	536	194	-
	1440		WF	-	-	-	-	-	-	-	10	46	136	316	522	410	-
	634		BM	-	-	-	-	-	1	10	39	77	129	168	145	65	-
	531		BF	-	-	-	-	-	-	4	14	31	84	141	145	112	-
	5		OM	-	-	-	-	-	-	-	-	1	2	1	-	1	-
	4		OF	-	-	-	-	-	-	-	-	-	1	1	1	1	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	75	1.8	ALL	-	-	-	-	-	1	-	12	18	19	11	9	5	-
	46		WM	-	-	-	-	-	1	-	4	14	16	6	3	2	-
	11		WF	-	-	-	-	-	-	-	2	1	-	2	3	3	-
	10		BM	-	-	-	-	-	-	-	3	2	1	3	1	-	-
	8		BF	-	-	-	-	-	-	-	3	1	2	-	2	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANGINA PECTORIS-(413)	32	0.8	ALL	-	-	-	-	-	-	-	-	3	2	10	10	7	-
	10		WM	-	-	-	-	-	-	-	-	2	2	3	1	2	-
	15		WF	-	-	-	-	-	-	-	-	-	-	4	7	4	-
	3		BM	-	-	-	-	-	-	-	-	1	-	2	-	-	-
	4		BF	-	-	-	-	-	-	-	-	-	-	1	2	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3269	76.9	ALL	-	1	-	-	-	-	8	28	114	341	753	1034	990	-
	1192		WM	-	1	-	-	-	-	4	10	49	170	356	407	195	-
	1215		WF	-	-	-	-	-	-	-	2	12	53	192	391	565	-
	407		BM	-	-	-	-	-	-	4	10	35	73	115	105	65	-
	445		BF	-	-	-	-	-	-	-	5	17	43	87	128	165	-
	6		OM	-	-	-	-	-	-	-	1	-	2	1	2	-	-
	4		OF	-	-	-	-	-	-	-	-	1	-	2	1	-	-
OTHER DISEASES OF ENDOCARDIUM-(424)	169	4.0	ALL	-	-	-	-	-	-	2	4	4	18	42	57	42	-
	68		WM	-	-	-	-	-	-	2	1	3	7	22	23	10	-
	67		WF	-	-	-	-	-	-	-	-	-	5	11	25	26	-
	20		BM	-	-	-	-	-	-	-	3	-	4	4	6	3	-
	14		BF	-	-	-	-	-	-	-	-	1	2	5	3	3	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	3585	84.3	ALL	16	9	3	3	10	9	47	94	159	429	722	1042	1042	-
	1069		WM	2	1	1	1	6	3	13	29	57	164	276	317	199	-
	1337		WF	4	3	-	1	2	-	6	12	29	93	189	425	573	-
	559		BM	7	3	1	-	2	2	21	29	40	97	133	131	93	-
	611		BF	3	2	1	1	-	4	7	24	32	73	123	166	175	-
	3		OM	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	6		OF	-	-	-	-	-	-	-	-	-	-	1	3	2	-
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	135	3.2	ALL	-	-	-	-	-	-	4	3	4	14	30	46	34	-
	23		WM	-	-	-	-	-	-	-	-	-	3	4	11	5	-
	49		WF	-	-	-	-	-	-	1	-	-	2	12	16	18	-
	21		BM	-	-	-	-	-	-	2	1	2	3	5	5	3	-
	42		BF	-	-	-	-	-	-	1	2	2	6	9	14	8	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE-(430-438)	2424	57.0	ALL	5	1	-	-	2	2	11	60	112	216	492	819	704	-
	638		WM	1	-	-	-	2	1	-	7	30	50	175	233	139	-
	968		WF	-	-	-	-	-	-	3	10	23	52	136	335	409	-
	390		BM	1	-	-	-	-	-	3	29	30	61	96	119	51	-
	421		BF	3	1	-	-	-	1	5	14	28	53	84	130	102	-
	3		OM	-	-	-	-	-	-	-	-	-	-	-	1	2	-
	4		OF	-	-	-	-	-	-	-	-	1	-	1	1	1	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	325	7.6	ALL	3	-	-	-	-	-	3	26	36	54	78	87	38	-
	81		WM	-	-	-	-	-	-	-	1	9	11	26	25	9	-
	105		WF	-	-	-	-	-	-	2	2	7	9	24	41	20	-
	71		BM	1	-	-	-	-	-	1	17	12	13	17	8	2	-
	67		BF	2	-	-	-	-	-	-	6	8	21	11	13	6	-
	1		OM	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	265	6.2	ALL	-	-	-	-	-	-	1	3	13	15	49	91	93	-
	74		WM	-	-	-	-	-	-	-	-	5	7	23	23	16	-
	109		WF	-	-	-	-	-	-	-	2	-	4	12	37	54	-
	41		BM	-	-	-	-	-	-	1	1	5	3	9	11	11	-
	39		BF	-	-	-	-	-	-	-	-	2	1	5	19	12	-
	1		OM	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	1		OF	-	-	-	-	-	-	-	-	1	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
CEREBRAL EMBOLISM-(434.1)	5	0.1	ALL	-	-	-	-	-	-	-	-	-	1	3	-	1	-
	1		WM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	2		WF	-	-	-	-	-	-	-	-	-	-	1	-	1	-
	1		BM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	1		BF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	1829	43.0	ALL	2	1	-	-	2	2	7	31	63	146	362	641	572	-
	482		WM	1	-	-	-	2	1	-	6	16	32	125	185	114	-
	752		WF	-	-	-	-	-	-	1	6	16	39	99	257	334	-
	277		BM	-	-	-	-	-	-	1	11	13	45	69	100	38	-
	314		BF	1	1	-	-	-	1	5	8	18	30	68	98	84	-
	1		OM	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	3		OF	-	-	-	-	-	-	-	-	-	-	1	1	1	-
ATHEROSCLEROSIS-(440)	353	8.3	ALL	-	-	-	-	-	-	-	3	10	20	50	99	171	-
	102		WM	-	-	-	-	-	-	-	-	5	5	24	29	39	-
	160		WF	-	-	-	-	-	-	-	-	1	3	10	44	102	-
	49		BM	-	-	-	-	-	-	-	2	4	7	6	17	13	-
	42		BF	-	-	-	-	-	-	-	1	-	5	10	9	17	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	414	9.7	ALL	-	-	-	-	-	-	6	3	19	53	108	142	83	-
	183		WM	-	-	-	-	-	-	3	1	9	27	57	66	20	-
	141		WF	-	-	-	-	-	-	-	-	5	12	30	51	43	-
	42		BM	-	-	-	-	-	-	2	2	2	9	12	10	5	-
	46		BF	-	-	-	-	-	-	-	-	3	5	9	14	15	-
	2		OM	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	16	0.4	ALL	3	1	-	-	-	-	-	-	-	2	3	3	4	-
	6		WM	-	-	-	-	-	-	-	-	-	1	2	2	1	-
	6		WF	3	-	-	-	-	-	-	-	-	1	-	-	2	-
	2		BM	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	1		BF	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	1	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	1037	24.4	ALL	25	5	-	2	3	3	19	27	30	62	157	321	383	-
	346		WM	2	-	-	-	1	-	7	8	10	18	66	123	111	-
	389		WF	1	-	-	-	-	-	2	5	5	16	52	117	191	-
	152		BM	15	1	-	-	2	2	8	7	9	19	16	48	25	-
	149		BF	7	3	-	2	-	1	2	7	6	9	23	33	56	-
	1		OM	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA-(480-486)	1021	24.0	ALL	25	5	-	2	3	3	19	25	28	61	156	315	379	-
	339		WM	2	-	-	-	1	-	7	7	10	18	65	120	109	-
	383		WF	1	-	-	-	-	-	2	5	5	15	52	114	189	-
	149		BM	15	1	-	-	2	2	8	6	7	19	16	48	25	-
	149		BF	7	3	-	2	-	1	2	7	6	9	23	33	56	-
	1		OM	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFLUENZA (487)	16	0.4	ALL	-	-	-	-	-	-	-	2	2	1	1	6	4	-
	7		WM	-	-	-	-	-	-	-	1	-	-	1	3	2	-
	6		WF	-	-	-	-	-	-	-	-	-	1	-	3	2	-
	3		BM	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	1337	31.4	ALL	1	1	2	2	2	1	4	13	38	185	451	458	177	2
	596		WM	-	1	1	-	-	1	-	2	10	75	208	224	72	2
	499		WF	-	-	-	-	1	-	1	2	12	70	166	171	76	-
	153		BM	-	-	-	1	-	-	2	4	8	24	47	46	21	-
	86		BF	1	-	1	1	1	-	1	4	8	16	28	17	8	-
	2		OM	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	85	2.0	ALL	1	1	-	-	-	-	2	4	8	10	29	19	10	1
	33		WM	-	1	-	-	-	-	-	-	1	4	10	11	5	1
	31		WF	-	-	-	-	-	-	-	-	2	4	16	6	3	-
	15		BM	-	-	-	-	-	-	1	3	4	2	3	1	1	-
	6		BF	1	-	-	-	-	-	1	1	1	-	-	1	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA-(492)	261	6.1	ALL	-	-	-	-	-	-	-	-	6	28	102	93	32	-
	124		WM	-	-	-	-	-	-	-	-	2	13	44	54	11	-
	95		WF	-	-	-	-	-	-	-	-	2	10	42	28	13	-
	24		BM	-	-	-	-	-	-	-	-	1	1	7	9	6	-
	17		BF	-	-	-	-	-	-	-	-	1	4	8	2	2	-
	1		OM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA-(493)	87	2.0	ALL	-	-	2	2	2	1	2	7	9	20	22	17	3	-
	24		WM	-	-	1	-	-	1	-	2	3	4	6	6	1	-
	35		WF	-	-	-	-	1	-	1	-	2	10	12	8	1	-
	9		BM	-	-	-	1	-	-	1	1	1	2	1	2	-	-
	18		BF	-	-	1	1	1	-	-	3	3	4	3	1	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	904	21.3	ALL	-	-	-	-	-	-	-	2	15	127	298	329	132	1
	415		WM	-	-	-	-	-	-	-	-	4	54	148	153	55	1
	338		WF	-	-	-	-	-	-	-	2	6	46	96	129	59	-
	105		BM	-	-	-	-	-	-	-	-	2	19	36	34	14	-
	45		BF	-	-	-	-	-	-	-	-	3	8	17	13	4	-
	1		OM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH AND DUODENUM-(531-533)	92	2.2	ALL	-	-	-	-	-	-	2	3	4	8	27	29	19	-
	26		WM	-	-	-	-	-	-	-	-	1	2	11	10	2	-
	38		WF	-	-	-	-	-	-	-	-	1	2	12	8	15	-
	19		BM	-	-	-	-	-	-	-	3	2	3	4	7	-	-
	9		BF	-	-	-	-	-	-	2	-	-	1	-	4	2	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APPENDICITIS-(540-543)	4	0.1	ALL	-	-	-	-	-	-	-	1	-	1	-	1	1	-
	2		WM	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	1		WF	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	1		BM	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	115	2.7	ALL	1	-	1	-	-	-	-	1	6	9	16	39	42	-
	22		WM	1	-	1	-	-	-	-	-	-	-	5	7	8	-
	50		WF	-	-	-	-	-	-	-	1	-	4	5	20	20	-
	16		BM	-	-	-	-	-	-	-	-	2	3	1	5	5	-
	26		BF	-	-	-	-	-	-	-	-	4	2	4	7	9	-
	1		OM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	354	8.3	ALL	-	-	-	-	-	1	11	37	72	89	78	61	5	-
	158		WM	-	-	-	-	-	-	4	10	30	41	39	31	3	-
	90		WF	-	-	-	-	-	-	2	6	11	22	27	20	2	-
	66		BM	-	-	-	-	-	1	1	17	19	12	9	7	-	-
	39		BF	-	-	-	-	-	-	4	4	12	14	2	3	-	-
	1		OM	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	46	1.1	ALL	-	-	-	-	-	-	-	-	2	5	7	15	17	-
	11		WM	-	-	-	-	-	-	-	-	-	1	1	5	4	-
	23		WF	-	-	-	-	-	-	-	-	2	2	4	6	9	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12		BF	-	-	-	-	-	-	-	-	-	2	2	4	4	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS													
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	465	10.9	ALL	4	-	-	-	1	2	7	11	20	43	103	158	116	-
	127		WM	2	-	-	-	1	-	1	-	6	7	33	49	28	-
	156		WF	1	-	-	-	-	-	-	4	3	7	24	64	53	-
	88		BM	1	-	-	-	-	1	4	5	10	14	26	12	15	-
	93		BF	-	-	-	-	-	1	2	2	1	14	20	33	20	-
	1		OM	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	433	10.2	ALL	4	-	-	-	1	1	7	10	18	40	95	152	105	-
	119		WM	2	-	-	-	1	-	1	-	5	6	31	49	24	-
	146		WF	1	-	-	-	-	-	-	4	3	7	23	61	47	-
	81		BM	1	-	-	-	-	-	4	5	9	14	23	11	14	-
	86		BF	-	-	-	-	-	1	2	1	1	12	18	31	20	-
	1		OM	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	32	0.8	ALL	-	-	-	-	-	1	-	1	2	3	8	6	11	-
	8		WM	-	-	-	-	-	-	-	-	1	1	2	-	4	-
	10		WF	-	-	-	-	-	-	-	-	-	-	1	3	6	-
	7		BM	-	-	-	-	-	1	-	-	1	-	3	1	1	-
	7		BF	-	-	-	-	-	-	-	1	-	2	2	2	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIONS OF KIDNEY-(590)	27	0.6	ALL	-	-	-	-	-	-	-	1	-	3	7	6	10	-
	3		WM	-	-	-	-	-	-	-	-	-	-	2	-	1	-
	12		WF	-	-	-	-	-	-	-	-	-	1	4	1	6	-
	4		BM	-	-	-	-	-	-	-	-	-	2	1	1	-	-
	8		BF	-	-	-	-	-	-	-	1	-	-	-	4	3	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HYPERPLASIA OF PROSTATE-(600)	2	0.0	ALL	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2		BM	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	12	0.3	ALL	-	-	-	-	2	2	6	2	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		WF	-	-	-	-	1	1	3	1	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		BF	-	-	-	-	1	1	3	1	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	245	5.8	ALL	159	19	9	6	1	4	13	2	15	5	8	2	2	-
	92		WM	62	6	3	1	-	2	6	1	7	1	3	-	-	-
	58		WF	32	6	4	1	1	1	2	-	4	2	3	-	2	-
	47		BM	33	4	1	3	-	-	2	1	1	2	-	-	-	-
	46		BF	32	3	1	1	-	-	2	-	3	-	2	2	-	-
	1		OM	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	1	-	-	-	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	345	8.1	ALL	344	-	-	1	-	-	-	-	-	-	-	-	-	-
	69		WM	69	-	-	-	-	-	-	-	-	-	-	-	-	-
	59		WF	58	-	-	1	-	-	-	-	-	-	-	-	-	-
	124		BM	124	-	-	-	-	-	-	-	-	-	-	-	-	-
	90		BF	90	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OM	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	2		OF	2	-	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	396	9.3	ALL	107	2	-	1	-	9	17	13	12	29	50	83	71	2
	126		WM	32	-	-	-	-	4	7	5	2	8	23	28	17	-
	112		WF	13	-	-	-	-	-	1	3	2	11	13	32	37	-
	87		BM	40	1	-	-	-	3	6	3	3	7	7	11	4	2
	70		BF	22	1	-	1	-	2	3	2	4	3	7	12	13	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	-	1	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	1717	40.4	ALL	24	59	34	46	158	168	315	224	142	132	142	163	110	-
	772		WM	6	16	7	15	83	100	160	114	66	51	66	56	32	-
	361		WF	3	6	2	10	35	29	41	29	25	29	33	65	54	-
	423		BM	11	20	21	14	38	25	92	63	37	38	29	25	10	-
	151		BF	4	17	4	7	2	10	19	17	13	13	14	17	14	-
	9		OM	-	-	-	-	-	4	3	-	1	1	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RAILWAY ACCIDENTS-(E800-E807)	9	0.2	ALL	-	-	-	1	1	1	1	3	2	-	-	-	-	-
	5		WM	-	-	-	-	-	1	-	2	2	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2		BM	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	2		BF	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS-(E810-E825)	854	20.1	ALL	5	24	12	17	108	123	199	127	76	54	50	48	11	-
	419		WM	-	8	3	5	58	75	101	68	33	18	26	20	4	-
	187		WF	2	3	2	5	32	25	33	20	16	14	13	17	5	-
	181		BM	2	11	6	5	18	15	50	28	19	16	3	7	1	-
	64		BF	1	2	1	2	-	7	14	10	8	6	8	4	1	-
	2		OM	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WATER TRANSPORT ACCIDENTS-(E830-E838)	55	1.3	ALL	-	-	1	-	1	10	17	5	8	8	5	-	-	-
	39		WM	-	-	-	-	1	7	13	4	3	7	4	-	-	-
	1		WF	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	11		BM	-	-	1	-	-	-	3	1	4	1	1	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		OM	-	-	-	-	-	3	-	-	1	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION IN WATER TRANSPORT ACCIDENT-(E830,E832)	41	1.0	ALL	-	-	1	-	1	6	13	3	7	6	4	-	-	-
	25		WM	-	-	-	-	1	3	9	2	2	5	3	-	-	-
	1		WF	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	11		BM	-	-	1	-	-	-	3	1	4	1	1	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		OM	-	-	-	-	-	3	-	-	1	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER WATER TRANSPORT ACCIDENT-(E831, E833-E838)	14	0.3	ALL	-	-	-	-	-	4	4	2	1	2	1	-	-	-
	14		WM	-	-	-	-	-	4	4	2	1	2	1	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT ACCIDENTS-(E840-E845)	9	0.2	ALL	-	-	-	-	1	-	3	4	-	1	-	-	-	-
	8		WM	-	-	-	-	1	-	3	4	-	-	-	-	-	-
	1		WF	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING-(E850-E869)	75	1.8	ALL	-	2	2	2	4	4	16	19	8	7	4	3	4	-
	29		WM	-	-	1	-	2	2	7	10	3	1	2	-	1	-
	11		WF	-	-	-	-	-	-	1	1	3	2	-	1	3	-
	21		BM	-	-	1	2	1	1	7	4	1	4	-	-	-	-
	14		BF	-	2	-	-	1	1	1	4	1	-	2	2	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-(E850-E866)	67	1.6	ALL	-	-	1	2	2	4	15	17	8	7	4	3	4	-
	28		WM	-	-	1	-	2	2	7	9	3	1	2	-	1	-
	11		WF	-	-	-	-	-	-	1	1	3	2	-	1	3	-
	17		BM	-	-	-	2	-	1	6	3	1	4	-	-	-	-
	11		BF	-	-	-	-	-	1	1	4	1	-	2	2	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ACCIDENTAL POISONING BY GASES AND VAPOURS-(E867-E869)	8	0.2	ALL	-	2	1	-	2	-	1	2	-	-	-	-	-	-
	1		WM	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		BM	-	-	1	-	1	-	1	1	-	-	-	-	-	-
	3		BF	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MISADVENTURE DURING MEDICAL CARE, ABNORMAL REACTION, AND LATE COMPLICATIONS-(E870-E879)	39	0.9	ALL	1	1	-	-	-	-	-	1	-	4	10	8	14	-
	10		WM	-	-	-	-	-	-	-	1	-	-	4	3	2	-
	19		WF	-	-	-	-	-	-	-	-	-	3	4	4	8	-
	5		BM	1	-	-	-	-	-	-	-	-	-	2	1	1	-
	5		BF	-	1	-	-	-	-	-	-	-	1	-	-	3	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL FALLS-(E880-E888)	165	3.9	ALL	-	-	1	3	1	2	10	12	11	11	22	46	46	-
	67		WM	-	-	1	-	-	2	6	3	8	6	7	19	15	-
	63		WF	-	-	-	2	-	-	-	1	1	3	11	20	25	-
	26		BM	-	-	-	1	1	-	4	8	1	1	4	4	2	-
	9		BF	-	-	-	-	-	-	-	-	1	1	-	3	4	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTS CAUSED BY FIRES AND FLAMES-(E890-E899)	119	2.8	ALL	1	19	2	5	2	5	17	14	10	10	14	14	6	-
	35		WM	-	2	-	-	2	4	5	5	6	3	5	3	-	-
	17		WF	-	-	-	1	-	1	3	3	2	2	1	3	1	-
	42		BM	-	7	2	1	-	-	7	5	2	4	6	5	3	-
	25		BF	1	10	-	3	-	-	2	1	-	1	2	3	2	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	117	2.8	ALL	4	7	12	9	15	11	27	11	5	12	3	1	-	-
	44		WM	2	4	2	3	5	4	9	3	3	7	2	-	-	-
	7		WF	1	-	-	1	-	1	1	1	-	-	1	1	-	-
	55		BM	1	2	8	4	10	5	14	5	2	4	-	-	-	-
	8		BF	-	1	2	1	-	1	1	2	-	-	-	-	-	-
	3		OM	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	67	1.6	ALL	4	2	-	-	-	-	1	2	6	6	9	19	18	-
	18		WM	3	-	-	-	-	-	-	-	2	1	4	2	6	-
	28		WF	-	1	-	-	-	-	-	2	1	2	1	13	8	-
	10		BM	-	-	-	-	-	-	1	-	1	-	4	3	1	-
	11		BF	1	1	-	-	-	-	-	-	2	3	-	1	3	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	46	1.1	ALL	-	-	2	7	20	5	3	3	1	2	2	1	-	-
	26		WM	-	-	-	6	11	1	3	2	-	1	2	-	-	-
	3		WF	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	15		BM	-	-	1	1	8	3	-	1	-	-	-	1	-	-
	2		BF	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	3	0.1	ALL	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	1		WM	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	2		WF	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	13	0.3	ALL	-	-	-	-	-	2	3	5	2	1	-	-	-	-
	10		WM	-	-	-	-	-	2	2	3	2	1	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		BM	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXI
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	145	3.4	ALL	9	4	2	2	4	5	16	18	12	16	23	23	11	-
	61		WM	1	2	-	1	3	2	10	9	4	6	10	9	4	-
	21		WF	-	2	-	1	1	1	1	1	-	2	2	6	4	-
	52		BM	7	-	2	-	-	1	4	8	7	8	9	4	2	-
	11		BF	1	-	-	-	-	1	1	-	1	-	2	4	1	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	1	0.0	ALL	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-		WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		WF	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-		BM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE-(E950-E959)	558	13.1	ALL	-	-	-	7	38	66	127	104	61	48	63	35	9	-
	373		WM	-	-	-	4	27	41	79	68	44	33	44	26	7	-
	92		WF	-	-	-	1	5	7	20	18	13	12	12	3	1	-
	81		BM	-	-	-	1	6	15	27	16	3	2	5	5	1	-
	6		BF	-	-	-	-	-	1	-	1	1	-	2	1	-	-
	5		OM	-	-	-	1	-	2	1	-	-	1	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	50	1.2	ALL	-	-	-	1	-	2	20	13	4	5	3	2	-	-
	23		WM	-	-	-	-	-	1	11	6	1	2	1	1	-	-
	18		WF	-	-	-	-	-	1	6	2	3	3	2	1	-	-
	6		BM	-	-	-	-	-	-	3	3	-	-	-	-	-	-
	1		BF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	1		OM	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	16	0.4	ALL	-	-	-	-	1	1	4	5	3	1	1	-	-	-
	13		WM	-	-	-	-	1	1	3	4	2	1	1	-	-	-
	2		WF	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	1		BM	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	42	1.0	ALL	-	-	-	2	3	10	15	4	3	1	3	1	-	-
	27		WM	-	-	-	2	2	5	9	3	2	1	2	1	-	-
	2		WF	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	12		BM	-	-	-	-	1	4	5	1	1	-	-	-	-	-
	1		BF	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	430	10.1	ALL	-	-	-	4	34	51	83	76	49	37	55	32	9	-
	296		WM	-	-	-	2	24	32	52	52	38	25	40	24	7	-
	69		WF	-	-	-	1	5	6	12	15	9	9	9	2	1	-
	58		BM	-	-	-	1	5	11	18	9	1	2	5	5	1	-
	3		BF	-	-	-	-	-	-	-	-	1	-	1	1	-	-
	4		OM	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	20	0.5	ALL	-	-	-	-	-	2	5	6	2	4	1	-	-	-
	14		WM	-	-	-	-	-	2	4	3	1	4	-	-	-	-
	1		WF	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	4		BM	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	1		BF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION-(E960-E978)	824	19.4	ALL	6	11	2	12	107	173	248	146	47	31	22	12	6	1
	125		WM	2	2	1	2	14	8	32	31	15	12	2	4	-	-
	65		WF	-	2	-	1	5	6	14	15	7	4	3	4	4	-
	532		BM	2	4	-	7	75	141	170	87	22	10	11	2	-	1
	98		BF	2	3	1	2	12	17	32	12	3	5	5	2	2	-
	2		OM	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	2		OF	-	-	-	-	-	-	-	1	-	-	1	-	-	-

(CONTINUED)

TABLE XII
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	RACE SEX	AGE IN YEARS												
				LT 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK.
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	606	14.3	ALL	-	2	-	10	94	153	179	106	30	21	9	1	1	-
	81		WM	-	-	-	1	10	6	26	21	7	8	1	1	-	-
	38		WF	-	-	-	-	2	5	11	10	5	3	1	-	1	-
	427		BM	-	1	-	7	70	132	121	69	17	5	5	-	-	-
	57		BF	-	1	-	2	11	9	21	5	1	5	2	-	-	-
	2		OM	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	1	-	-	-	-	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	129	3.0	ALL	-	1	1	-	5	18	50	24	8	8	9	4	1	-
	23		WM	-	-	1	-	2	-	5	5	5	4	-	1	-	-
	12		WF	-	1	-	-	-	1	1	4	-	1	1	2	1	-
	71		BM	-	-	-	-	3	9	36	11	3	3	5	1	-	-
	22		BF	-	-	-	-	-	8	8	4	-	-	2	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1		OF	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	85	2.0	ALL	6	8	1	2	6	2	19	14	9	2	4	7	4	1
	19		WM	2	2	-	1	1	2	1	4	3	-	1	2	-	-
	15		WF	-	1	-	1	3	-	2	1	2	-	1	2	2	-
	32		BM	2	3	-	-	1	-	13	6	2	2	1	1	-	1
	19		BF	2	2	1	-	1	-	3	3	2	-	1	2	2	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGAL INTERVENTION-(E970-E978)	4	0.1	ALL	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	2		WM	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-		WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2		BM	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-		BF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	15	0.4	ALL	-	1	-	-	-	1	7	2	2	1	1	-	-	-
	6		WM	-	-	-	-	-	-	3	2	1	-	-	-	-	-
	4		WF	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	3		BM	-	-	-	-	-	-	2	-	-	-	1	-	-	-
	2		BF	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	-		OM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-		OF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	3057	71.9	ALL	38	26	12	12	14	28	87	160	222	332	556	887	681	2
	901		WM	9	6	2	4	4	5	25	51	57	108	211	277	142	-
	1145		WF	10	5	4	3	3	3	9	24	50	88	184	377	385	-
	490		BM	11	9	2	2	4	7	27	41	64	74	85	103	60	1
	507		BF	8	5	4	2	3	13	26	43	50	59	75	128	90	1
	10		OM	-	-	-	1	-	-	-	1	-	3	1	2	2	-
	4		OF	-	1	-	-	-	-	-	-	1	-	-	-	2	-

*RATE PER 100,000 POPULATION

TABLE XXII
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
AND LOCATION OF ACCIDENT
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC PLACE	TYPE NOT STATED
		TRAFFIC	NON-TRAFFIC				
STATE	1747	860	13	254	84	274	262
ACADIA	21	10	-	3	1	2	5
CROWLEY[a]	4	1	-	-	-	1	2
ALLEN	2	1	-	-	1	-	-
ASCENSION	24	16	-	2	1	2	3
ASSUMPTION	7	5	-	-	-	1	1
AVOYELLES	20	11	-	4	1	-	4
BEAUREGARD	12	6	-	-	2	1	3
DE RIDDER[a]	4	3	-	-	-	-	1
BIENVILLE	14	8	-	2	-	2	2
BOSSIER	40	25	-	4	2	6	3
BOSSIER CITY[a]	18	13	-	-	-	4	1
CADDO	121	37	1	33	3	24	23
SHREVEPORT[a]	95	27	1	29	1	17	20
CALCASIEU	78	41	3	10	9	5	10
LAKE CHARLES[a]	36	15	3	7	1	1	9
SULPHUR[a]	13	6	-	2	2	2	1
CALDWELL	8	4	-	2	-	-	2
CAMERON	12	7	-	-	-	4	1
CATAHOULA	4	1	-	-	-	2	1
CLAIBORNE	18	9	-	2	-	6	1
CONCORDIA	7	2	-	3	2	-	-
DESOTO	14	4	1	4	-	1	4
E BATON ROUGE	91	40	-	15	-	21	15
BATON ROUGE[a]	76	30	-	14	-	21	11
BAKER[a]	1	1	-	-	-	-	-
EAST CARROLL	12	7	-	3	-	2	-
E FELICIANA	10	2	-	2	-	3	3
EVANGELINE	13	3	2	2	-	4	2
FRANKLIN	6	3	-	1	-	-	2
GRANT	6	3	-	2	-	1	-
IBERIA	27	13	-	2	3	5	1
NEW IBERIA[a]	5	2	-	1	-	1	1
IBERVILLE	16	5	-	-	1	9	1
JACKSON	4	-	-	1	3	-	-
JEFFERSON	113	61	-	15	2	18	17
KENNER[a]	14	8	-	1	-	3	2
GRETNA[a]	9	6	-	1	-	-	2
HARAHAN[a]	2	2	-	-	-	-	-
WESTWEGO[a]	3	-	-	1	-	2	-
JEFF DAVIS	10	7	-	1	-	1	1
LAFAYETTE	42	25	-	8	1	7	3
LAFAYETTE[a]	24	13	-	4	-	6	1
LAFOURCHE	42	25	-	4	2	8	3
THIBODAUX[a]	4	3	-	-	-	1	-
LASALLE	7	6	-	-	-	-	1
LINCOLN	19	12	-	1	-	4	2
RUSTON[a]	8	3	-	1	-	4	-
LIVINGSTON	24	16	1	2	1	2	2
MADISON	6	4	-	1	-	-	1
TALLULAH[a]	3	1	-	1	-	-	1
MOREHOUSE	15	8	-	4	1	-	4
BASTROP[a]	8	1	-	4	1	-	2
NATCHITOCHES	22	7	1	3	3	5	3
NATCHITOCHES[a]	8	2	-	1	-	2	1
ORLEANS	183	76	-	32	4	32	39
OUACHITA	46	12	-	8	10	6	10
MONROE[a]	21	5	-	5	1	3	7
WEST MONROE[a]	7	-	-	2	-	2	3
PLAQUEMINES	43	17	1	2	10	11	2
POINTE COUPEE	9	4	-	1	-	2	2

(CONTINUED)

TABLE XXII
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
AND LOCATION OF ACCIDENT
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC PLACE	TYPE NOT STATED
		TRAFFIC	NON-TRAFFIC				
RAPIDES	63	28	-	6	-	8	21
ALEXANDRIA*	29	10	-	3	-	4	12
PINEVILLE*	4	2	-	-	-	1	1
RED RIVER	4	2	1	-	-	-	1
RICHLAND	9	7	-	-	1	1	-
SABINE	13	5	-	6	-	2	-
ST BERNARD	25	15	-	4	2	-	4
ST CHARLES	25	18	-	2	3	-	2
ST HELENA	7	6	-	-	-	1	-
ST JAMES	20	10	-	1	1	4	4
ST JOHN	19	13	-	1	3	1	1
ST LANDRY	34	17	-	3	1	7	6
OPELOUSAS*	7	3	-	-	-	1	3
EUNICE*	1	-	-	-	-	-	1
ST MARTIN	19	12	1	1	-	3	2
ST MARY	29	13	1	4	1	7	3
MORGAN CITY*	4	1	-	-	-	-	3
ST TAMMANY	69	39	-	11	2	9	8
SLIDELL*	15	6	-	3	-	-	6
TANGIPAHOA	51	29	-	9	-	11	2
HAMMOND*	8	4	-	1	-	3	-
TENSAS	2	1	-	-	-	1	-
TERREBONNE	40	19	-	8	2	6	5
HOUMA*	16	5	-	4	2	1	4
UNION	13	4	-	2	-	6	1
VERMILION	34	20	-	7	2	1	4
ABBEVILLE*	7	1	-	5	-	-	1
VERNON	26	14	-	2	-	3	7
WASHINGTON	15	8	-	2	-	2	3
BOGALUSA*	5	4	-	-	-	-	1
WEBSTER	13	10	-	2	-	-	1
MINDEN*	3	1	-	1	-	-	1
W BATON ROUGE	17	12	-	2	1	2	-
WEST CARROLL	3	1	-	1	-	1	-
W FELICIANA	7	3	-	3	-	-	1
WINN	16	10	-	-	2	1	3
UNKNOWN***	6	-	-	-	-	-	6
OUT OF STATE**	18	3	-	3	4	3	5

*INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS
***PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA
NOTE: 1 DEATHS DUE TO DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (ICD-9 E930-E949) EXCLUDED.

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH							
					HOURS			DAYS				
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
STATE	764	754	10.5	ALL	95	132	73	300	88	36	30	20	280
	334	325	8.0	WHITE	44	43	46	133	43	15	13	9	112
	427	426	14.0	BLACK	51	87	27	165	45	20	17	11	168
	3	3	2.5	OTHER	-	2	-	2	-	1	-	-	-
ACADIA	7	14	14.3	ALL	2	4	4	10	1	-	-	1	2
	5	9	12.6	WHITE	1	3	3	7	-	-	-	1	1
	2	5	18.6	BLACK	1	1	1	3	1	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CROWLEY*	6	5	18.2	ALL	1	1	1	3	-	-	-	-	2
	4	3	19.6	WHITE	1	1	-	2	-	-	-	-	1
	2	2	16.5	BLACK	-	-	1	1	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ALLEN	1	3	8.3	ALL	1	-	1	2	-	-	-	-	1
	-	1	3.8	WHITE	-	-	1	1	-	-	-	-	-
	1	2	21.5	BLACK	1	-	-	1	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ASCENSION	1	8	7.3	ALL	-	-	3	3	-	-	1	-	4
	-	5	6.6	WHITE	-	-	3	3	-	-	-	-	2
	1	3	9.0	BLACK	-	-	-	-	-	-	1	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	3	8.5	ALL	-	1	-	1	-	1	-	-	1
	-	1	5.4	WHITE	-	-	-	-	-	-	-	-	1
	-	2	12.3	BLACK	-	1	-	1	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
AVOYELLES	4	8	12.7	ALL	2	2	-	4	1	-	-	1	2
	3	6	16.4	WHITE	1	1	-	2	1	-	-	1	2
	1	2	7.7	BLACK	1	1	-	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	3	5.7	ALL	-	-	2	2	-	-	-	-	1
	-	3	7.0	WHITE	-	-	2	2	-	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	1	4.8	ALL	-	-	1	1	-	-	-	-	-
	-	1	7.9	WHITE	-	-	1	1	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BIENVILLE	3	3	11.8	ALL	-	1	-	1	-	-	-	-	2
	1	1	9.0	WHITE	-	-	-	-	-	-	-	-	1
	2	2	14.0	BLACK	-	1	-	1	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BOSSIER	3	10	7.0	ALL	2	1	1	4	1	1	-	-	4
	1	3	3.0	WHITE	-	-	1	1	-	1	-	-	1
	2	7	17.2	BLACK	2	1	-	3	1	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	3	8	8.5	ALL	2	-	1	3	1	1	-	-	3
	1	2	2.9	WHITE	-	-	1	1	-	1	-	-	-
	2	6	24.4	BLACK	2	-	-	2	1	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CADDO	76	37	9.0	ALL	4	8	4	16	5	2	1	-	13
	34	11	5.9	WHITE	1	1	3	5	2	1	-	-	3
	42	26	11.6	BLACK	3	7	1	11	3	1	1	-	10
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SHREVEPORT*	76	33	9.4	ALL	3	6	4	13	4	2	1	-	13
	34	9	6.5	WHITE	-	-	3	3	2	1	-	-	3
	42	24	11.5	BLACK	3	6	1	10	2	1	1	-	10
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH								
					HOURS			DAYS					
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
CALCASIEU	30	31	11.1	ALL	6	2	4	12	4	3	1	1	10
	19	21	10.9	WHITE	3	2	4	9	3	3	1	1	4
	11	10	12.0	BLACK	3	-	-	3	1	-	-	-	6
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	25	16	11.9	ALL	6	-	2	8	2	1	1	-	4
	16	9	13.7	WHITE	3	-	2	5	1	1	1	-	1
	9	7	10.3	BLACK	3	-	-	3	1	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SULPHUR*	2	2	5.9	ALL	-	-	-	-	-	1	-	-	1
	2	2	6.5	WHITE	-	-	-	-	-	1	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CALDWELL	1	1	6.6	ALL	-	-	-	-	-	-	-	-	1
	1	1	8.7	WHITE	-	-	-	-	-	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	ALL	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CATAHOULA	-	1	5.2	ALL	-	1	-	1	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	1	11.9	BLACK	-	1	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CLAIBORNE	1	3	12.0	ALL	-	1	-	1	-	-	1	-	1
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	1	3	16.0	BLACK	-	1	-	1	-	-	1	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
CONCORDIA	4	5	15.9	ALL	-	1	-	1	-	-	2	-	2
	1	2	13.9	WHITE	-	-	-	-	-	-	2	-	-
	3	3	17.5	BLACK	-	1	-	1	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
DESOTO	1	6	13.9	ALL	-	4	1	5	-	-	-	-	1
	-	5	24.5	WHITE	-	4	1	5	-	-	-	-	-
	1	1	4.4	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
E BATON ROUGE	67	68	10.3	ALL	9	14	1	24	5	3	5	3	28
	30	21	6.3	WHITE	3	2	1	6	2	-	2	1	10
	36	46	14.6	BLACK	6	12	-	18	3	2	3	2	18
	1	1	8.1	OTHER	-	-	-	-	-	1	-	-	-
BATON ROUGE*	80	57	10.8	ALL	9	13	-	22	3	3	2	2	25
	27	13	5.6	WHITE	3	2	-	5	1	-	-	-	7
	52	43	15.1	BLACK	6	11	-	17	2	2	2	2	18
	1	1	8.5	OTHER	-	-	-	-	-	1	-	-	-
BAKER*	-	3	10.7	ALL	-	-	-	-	1	-	1	-	1
	-	1	5.2	WHITE	-	-	-	-	-	-	-	-	1
	-	2	23.0	BLACK	-	-	-	-	1	-	1	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	2	8.8	ALL	-	-	-	-	2	-	-	-	-
	-	1	28.6	WHITE	-	-	-	-	1	-	-	-	-
	-	1	5.2	BLACK	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH							
					HOURS			DAYS				
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
E FELICIANA	2	8	26.5	ALL	1	1	1	3	1	-	1	-	3
	2	3	21.7	WHITE	-	-	1	1	-	-	-	-	2
	-	5	30.5	BLACK	1	1	-	2	1	-	1	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
EVANGELINE	3	6	9.7	ALL	-	-	-	-	2	-	-	-	4
	1	3	8.2	WHITE	-	-	-	-	2	-	-	-	1
	2	3	12.0	BLACK	-	-	-	-	-	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
FRANKLIN	5	8	22.2	ALL	1	2	-	3	-	-	-	-	5
	1	3	15.5	WHITE	-	2	-	2	-	-	-	-	1
	4	5	29.9	BLACK	1	-	-	1	-	-	-	-	4
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
GRANT	2	4	15.9	ALL	-	1	-	1	1	-	-	-	2
	1	3	14.9	WHITE	-	1	-	1	1	-	-	-	1
	1	1	20.0	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
IBERIA	8	12	9.6	ALL	1	1	1	3	1	1	-	1	6
	3	5	6.9	WHITE	-	-	1	1	-	-	-	-	4
	5	7	14.0	BLACK	1	1	-	2	1	1	-	1	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
NEW IBERIA*	6	8	11.8	ALL	1	1	-	2	-	-	-	1	5
	1	3	8.0	WHITE	-	-	-	-	-	-	-	-	3
	5	5	17.5	BLACK	1	1	-	2	-	-	-	1	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
IBERVILLE	3	4	6.8	ALL	1	-	-	1	-	-	-	-	3
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	3	4	11.6	BLACK	1	-	-	1	-	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
JACKSON	-	2	10.6	ALL	-	-	-	-	2	-	-	-	-
	-	2	16.9	WHITE	-	-	-	-	2	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
JEFFERSON	105	68	9.5	ALL	10	12	4	26	12	4	3	2	21
	68	40	8.2	WHITE	6	4	4	14	7	1	2	1	15
	36	26	12.9	BLACK	4	6	-	10	5	3	1	1	6
	1	2	6.6	OTHER	-	2	-	2	-	-	-	-	-
KENNER*	2	12	9.7	ALL	1	3	1	5	2	-	-	-	5
	2	8	9.8	WHITE	1	1	1	3	2	-	-	-	3
	-	4	10.9	BLACK	-	2	-	2	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
GRETNA*	7	3	5.5	ALL	-	1	-	1	-	1	-	-	1
	2	-	-	WHITE	-	-	-	-	-	-	-	-	-
	4	3	17.2	BLACK	-	1	-	1	-	1	-	-	1
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-
HARAHAN*	-	-	-	ALL	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	2	9.3	ALL	-	-	-	-	1	1	-	-	-
	-	1	7.8	WHITE	-	-	-	-	-	1	-	-	-
	-	1	12.7	BLACK	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH								
					HOURS			DAYS					
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
JEFF DAVIS	3	8	14.7	ALL	1	1	2	4	-	-	1	-	3
	1	3	7.3	WHITE	-	1	1	2	-	-	-	-	1
	2	5	38.8	BLACK	1	-	1	2	-	-	1	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
JENNINGS*	3	5	21.6	ALL	1	1	1	3	-	-	1	-	1
	1	2	13.1	WHITE	-	1	1	2	-	-	-	-	-
	2	3	39.5	BLACK	1	-	-	1	-	-	1	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LAFAYETTE	52	23	7.9	ALL	5	2	2	9	7	1	-	-	6
	23	13	6.4	WHITE	4	1	-	5	5	-	-	-	3
	29	10	11.7	BLACK	1	1	2	4	2	1	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LAFAYETTE*	52	16	9.0	ALL	3	1	2	6	3	1	-	-	6
	23	9	7.8	WHITE	2	1	-	3	3	-	-	-	3
	29	7	11.3	BLACK	1	-	2	3	-	1	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LAFOURCHE	3	11	7.6	ALL	4	-	-	4	3	1	-	-	3
	2	9	8.1	WHITE	4	-	-	4	2	-	-	-	3
	1	2	6.5	BLACK	-	-	-	-	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
THIBODAUX*	3	5	16.5	ALL	3	-	-	3	-	1	-	-	1
	2	4	27.0	WHITE	3	-	-	3	-	-	-	-	1
	1	1	6.5	BLACK	-	-	-	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LASALLE	2	3	16.3	ALL	-	-	1	1	-	-	1	1	-
	2	3	21.0	WHITE	-	-	1	1	-	-	1	1	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LINCOLN	3	4	7.3	ALL	-	-	-	-	-	-	-	-	4
	1	1	3.5	WHITE	-	-	-	-	-	-	-	-	1
	2	3	11.6	BLACK	-	-	-	-	-	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
RUSTON*	3	1	3.9	ALL	-	-	-	-	-	-	-	-	1
	1	1	8.6	WHITE	-	-	-	-	-	-	-	-	1
	2	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
LIVINGSTON	1	7	5.8	ALL	1	-	-	1	-	-	-	1	5
	1	7	6.3	WHITE	1	-	-	1	-	-	-	1	5
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
MADISON	1	3	13.2	ALL	1	-	-	1	1	-	-	-	1
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	1	3	17.8	BLACK	1	-	-	1	1	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
TALLULAH*	1	2	11.1	ALL	-	-	-	-	1	-	-	-	1
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	1	2	13.7	BLACK	-	-	-	-	1	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
MOREHOUSE	3	7	13.4	ALL	-	-	2	2	1	-	1	-	3
	1	4	17.6	WHITE	-	-	1	1	1	-	1	-	1
	2	3	10.2	BLACK	-	-	1	1	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BASTROP*	2	3	10.3	ALL	-	-	2	2	-	-	-	-	1
	1	1	11.2	WHITE	-	-	1	1	-	-	-	-	-
	1	2	10.0	BLACK	-	-	1	1	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH								
					HOURS			DAYS					
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
NATCHITOCHES	6	4	7.5	ALL	-	1	-	1	-	-	-	1	2
	3	1	3.7	WHITE	-	1	-	1	-	-	-	-	-
	3	3	11.5	BLACK	-	-	-	-	-	-	-	1	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	5	2	6.6	ALL	-	1	-	1	-	-	-	-	1
	3	1	8.9	WHITE	-	1	-	1	-	-	-	-	-
	2	1	5.2	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ORLEANS	188	133	14.4	ALL	16	29	13	58	13	6	7	5	44
	47	14	8.1	WHITE	2	1	1	4	2	-	1	-	7
	140	119	16.4	BLACK	14	28	12	54	11	6	6	5	37
	1	-	-	OTHER	-	-	-	-	-	-	-	-	-
OUACHITA	35	27	11.3	ALL	2	6	3	11	4	1	1	1	9
	16	9	7.3	WHITE	-	-	1	1	2	-	-	1	5
	19	18	15.7	BLACK	2	6	2	10	2	1	1	-	4
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
MONROE*	30	17	12.6	ALL	2	6	2	10	2	-	1	1	3
	12	1	2.8	WHITE	-	-	-	-	-	-	-	1	-
	18	16	16.3	BLACK	2	6	2	10	2	-	1	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
WEST MONROE*	4	2	5.2	ALL	-	-	1	1	-	1	-	-	-
	3	1	3.4	WHITE	-	-	1	1	-	-	-	-	-
	1	1	11.2	BLACK	-	-	-	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	4	9.3	ALL	-	1	1	2	1	-	-	-	1
	-	2	7.4	WHITE	-	-	-	-	1	-	-	-	1
	-	2	14.3	BLACK	-	1	1	2	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	3	8.4	ALL	-	2	-	2	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	3	15.2	BLACK	-	2	-	2	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
RAPIDES	27	23	10.4	ALL	1	4	4	9	3	2	1	1	7
	15	12	8.9	WHITE	-	3	1	4	2	2	1	1	2
	12	11	13.4	BLACK	1	1	3	5	1	-	-	-	5
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	23	15	14.9	ALL	1	2	4	7	1	2	-	-	5
	14	4	10.5	WHITE	-	1	1	2	-	2	-	-	-
	9	11	17.8	BLACK	1	1	3	5	1	-	-	-	5
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
PINEVILLE*	3	4	13.1	ALL	-	-	-	-	1	-	1	1	1
	-	4	16.6	WHITE	-	-	-	-	1	-	1	1	1
	3	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
RED RIVER	1	2	12.7	ALL	1	-	-	1	-	-	-	-	1
	1	2	22.7	WHITE	1	-	-	1	-	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
RICHLAND	1	1	2.7	ALL	-	-	-	-	-	-	-	-	1
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	1	1	5.6	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SABINE	1	3	8.6	ALL	-	-	1	1	-	-	1	-	1
	1	2	8.5	WHITE	-	-	-	-	-	-	1	-	1
	-	1	9.1	BLACK	-	-	1	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH								
					HOURS			DAYS					
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
ST BERNARD	4	7	7.4	ALL	1	1	1	3	-	1	-	-	3
	2	5	5.9	WHITE	1	1	1	3	-	1	-	-	1
	2	2	23.0	BLACK	-	-	-	-	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST CHARLES	3	7	9.1	ALL	1	-	1	2	2	-	-	-	3
	2	5	10.0	WHITE	1	-	1	2	1	-	-	-	2
	1	2	7.5	BLACK	-	-	-	-	1	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST HELENA	-	3	21.9	ALL	-	2	-	2	1	-	-	-	-
	-	1	18.2	WHITE	-	1	-	1	-	-	-	-	-
	-	2	24.4	BLACK	-	1	-	1	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST JAMES	1	3	8.1	ALL	1	1	-	2	-	-	-	-	1
	-	2	13.4	WHITE	1	-	-	1	-	-	-	-	1
	1	1	4.5	BLACK	-	1	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST JOHN	2	10	13.6	ALL	2	1	1	4	1	-	-	-	5
	-	3	6.8	WHITE	-	-	1	1	-	-	-	-	2
	2	7	24.0	BLACK	2	1	-	3	1	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST LANDRY	10	22	15.0	ALL	3	2	2	7	4	1	1	-	9
	4	7	9.8	WHITE	3	-	2	5	-	1	-	-	1
	6	15	20.0	BLACK	-	2	-	2	4	-	1	-	8
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
OPELOUSAS*	5	8	19.3	ALL	-	1	-	1	4	-	-	-	3
	1	-	-	WHITE	-	-	-	-	-	-	-	-	-
	4	8	25.5	BLACK	-	1	-	1	4	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
EUNICE*	3	4	16.2	ALL	2	-	1	3	-	-	-	-	1
	3	4	26.1	WHITE	2	-	1	3	-	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST MARTIN	2	8	10.7	ALL	1	-	-	1	-	-	-	-	7
	-	1	2.3	WHITE	-	-	-	-	-	-	-	-	1
	2	7	22.3	BLACK	1	-	-	1	-	-	-	-	6
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST MARY	3	5	4.6	ALL	1	-	-	1	1	1	-	-	2
	3	3	4.6	WHITE	1	-	-	1	-	1	-	-	1
	-	2	4.8	BLACK	-	-	-	-	1	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
MORGAN CITY*	3	3	9.3	ALL	1	-	-	1	-	-	-	-	2
	3	2	9.4	WHITE	1	-	-	1	-	-	-	-	1
	-	1	9.7	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ST TAMMANY	19	18	7.7	ALL	1	3	1	5	1	-	1	-	11
	13	11	5.6	WHITE	1	1	1	3	1	-	1	-	6
	6	7	20.0	BLACK	-	2	-	2	-	-	-	-	5
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SLIDELL*	10	4	7.6	ALL	1	1	-	2	-	-	-	-	2
	7	3	7.2	WHITE	1	-	-	1	-	-	-	-	2
	3	1	9.6	BLACK	-	1	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH								
					HOURS			DAYS					
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
TANGIPAHOA	12	23	14.1	ALL	1	5	5	11	1	1	-	1	9
	8	16	18.0	WHITE	1	4	4	9	-	1	-	-	6
	4	7	9.4	BLACK	-	1	1	2	1	-	-	1	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
HAMMOND*	-	5	13.6	ALL	1	-	-	1	1	1	-	1	1
	-	2	14.0	WHITE	1	-	-	1	-	1	-	-	-
	-	3	13.3	BLACK	-	-	-	-	1	-	-	1	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	ALL	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
TERREBONNE	16	16	9.1	ALL	4	3	1	8	1	2	-	-	5
	7	9	7.5	WHITE	2	2	1	5	1	2	-	-	1
	9	7	16.0	BLACK	2	1	-	3	-	-	-	-	4
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
HOUMA*	4	6	7.5	ALL	1	1	-	2	-	-	-	-	4
	2	2	4.2	WHITE	-	1	-	1	-	-	-	-	1
	2	4	14.7	BLACK	1	-	-	1	-	-	-	-	3
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
UNION	-	1	3.2	ALL	-	1	-	1	-	-	-	-	-
	-	1	4.9	WHITE	-	1	-	1	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
VERMILION	2	9	11.1	ALL	1	1	1	3	1	1	-	-	4
	2	6	10.2	WHITE	1	1	-	2	1	-	-	-	3
	-	3	15.0	BLACK	-	-	1	1	-	1	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
ABBEVILLE*	1	6	22.6	ALL	1	1	1	3	-	1	-	-	2
	1	3	22.9	WHITE	1	1	-	2	-	-	-	-	1
	-	3	25.2	BLACK	-	-	1	1	-	1	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
VERNON	9	17	11.4	ALL	3	4	1	8	1	1	-	-	7
	6	11	10.7	WHITE	3	3	1	7	1	-	-	-	3
	3	6	15.7	BLACK	-	1	-	1	-	1	-	-	4
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
WASHINGTON	3	6	8.7	ALL	1	2	-	3	-	-	-	-	3
	1	3	7.1	WHITE	1	1	-	2	-	-	-	-	1
	2	3	11.2	BLACK	-	1	-	1	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
BOGALUSA*	3	2	8.5	ALL	-	-	-	-	-	-	-	-	2
	1	1	7.5	WHITE	-	-	-	-	-	-	-	-	1
	2	1	9.8	BLACK	-	-	-	-	-	-	-	-	1
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
WEBSTER	3	6	10.0	ALL	1	2	1	4	-	-	-	-	2
	-	1	3.1	WHITE	-	-	1	1	-	-	-	-	-
	3	5	17.9	BLACK	1	2	-	3	-	-	-	-	2
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
MINDEN*	-	1	4.0	ALL	-	1	-	1	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	1	6.4	BLACK	-	1	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	1	2.9	ALL	-	-	-	-	1	-	-	-	-
	-	1	5.3	WHITE	-	-	-	-	1	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIII-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH							
					HOURS			DAYS				
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
WEST CARROLL	1	4	21.4	ALL	-	-	2	2	1	-	-	-	1
	1	4	29.2	WHITE	-	-	2	2	1	-	-	-	1
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
W FELICIANA	-	1	7.5	ALL	-	-	-	-	-	1	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-
	-	1	14.7	BLACK	-	-	-	-	-	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
WINN	-	3	13.3	ALL	1	1	-	2	-	1	-	-	-
	-	3	21.4	WHITE	1	1	-	2	-	1	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
OUT OF STATE**	14	24		ALL	2	4	4	10	3	1	1	1	8
	8	17		WHITE	1	3	3	7	3	1	1	-	5
	6	7		BLACK	1	1	1	3	-	-	-	1	3
	-	-		OTHER	-	-	-	-	-	-	-	-	-

RATE PER 1,000 LIVE BIRTHS
*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XXIII-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY RACE OF CHILD AND AGE AT DEATH LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE AT DEATH							
					HOURS			DAYS				
					UNDER 1	1-6	7-23	UNDER 1	1-6	7-13	14-20	21-27	28-365
STATE	764	754	10.5	ALL	95	132	73	300	88	36	30	20	280
	334	325	8.0	WHITE	44	43	46	133	43	15	13	9	112
	427	426	14.0	BLACK	51	87	27	165	45	20	17	11	168
	3	3	2.5	OTHER	-	2	-	2	-	1	-	-	-
SPD 1	316	230	11.4	ALL	28	46	20	94	27	11	11	7	80
	130	72	7.4	WHITE	10	7	7	24	11	2	4	1	30
	184	156	15.9	BLACK	18	37	13	68	16	9	7	6	50
	2	2	3.1	OTHER	-	2	-	2	-	-	-	-	-
SPD 2	109	132	10.1	ALL	14	26	10	50	10	5	7	5	55
	42	57	7.8	WHITE	6	8	9	23	3	1	2	2	26
	66	74	13.2	BLACK	8	18	1	27	7	3	5	3	29
	1	1	7.5	OTHER	-	-	-	-	-	1	-	-	-
SPD 3	25	50	9.2	ALL	12	6	3	21	7	4	-	-	18
	11	29	8.1	WHITE	8	2	3	13	4	2	-	-	10
	14	21	12.4	BLACK	4	4	-	8	3	2	-	-	8
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SPD 4	87	99	10.0	ALL	14	10	10	34	17	5	1	2	40
	41	47	7.5	WHITE	10	5	6	21	8	2	-	1	15
	46	52	14.6	BLACK	4	5	4	13	9	3	1	1	25
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SPD 5	34	45	10.4	ALL	8	3	9	20	4	3	2	1	15
	22	28	8.9	WHITE	3	3	8	14	3	3	1	1	6
	14	17	14.7	BLACK	5	-	1	6	1	-	1	-	9
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SPD 6	48	64	11.7	ALL	7	14	6	27	6	4	4	3	20
	28	40	11.5	WHITE	5	9	3	17	5	3	4	3	8
	20	24	12.7	BLACK	2	5	3	10	1	1	-	-	12
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SPD 7	98	78	9.0	ALL	8	18	8	34	6	3	3	1	31
	42	27	6.1	WHITE	2	6	6	14	2	2	1	-	8
	56	51	12.3	BLACK	6	12	2	20	4	1	2	1	23
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
SPD 8	47	56	11.1	ALL	4	9	7	20	11	1	2	1	21
	20	25	9.8	WHITE	-	3	4	7	7	-	1	1	9
	27	31	12.5	BLACK	4	6	3	13	4	1	1	-	12
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-
HSA 1	341	280	10.9	ALL	40	52	23	115	34	15	11	7	98
	141	101	7.6	WHITE	18	9	10	37	15	4	4	1	40
	198	177	15.4	BLACK	22	41	13	76	19	11	7	6	58
	2	2	2.5	OTHER	-	2	-	2	-	-	-	-	-
HSA 2	230	276	10.1	ALL	36	39	29	104	31	13	10	8	110
	103	132	7.9	WHITE	19	16	23	58	14	6	3	4	47
	126	143	13.9	BLACK	17	23	6	46	17	6	7	4	63
	1	1	4.1	OTHER	-	-	-	-	-	1	-	-	-
HSA 3	193	198	10.3	ALL	19	41	21	81	23	8	9	5	72
	90	92	8.8	WHITE	7	18	13	38	14	5	6	4	25
	103	106	12.4	BLACK	12	23	8	43	9	3	3	1	47
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-

RATE PER 1,000 LIVE BIRTHS

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
STATE	ALL	4.2	1.2	0.5	0.4	0.3	3.9	5.4	6.6	13.5	10.5
	WHITE	3.3	1.1	0.4	0.3	0.2	2.8	4.3	5.3	9.7	8.0
	BLACK	5.4	1.5	0.7	0.6	0.4	5.5	6.9	8.5	19.0	14.0
	OTHER	1.6	-	0.8	-	-	-	1.6	2.5	2.5	2.5
ACADIA	ALL	10.2	1.0	-	-	1.0	2.0	11.2	12.2	20.2	14.3
	WHITE	9.8	-	-	-	1.4	1.4	9.8	11.2	15.3	12.6
	BLACK	11.2	3.7	-	-	-	3.7	14.9	14.9	32.8	18.6
	OTHER	-	-	-	-	-	-	-	-	-	-
CROWLEY*	ALL	10.9	-	-	-	-	7.3	10.9	10.9	18.1	18.2
	WHITE	13.1	-	-	-	-	6.5	13.1	13.1	19.5	19.6
	BLACK	8.3	-	-	-	-	8.3	8.3	8.3	16.4	16.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ALLEN	ALL	5.6	-	-	-	-	2.8	5.6	5.6	21.9	8.3
	WHITE	3.8	-	-	-	-	-	3.8	3.8	18.6	3.8
	BLACK	10.8	-	-	-	-	10.8	10.8	10.8	31.6	21.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ASCENSION	ALL	2.7	-	-	0.9	-	3.7	2.7	3.7	9.1	7.3
	WHITE	4.0	-	-	-	-	2.6	4.0	4.0	7.9	6.6
	BLACK	-	-	-	3.0	-	6.0	-	3.0	11.9	9.0
	OTHER	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	ALL	2.8	-	2.8	-	-	2.8	2.8	5.7	14.1	8.5
	WHITE	-	-	-	-	-	5.4	-	-	5.3	5.4
	BLACK	6.1	-	6.1	-	-	-	6.1	12.3	24.1	12.3
	OTHER	-	-	-	-	-	-	-	-	-	-
AVOYELLES	ALL	6.4	1.6	-	-	1.6	3.2	7.9	9.5	15.8	12.7
	WHITE	5.5	2.7	-	-	2.7	5.5	8.2	10.9	10.9	16.4
	BLACK	7.7	-	-	-	-	-	7.7	7.7	22.7	7.7
	OTHER	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	ALL	3.8	-	-	-	-	1.9	3.8	3.8	13.2	5.7
	WHITE	4.7	-	-	-	-	2.3	4.7	4.7	11.5	7.0
	BLACK	-	-	-	-	-	-	-	-	21.3	-
	OTHER	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	ALL	4.8	-	-	-	-	-	4.8	4.8	18.8	4.8
	WHITE	7.9	-	-	-	-	-	7.9	7.9	15.6	7.9
	BLACK	-	-	-	-	-	-	-	-	24.4	-
	OTHER	-	-	-	-	-	-	-	-	-	-
BIENVILLE	ALL	3.9	-	-	-	-	7.9	3.9	3.9	7.8	11.8
	WHITE	-	-	-	-	-	9.0	-	-	-	9.0
	BLACK	7.0	-	-	-	-	7.0	7.0	7.0	13.9	14.0
	OTHER	-	-	-	-	-	-	-	-	-	-
BOSSIER	ALL	2.8	0.7	0.7	-	-	2.8	3.5	4.2	8.3	7.0
	WHITE	1.0	-	1.0	-	-	1.0	1.0	2.0	4.9	3.0
	BLACK	7.4	2.5	-	-	-	7.4	9.8	9.8	17.0	17.2
	OTHER	-	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	ALL	3.2	1.1	1.1	-	-	3.2	4.2	5.3	8.5	8.5
	WHITE	1.5	-	1.5	-	-	-	1.5	2.9	4.4	2.9
	BLACK	8.1	4.1	-	-	-	12.2	12.2	12.2	20.2	24.4
	OTHER	-	-	-	-	-	-	-	-	-	-
CADDO	ALL	3.9	1.2	0.5	0.2	-	3.2	5.1	5.8	13.5	9.0
	WHITE	2.7	1.1	0.5	-	-	1.6	3.8	4.3	6.5	5.9
	BLACK	4.9	1.3	0.4	0.4	-	4.5	6.3	7.1	19.4	11.6
	OTHER	-	-	-	-	-	-	-	-	-	-
SHREVEPORT*	ALL	3.7	1.1	0.6	0.3	-	3.7	4.8	5.7	14.1	9.4
	WHITE	2.2	1.4	0.7	-	-	2.2	3.6	4.3	7.2	6.5
	BLACK	4.8	1.0	0.5	0.5	-	4.8	5.7	6.7	18.9	11.5
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
CALCASIEU	ALL	4.3	1.4	1.1	0.4	0.4	3.6	5.8	7.5	12.5	11.1
	WHITE	4.7	1.6	1.6	0.5	0.5	2.1	6.2	8.8	10.9	10.9
	BLACK	3.6	1.2	-	-	-	7.2	4.8	4.8	16.5	12.0
	OTHER	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	ALL	5.9	1.5	0.7	0.7	-	3.0	7.4	8.9	14.7	11.9
	WHITE	7.6	1.5	1.5	1.5	-	1.5	9.1	12.1	12.1	13.7
	BLACK	4.4	1.5	-	-	-	4.4	5.9	5.9	17.5	10.3
	OTHER	-	-	-	-	-	-	-	-	-	-
SULPHUR*	ALL	-	-	2.9	-	-	2.9	-	2.9	8.8	5.9
	WHITE	-	-	3.2	-	-	3.2	-	3.2	9.6	6.5
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
CALDWELL	ALL	-	-	-	-	-	6.6	-	-	6.5	6.6
	WHITE	-	-	-	-	-	8.7	-	-	-	8.7
	BLACK	-	-	-	-	-	-	-	-	26.3	-
	OTHER	-	-	-	-	-	-	-	-	-	-
CAMERON	ALL	-	-	-	-	-	-	-	-	-	-
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
CATAHOULA	ALL	5.2	-	-	-	-	-	5.2	5.2	5.2	5.2
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	11.9	-	-	-	-	-	11.9	11.9	11.9	11.9
	OTHER	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	ALL	4.0	-	-	4.0	-	4.0	4.0	8.0	11.9	12.0
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	6.0	-	-	6.0	-	6.0	6.0	12.0	17.8	18.0
	OTHER	-	-	-	-	-	-	-	-	-	-
CONCORDIA	ALL	3.2	-	-	6.3	-	6.3	3.2	9.5	6.3	15.9
	WHITE	-	-	-	13.9	-	-	-	13.9	-	13.9
	BLACK	5.8	-	-	-	-	11.7	5.8	5.8	11.6	17.5
	OTHER	-	-	-	-	-	-	-	-	-	-
DESOTO	ALL	11.6	-	-	-	-	2.3	11.6	11.6	16.2	13.9
	WHITE	24.5	-	-	-	-	-	24.5	24.5	29.3	24.5
	BLACK	-	-	-	-	-	4.4	-	-	4.4	4.4
	OTHER	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	ALL	3.6	0.8	0.5	0.8	0.5	4.3	4.4	6.1	12.8	10.3
	WHITE	1.8	0.6	-	0.6	0.3	3.0	2.4	3.3	6.9	6.3
	BLACK	5.7	1.0	0.6	1.0	0.6	5.7	6.7	8.9	19.5	14.6
	OTHER	-	-	8.1	-	-	-	-	8.1	-	8.1
BATON ROUGE*	ALL	4.2	0.6	0.6	0.4	0.4	4.7	4.7	6.0	13.7	10.8
	WHITE	2.1	0.4	-	-	-	3.0	2.6	2.6	7.3	5.6
	BLACK	6.0	0.7	0.7	0.7	0.7	6.3	6.7	8.8	19.4	15.1
	OTHER	-	-	8.5	-	-	-	-	8.5	-	8.5
BAKER*	ALL	-	3.6	-	3.6	-	3.6	3.6	7.1	7.1	10.7
	WHITE	-	-	-	-	-	5.2	-	-	-	5.2
	BLACK	-	11.5	-	11.5	-	-	11.5	23.0	22.7	23.0
	OTHER	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	ALL	-	8.8	-	-	-	-	8.8	8.8	17.4	8.8
	WHITE	-	28.6	-	-	-	-	28.6	28.6	28.6	28.6
	BLACK	-	5.2	-	-	-	-	5.2	5.2	15.4	5.2
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
E FELICIANA	ALL	9.9	3.3	-	3.3	-	9.9	13.2	16.6	13.2	26.5
	WHITE	7.2	-	-	-	-	14.5	7.2	7.2	7.2	21.7
	BLACK	12.2	6.1	-	6.1	-	6.1	18.3	24.4	18.3	30.5
	OTHER	-	-	-	-	-	-	-	-	-	-
EVANGELINE	ALL	-	3.2	-	-	-	6.5	3.2	3.2	14.4	9.7
	WHITE	-	5.4	-	-	-	2.7	5.4	5.4	13.5	8.2
	BLACK	-	-	-	-	-	12.0	-	-	15.7	12.0
	OTHER	-	-	-	-	-	-	-	-	-	-
FRANKLIN	ALL	8.3	-	-	-	-	13.9	8.3	8.3	21.9	22.2
	WHITE	10.3	-	-	-	-	5.2	10.3	10.3	30.3	15.5
	BLACK	6.0	-	-	-	-	24.0	6.0	6.0	11.9	29.9
	OTHER	-	-	-	-	-	-	-	-	-	-
GRANT	ALL	4.0	4.0	-	-	-	7.9	7.9	7.9	11.9	15.9
	WHITE	5.0	5.0	-	-	-	5.0	10.0	10.0	10.0	14.9
	BLACK	-	-	-	-	-	20.0	-	-	19.6	20.0
	OTHER	-	-	-	-	-	-	-	-	-	-
IBERIA	ALL	2.4	0.8	0.8	-	0.8	4.8	3.2	4.8	14.3	9.6
	WHITE	1.4	-	-	-	-	5.5	1.4	1.4	10.9	6.9
	BLACK	4.0	2.0	2.0	-	2.0	4.0	6.0	10.0	19.8	14.0
	OTHER	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	ALL	3.0	-	-	-	1.5	7.4	3.0	4.4	16.0	11.8
	WHITE	-	-	-	-	-	8.0	-	-	15.7	8.0
	BLACK	7.0	-	-	-	3.5	7.0	7.0	10.5	17.4	17.5
	OTHER	-	-	-	-	-	-	-	-	-	-
IBERVILLE	ALL	1.7	-	-	-	-	5.1	1.7	1.7	3.4	6.8
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	2.9	-	-	-	-	8.7	2.9	2.9	5.8	11.6
	OTHER	-	-	-	-	-	-	-	-	-	-
JACKSON	ALL	-	10.6	-	-	-	-	10.6	10.6	10.6	10.6
	WHITE	-	16.9	-	-	-	-	16.9	16.9	16.9	16.9
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
JEFFERSON	ALL	3.6	1.7	0.6	0.4	0.3	2.9	5.3	6.5	14.9	9.5
	WHITE	2.9	1.4	0.2	0.4	0.2	3.1	4.3	5.1	11.2	8.2
	BLACK	5.0	2.5	1.5	0.5	0.5	3.0	7.5	9.9	24.4	12.9
	OTHER	6.6	-	-	-	-	-	6.6	6.6	9.9	6.6
KENNER*	ALL	4.1	1.6	-	-	-	4.1	5.7	5.7	13.7	9.7
	WHITE	3.7	2.5	-	-	-	3.7	6.1	6.1	13.4	9.8
	BLACK	5.5	-	-	-	-	5.5	5.5	5.5	16.2	10.9
	OTHER	-	-	-	-	-	-	-	-	-	-
GRETNA*	ALL	1.8	-	1.8	-	-	1.8	1.8	3.7	16.3	5.5
	WHITE	-	-	-	-	-	-	-	-	11.6	-
	BLACK	5.7	-	5.7	-	-	5.7	5.7	11.5	28.1	17.2
	OTHER	-	-	-	-	-	-	-	-	-	-
HARAHAN*	ALL	-	-	-	-	-	-	-	-	-	-
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	ALL	-	4.7	4.7	-	-	-	4.7	9.3	13.9	9.3
	WHITE	-	-	7.8	-	-	-	-	7.8	7.8	7.8
	BLACK	-	12.7	-	-	-	-	12.7	12.7	25.0	12.7
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE IXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
JEFF DAVIS	ALL	7.4	-	-	1.8	-	5.5	7.4	9.2	12.8	14.7
	WHITE	4.9	-	-	-	-	2.4	4.9	4.9	12.1	7.3
	BLACK	15.5	-	-	7.8	-	15.5	15.5	23.3	15.5	38.8
	OTHER	-	-	-	-	-	-	-	-	-	-
JENNINGS*	ALL	13.0	-	-	4.3	-	4.3	13.0	17.3	17.2	21.6
	WHITE	13.1	-	-	-	-	-	13.1	13.1	19.5	13.1
	BLACK	13.2	-	-	13.2	-	13.2	13.2	26.3	13.2	39.5
	OTHER	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	ALL	3.1	2.4	0.3	-	-	2.1	5.5	5.8	12.3	7.9
	WHITE	2.4	2.4	-	-	-	1.5	4.9	4.9	11.2	6.4
	BLACK	4.7	2.3	1.2	-	-	3.5	7.0	8.2	15.0	11.7
	OTHER	-	-	-	-	-	-	-	-	-	-
LAFAYETTE*	ALL	3.4	1.7	0.6	-	-	3.4	5.1	5.6	11.8	9.0
	WHITE	2.6	2.6	-	-	-	2.6	5.2	5.2	11.2	7.8
	BLACK	4.9	-	1.6	-	-	4.9	4.9	6.5	12.9	11.3
	OTHER	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	ALL	2.8	2.1	0.7	-	-	2.1	4.8	5.5	11.0	7.6
	WHITE	3.8	1.8	-	-	-	2.7	5.4	5.4	11.6	8.1
	BLACK	-	3.2	3.2	-	-	-	3.2	6.5	9.7	6.5
	OTHER	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	ALL	9.9	-	3.3	-	-	3.3	9.9	13.2	19.6	16.5
	WHITE	20.3	-	-	-	-	6.8	20.3	20.3	26.8	27.0
	BLACK	-	-	6.5	-	-	-	-	6.5	12.9	6.5
	OTHER	-	-	-	-	-	-	-	-	-	-
LASALLE	ALL	5.4	-	-	5.4	5.4	-	5.4	16.3	5.4	16.3
	WHITE	7.0	-	-	7.0	7.0	-	7.0	21.0	7.0	21.0
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
LINCOLN	ALL	-	-	-	-	-	7.3	-	-	12.6	7.3
	WHITE	-	-	-	-	-	3.5	-	-	6.9	3.5
	BLACK	-	-	-	-	-	11.6	-	-	19.0	11.6
	OTHER	-	-	-	-	-	-	-	-	-	-
RUSTON*	ALL	-	-	-	-	-	3.9	-	-	15.4	3.9
	WHITE	-	-	-	-	-	8.6	-	-	-	8.6
	BLACK	-	-	-	-	-	-	-	-	28.2	-
	OTHER	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	ALL	0.8	-	-	-	0.8	4.1	0.8	1.7	5.8	5.8
	WHITE	0.9	-	-	-	0.9	4.5	0.9	1.8	6.3	6.3
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
MADISON	ALL	4.4	4.4	-	-	-	4.4	8.8	8.8	13.1	13.2
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	5.9	5.9	-	-	-	5.9	11.8	11.8	17.6	17.8
	OTHER	-	-	-	-	-	-	-	-	-	-
TALLULAH*	ALL	-	5.6	-	-	-	5.6	5.6	5.6	11.0	11.1
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	-	6.8	-	-	-	6.8	6.8	6.8	13.6	13.7
	OTHER	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	ALL	3.8	1.9	-	1.9	-	5.7	5.7	7.7	17.0	13.4
	WHITE	4.4	4.4	-	4.4	-	4.4	8.8	13.2	13.2	17.6
	BLACK	3.4	-	-	-	-	6.8	3.4	3.4	20.1	10.2
	OTHER	-	-	-	-	-	-	-	-	-	-
BASTROP*	ALL	6.9	-	-	-	-	3.4	6.9	6.9	17.1	10.3
	WHITE	11.2	-	-	-	-	-	11.2	11.2	11.2	11.2
	BLACK	5.0	-	-	-	-	5.0	5.0	5.0	19.7	10.0
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
NATCHITOCHES	ALL	1.9	-	-	-	1.9	3.8	1.9	3.8	5.6	7.5
	WHITE	3.7	-	-	-	-	-	3.7	3.7	7.4	3.7
	BLACK	-	-	-	-	3.8	7.7	-	3.8	3.8	11.5
	OTHER	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	ALL	3.3	-	-	-	-	3.3	3.3	3.3	6.6	6.6
	WHITE	8.9	-	-	-	-	-	8.9	8.9	8.9	8.9
	BLACK	-	-	-	-	-	5.2	-	-	5.2	5.2
	OTHER	-	-	-	-	-	-	-	-	-	-
ORLEANS	ALL	6.3	1.4	0.6	0.8	0.5	4.8	7.7	9.6	17.5	14.4
	WHITE	2.3	1.2	-	0.6	-	4.1	3.5	4.1	5.8	8.1
	BLACK	7.5	1.5	0.8	0.8	0.7	5.1	9.0	11.3	20.9	16.4
	OTHER	-	-	-	-	-	-	-	-	-	-
OUACHITA	ALL	4.6	1.7	0.4	0.4	0.4	3.8	6.3	7.5	13.3	11.3
	WHITE	0.8	1.6	-	-	0.8	4.1	2.4	3.2	7.3	7.3
	BLACK	8.7	1.7	0.9	0.9	-	3.5	10.5	12.2	19.9	15.7
	OTHER	-	-	-	-	-	-	-	-	-	-
MONROE*	ALL	7.4	1.5	-	0.7	0.7	2.2	8.9	10.4	15.5	12.6
	WHITE	-	-	-	-	2.8	-	-	2.8	2.8	2.8
	BLACK	10.2	2.0	-	1.0	-	3.1	12.2	13.3	20.2	16.3
	OTHER	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	ALL	2.6	-	2.6	-	-	-	2.6	5.2	18.1	5.2
	WHITE	3.4	-	-	-	-	-	3.4	3.4	13.7	3.4
	BLACK	-	-	11.2	-	-	-	-	11.2	32.6	11.2
	OTHER	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	ALL	4.7	2.3	-	-	-	2.3	7.0	7.0	9.3	9.3
	WHITE	-	3.7	-	-	-	3.7	3.7	3.7	3.7	7.4
	BLACK	14.3	-	-	-	-	-	14.3	14.3	21.3	14.3
	OTHER	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	ALL	5.6	2.8	-	-	-	-	8.4	8.4	8.4	8.4
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	10.1	5.1	-	-	-	-	15.2	15.2	15.2	15.2
	OTHER	-	-	-	-	-	-	-	-	-	-
RAPIDES	ALL	4.1	1.4	0.9	0.5	0.5	3.2	5.5	7.3	14.4	10.4
	WHITE	3.0	1.5	1.5	0.7	0.7	1.5	4.4	7.4	9.6	8.9
	BLACK	6.1	1.2	-	-	-	6.1	7.3	7.3	22.7	13.4
	OTHER	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	ALL	6.9	1.0	2.0	-	-	5.0	7.9	9.9	20.5	14.9
	WHITE	5.3	-	5.3	-	-	-	5.3	10.5	7.9	10.5
	BLACK	8.1	1.6	-	-	-	8.1	9.7	9.7	26.6	17.8
	OTHER	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	ALL	-	3.3	-	3.3	3.3	3.3	3.3	9.8	13.0	13.1
	WHITE	-	4.1	-	4.1	4.1	4.1	4.1	12.4	12.3	16.6
	BLACK	-	-	-	-	-	-	-	-	16.1	-
	OTHER	-	-	-	-	-	-	-	-	-	-
RED RIVER	ALL	6.4	-	-	-	-	6.4	6.4	6.4	12.7	12.7
	WHITE	11.4	-	-	-	-	11.4	11.4	11.4	11.4	22.7
	BLACK	-	-	-	-	-	-	-	-	14.5	-
	OTHER	-	-	-	-	-	-	-	-	-	-
RICHLAND	ALL	-	-	-	-	-	2.7	-	-	10.8	2.7
	WHITE	-	-	-	-	-	-	-	-	10.6	-
	BLACK	-	-	-	-	-	5.6	-	-	11.1	5.6
	OTHER	-	-	-	-	-	-	-	-	-	-
SABINE	ALL	2.9	-	-	2.9	-	2.9	2.9	5.8	19.8	8.6
	WHITE	-	-	-	4.3	-	4.3	-	4.3	8.4	8.5
	BLACK	9.1	-	-	-	-	-	9.1	9.1	43.9	9.1
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
ST BERNARD	ALL	3.2	-	1.1	-	-	3.2	3.2	4.2	11.5	7.4
	WHITE	3.6	-	1.2	-	-	1.2	3.6	4.7	9.4	5.9
	BLACK	-	-	-	-	-	23.0	-	-	33.3	23.0
	OTHER	-	-	-	-	-	-	-	-	-	-
ST CHARLES	ALL	2.6	2.6	-	-	-	3.9	5.2	5.2	9.0	9.1
	WHITE	4.0	2.0	-	-	-	4.0	6.0	6.0	8.0	10.0
	BLACK	-	3.8	-	-	-	3.8	3.8	3.8	11.2	7.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ST HELENA	ALL	14.6	7.3	-	-	-	-	21.9	21.9	21.9	21.9
	WHITE	18.2	-	-	-	-	-	18.2	18.2	18.2	18.2
	BLACK	12.2	12.2	-	-	-	-	24.4	24.4	24.4	24.4
	OTHER	-	-	-	-	-	-	-	-	-	-
ST JAMES	ALL	5.4	-	-	-	-	2.7	5.4	5.4	18.6	8.1
	WHITE	6.7	-	-	-	-	6.7	6.7	6.7	13.3	13.4
	BLACK	4.5	-	-	-	-	-	4.5	4.5	22.1	4.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ST JOHN	ALL	5.4	1.4	-	-	-	6.8	6.8	6.8	14.8	13.6
	WHITE	2.3	-	-	-	-	4.6	2.3	2.3	6.8	6.8
	BLACK	10.3	3.4	-	-	-	10.3	13.7	13.7	27.0	24.0
	OTHER	-	-	-	-	-	-	-	-	-	-
ST LANDRY	ALL	4.6	2.7	0.7	0.7	-	6.1	7.5	8.9	20.9	15.0
	WHITE	2.0	-	1.4	-	-	1.4	7.0	8.4	12.6	9.8
	BLACK	2.7	5.3	-	1.3	-	10.7	8.0	9.3	28.7	20.0
	OTHER	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	ALL	2.4	9.6	-	-	-	7.2	12.0	12.0	37.6	19.3
	WHITE	-	-	-	-	-	-	-	-	19.4	-
	BLACK	3.2	12.7	-	-	-	9.6	15.9	15.9	43.3	25.5
	OTHER	-	-	-	-	-	-	-	-	-	-
EUNICE*	ALL	12.1	-	-	-	-	4.0	12.1	12.1	16.1	16.2
	WHITE	19.6	-	-	-	-	6.5	19.6	19.6	26.0	26.1
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
ST MARTIN	ALL	1.3	-	-	-	-	9.4	1.3	1.3	9.3	10.7
	WHITE	-	-	-	-	-	2.3	-	-	2.3	2.3
	BLACK	3.2	-	-	-	-	19.1	3.2	3.2	18.8	22.3
	OTHER	-	-	-	-	-	-	-	-	-	-
ST MARY	ALL	0.9	0.9	0.9	-	-	1.8	1.8	2.7	14.4	4.6
	WHITE	1.5	-	1.5	-	-	1.5	1.5	3.1	10.6	4.6
	BLACK	-	2.4	-	-	-	2.4	2.4	2.4	21.1	4.8
	OTHER	-	-	-	-	-	-	-	-	-	-
MORGAN CITY*	ALL	3.1	-	-	-	-	6.2	3.1	3.1	18.3	9.3
	WHITE	4.7	-	-	-	-	4.7	4.7	4.7	14.0	9.4
	BLACK	-	-	-	-	-	9.7	-	-	28.3	9.7
	OTHER	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	ALL	2.1	0.4	-	0.4	-	4.7	2.6	3.0	8.9	7.7
	WHITE	1.5	0.5	-	0.5	-	3.0	2.0	2.5	6.6	5.6
	BLACK	5.7	-	-	-	-	14.3	5.7	5.7	22.5	20.0
	OTHER	-	-	-	-	-	-	-	-	-	-
SLIDELL*	ALL	3.8	-	-	-	-	3.8	3.8	3.8	15.1	7.6
	WHITE	2.4	-	-	-	-	4.8	2.4	2.4	14.3	7.2
	BLACK	9.6	-	-	-	-	-	9.6	9.6	19.0	9.6
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TANGIPAHOA	ALL	6.7	0.6	0.6	-	0.6	5.5	7.3	8.6	15.7	14.1
	WHITE	10.1	-	1.1	-	-	6.7	10.1	11.2	17.8	18.0
	BLACK	2.7	1.3	-	-	1.3	4.0	4.0	5.4	13.4	9.4
	OTHER	-	-	-	-	-	-	-	-	-	-
HAMMOND*	ALL	2.7	2.7	2.7	-	2.7	2.7	5.4	10.8	8.1	13.6
	WHITE	7.0	-	7.0	-	-	-	7.0	14.0	13.9	14.0
	BLACK	-	4.4	-	-	4.4	4.4	4.4	8.9	4.4	13.3
	OTHER	-	-	-	-	-	-	-	-	-	-
TENSAS	ALL	-	-	-	-	-	-	-	-	-	-
	WHITE	-	-	-	-	-	-	-	-	-	-
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
TERREBONNE	ALL	4.6	0.6	1.1	-	-	2.9	5.1	6.3	12.5	9.1
	WHITE	4.2	0.8	1.7	-	-	0.8	5.0	6.7	13.2	7.5
	BLACK	6.9	-	-	-	-	9.2	6.9	6.9	13.6	16.0
	OTHER	-	-	-	-	-	-	-	-	-	-
HOUMA*	ALL	2.5	-	-	-	-	5.0	2.5	2.5	8.7	7.5
	WHITE	2.1	-	-	-	-	2.1	2.1	2.1	10.5	4.2
	BLACK	3.7	-	-	-	-	11.0	3.7	3.7	7.3	14.7
	OTHER	-	-	-	-	-	-	-	-	-	-
UNION	ALL	3.2	-	-	-	-	-	3.2	3.2	12.6	3.2
	WHITE	4.9	-	-	-	-	-	4.9	4.9	14.6	4.9
	BLACK	-	-	-	-	-	-	-	-	8.9	-
	OTHER	-	-	-	-	-	-	-	-	-	-
VERMILION	ALL	3.7	1.2	1.2	-	-	4.9	4.9	6.2	15.9	11.1
	WHITE	3.4	1.7	-	-	-	5.1	5.1	5.1	13.4	10.2
	BLACK	5.0	-	5.0	-	-	5.0	5.0	10.0	24.5	15.0
	OTHER	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	ALL	11.3	-	3.8	-	-	7.5	11.3	15.1	22.4	22.6
	WHITE	15.3	-	-	-	-	7.6	15.3	15.3	22.7	22.9
	BLACK	8.4	-	8.4	-	-	8.4	8.4	16.8	24.8	25.2
	OTHER	-	-	-	-	-	-	-	-	-	-
VERNON	ALL	5.4	0.7	0.7	-	-	4.7	6.1	6.7	12.0	11.4
	WHITE	6.8	1.0	-	-	-	2.9	7.8	7.8	13.6	10.7
	BLACK	2.6	-	2.6	-	-	10.4	2.6	5.2	10.4	15.7
	OTHER	-	-	-	-	-	-	-	-	-	-
WASHINGTON	ALL	4.3	-	-	-	-	4.3	4.3	4.3	14.3	8.7
	WHITE	4.7	-	-	-	-	2.4	4.7	4.7	9.4	7.1
	BLACK	3.7	-	-	-	-	7.5	3.7	3.7	22.0	11.2
	OTHER	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	ALL	-	-	-	-	-	8.5	-	-	8.4	8.5
	WHITE	-	-	-	-	-	7.5	-	-	7.4	7.5
	BLACK	-	-	-	-	-	9.8	-	-	9.7	9.8
	OTHER	-	-	-	-	-	-	-	-	-	-
WEBSTER	ALL	6.7	-	-	-	-	3.3	6.7	6.7	11.6	10.0
	WHITE	3.1	-	-	-	-	-	3.1	3.1	9.4	3.1
	BLACK	10.7	-	-	-	-	7.1	10.7	10.7	14.2	17.9
	OTHER	-	-	-	-	-	-	-	-	-	-
MINDEN*	ALL	4.0	-	-	-	-	-	4.0	4.0	15.9	4.0
	WHITE	-	-	-	-	-	-	-	-	21.3	-
	BLACK	6.4	-	-	-	-	-	6.4	6.4	12.7	6.4
	OTHER	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	ALL	-	2.9	-	-	-	-	2.9	2.9	5.7	2.9
	WHITE	-	5.3	-	-	-	-	5.3	5.3	5.3	5.3
	BLACK	-	-	-	-	-	-	-	-	6.3	-
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIV-A
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	NEONATAL	POSTNEONATAL	INFANT	
WEST CARROLL	ALL	10.7	5.3	-	-	-	5.3	16.0	16.0	16.0	21.4
	WHITE	14.6	7.3	-	-	-	7.3	21.9	21.9	21.9	29.2
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
W FELICIANA	ALL	-	-	7.5	-	-	-	-	7.5	21.9	7.5
	WHITE	-	-	-	-	-	-	-	-	43.5	-
	BLACK	-	-	14.7	-	-	-	-	14.7	-	14.7
	OTHER	-	-	-	-	-	-	-	-	-	-
WINN	ALL	8.8	-	4.4	-	-	-	8.8	13.3	8.8	13.3
	WHITE	14.3	-	7.1	-	-	-	14.3	21.4	14.3	21.4
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-

PERINATAL RATE PER 1000 DELIVERIES, ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING
*CITIES INCLUDED IN PARISH TOTALS

TABLE XXIV-B
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE AT DEATH AND RACE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1991

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
STATE	ALL	4.2	1.2	0.5	0.4	0.3	3.9	5.4	6.6	13.5	10.5
	WHITE	3.3	1.1	0.4	0.3	0.2	2.8	4.3	5.3	9.7	8.0
	BLACK	5.4	1.5	0.7	0.6	0.4	5.5	6.9	8.5	19.0	14.0
	OTHER	1.6	-	0.8	-	-	-	1.6	2.5	2.5	2.5
SPD 1	ALL	4.7	1.3	0.5	0.5	0.3	4.0	6.0	7.4	15.1	11.4
	WHITE	2.5	1.1	0.2	0.4	0.1	3.1	3.6	4.3	8.9	7.4
	BLACK	6.9	1.6	0.9	0.7	0.6	5.1	8.5	10.8	21.8	15.9
	OTHER	3.1	-	-	-	-	-	3.1	3.1	4.7	3.1
SPD 2	ALL	3.8	0.8	0.4	0.5	0.4	4.2	4.6	5.9	11.8	10.1
	WHITE	3.1	0.4	0.1	0.3	0.3	3.5	3.5	4.2	8.4	7.8
	BLACK	4.8	1.3	0.5	0.9	0.5	5.2	6.1	8.0	16.4	13.2
	OTHER	-	-	7.5	-	-	-	-	7.5	-	7.5
SPD 3	ALL	3.9	1.3	0.7	-	-	3.3	5.2	5.9	12.4	9.2
	WHITE	3.6	1.1	0.6	-	-	2.8	4.7	5.3	10.8	8.1
	BLACK	4.7	1.8	1.2	-	-	4.7	6.5	7.7	17.0	12.4
	OTHER	-	-	-	-	-	-	-	-	-	-
SPD 4	ALL	3.4	1.7	0.5	0.1	0.2	4.1	5.2	6.0	15.0	10.0
	WHITE	3.4	1.3	0.3	-	0.2	2.4	4.6	5.1	11.5	7.5
	BLACK	3.7	2.5	0.8	0.3	0.3	7.0	6.2	7.6	21.6	14.6
	OTHER	-	-	-	-	-	-	-	-	-	-
SPD 5	ALL	4.6	0.9	0.7	0.5	0.2	3.5	5.5	6.9	13.0	10.4
	WHITE	4.4	1.0	1.0	0.3	0.3	1.9	5.4	7.0	11.3	8.9
	BLACK	5.2	0.9	-	0.9	-	7.8	6.1	6.9	17.9	14.7
	OTHER	-	-	-	-	-	-	-	-	-	-
SPD 6	ALL	4.9	1.1	0.7	0.7	0.5	3.6	6.0	8.0	12.5	11.7
	WHITE	4.9	1.4	0.9	1.1	0.9	2.3	6.3	9.2	10.3	11.5
	BLACK	5.3	0.5	0.5	-	-	6.3	5.8	6.3	17.2	12.7
	OTHER	-	-	-	-	-	-	-	-	-	-
SPD 7	ALL	3.9	0.7	0.3	0.3	0.1	3.6	4.6	5.4	12.1	9.0
	WHITE	3.1	0.4	0.4	0.2	-	1.8	3.6	4.3	7.4	6.1
	BLACK	4.8	1.0	0.2	0.5	0.2	5.5	5.8	6.7	17.3	12.3
	OTHER	-	-	-	-	-	-	-	-	-	-
SPD 8	ALL	4.0	2.2	0.2	0.4	0.2	4.2	6.2	7.0	13.8	11.1
	WHITE	2.8	2.8	-	0.4	0.4	3.5	5.5	6.3	11.3	9.8
	BLACK	5.3	1.6	0.4	0.4	-	4.8	6.9	7.7	16.4	12.5
	OTHER	-	-	-	-	-	-	-	-	-	-
HSA 1	ALL	4.5	1.3	0.6	0.4	0.3	3.8	5.8	7.1	14.5	10.9
	WHITE	2.8	1.1	0.3	0.3	0.1	3.0	3.9	4.6	9.4	7.6
	BLACK	6.6	1.7	1.0	0.6	0.5	5.0	8.3	10.3	21.1	15.4
	OTHER	2.5	-	-	-	-	-	2.5	2.5	3.8	2.5
HSA 2	ALL	3.8	1.1	0.5	0.4	0.3	4.0	4.9	6.1	13.1	10.1
	WHITE	3.5	0.8	0.4	0.2	0.2	2.8	4.3	5.1	10.1	7.9
	BLACK	4.5	1.6	0.6	0.7	0.4	6.1	6.1	7.8	18.4	13.9
	OTHER	-	-	4.1	-	-	-	-	4.1	-	4.1
HSA 3	ALL	4.2	1.2	0.4	0.5	0.3	3.8	5.4	6.6	12.7	10.3
	WHITE	3.6	1.3	0.5	0.6	0.4	2.4	5.0	6.4	9.3	8.8
	BLACK	5.0	1.1	0.4	0.4	0.1	5.5	6.1	6.9	17.0	12.4
	OTHER	-	-	-	-	-	-	-	-	-	-

PERINATAL RATE PER 1000 DELIVERIES, ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
STATE	ALL	4.2	1.6	0.6	0.4	0.3	4.1	5.8	7.1	14.2	11.1
	WHITE	3.0	1.2	0.5	0.3	0.2	2.9	4.2	5.2	10.6	8.1
	BLACK	6.1	2.2	0.7	0.5	0.4	5.8	8.3	9.9	19.5	15.7
	OTHER	1.2	0.9	0.2	-	0.2	0.5	2.2	2.5	5.2	2.9
ACADIA	ALL	5.1	2.0	0.6	0.4	0.2	4.3	7.0	8.2	16.3	12.5
	WHITE	3.9	1.6	0.8	-	0.3	4.5	5.5	6.6	14.3	11.0
	BLACK	8.5	3.1	-	1.5	-	3.8	11.5	13.1	22.1	16.9
	OTHER	-	-	-	-	-	-	-	-	-	-
CROWLEY*	ALL	7.0	1.4	-	-	-	4.9	8.5	8.5	27.0	13.4
	WHITE	8.4	1.2	-	-	-	7.2	9.6	9.6	30.6	16.8
	BLACK	5.1	1.7	-	-	-	1.7	6.8	6.8	21.9	8.6
	OTHER	-	-	-	-	-	-	-	-	-	-
ALLEN	ALL	3.4	-	-	-	-	0.6	3.4	3.4	14.6	4.0
	WHITE	3.7	-	-	-	-	-	3.7	3.7	12.6	3.7
	BLACK	2.5	-	-	-	-	2.5	2.5	2.5	21.7	4.9
	OTHER	-	-	-	-	-	-	-	-	-	-
ASCENSION	ALL	3.9	1.3	0.4	0.6	-	3.3	5.2	6.2	10.5	9.4
	WHITE	2.8	1.1	0.6	0.3	-	2.0	3.9	4.8	8.7	6.7
	BLACK	6.2	1.9	-	1.2	-	6.2	8.1	9.3	14.8	15.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	ALL	3.3	-	1.1	-	-	4.4	3.3	4.4	12.1	8.8
	WHITE	2.0	-	1.0	-	-	4.0	2.0	3.0	5.0	7.0
	BLACK	5.0	-	1.3	-	-	5.0	5.0	6.3	20.9	11.3
	OTHER	-	-	-	-	-	-	-	-	-	-
AVOYELLES	ALL	4.5	1.3	0.6	-	0.3	1.9	5.7	6.7	14.5	8.6
	WHITE	5.1	0.5	1.0	-	0.5	2.1	5.6	7.2	12.7	9.2
	BLACK	3.4	2.5	-	-	-	1.7	5.9	5.9	17.5	7.6
	OTHER	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	ALL	2.2	1.1	0.7	0.4	-	2.6	3.3	4.4	13.2	7.0
	WHITE	1.4	0.5	0.9	-	-	2.7	1.8	2.7	10.7	5.4
	BLACK	6.4	4.3	-	2.1	-	2.1	10.7	12.8	25.3	15.0
	OTHER	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	ALL	3.7	1.9	-	0.9	-	1.9	5.6	6.5	32.8	8.4
	WHITE	1.5	-	-	-	-	1.5	1.5	1.5	35.0	3.0
	BLACK	7.7	5.1	-	2.6	-	2.6	12.8	15.3	30.1	17.9
	OTHER	-	-	-	-	-	-	-	-	-	-
BIENVILLE	ALL	7.1	-	0.8	0.8	-	5.5	7.1	8.7	14.1	14.2
	WHITE	1.8	-	-	1.8	-	3.6	1.8	3.6	5.4	7.2
	BLACK	11.2	-	1.4	-	-	7.0	11.2	12.6	20.8	19.6
	OTHER	-	-	-	-	-	-	-	-	-	-
BOSSIER	ALL	3.0	1.4	0.1	-	0.3	3.6	4.5	4.9	11.1	8.4
	WHITE	1.9	0.9	0.2	-	0.2	3.2	2.8	3.2	7.8	6.3
	BLACK	6.2	2.9	-	-	0.5	4.8	9.1	9.6	20.3	14.4
	OTHER	-	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	ALL	3.5	2.0	0.2	-	0.2	3.7	5.5	5.9	13.9	9.6
	WHITE	1.7	1.4	0.3	-	-	3.1	3.1	3.4	9.9	6.5
	BLACK	8.6	3.9	-	-	0.8	5.5	12.5	13.3	26.1	18.7
	OTHER	-	-	-	-	-	-	-	-	-	-
CADDO	ALL	5.1	1.5	0.5	0.3	0.2	4.1	6.6	7.6	15.0	11.8
	WHITE	2.4	1.0	0.7	0.3	0.2	2.3	3.4	4.6	10.4	6.9
	BLACK	7.4	2.0	0.4	0.3	0.2	5.7	9.4	10.3	19.2	16.0
	OTHER	-	-	-	-	-	-	-	-	-	-
SHREVEPORT*	ALL	5.3	1.6	0.6	0.2	0.2	4.3	6.8	7.9	19.8	12.2
	WHITE	2.1	1.2	0.8	0.3	0.3	2.4	3.2	4.5	16.3	7.0
	BLACK	7.6	1.9	0.5	0.2	0.2	5.7	9.5	10.3	22.6	16.0
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
CALCASIEU	ALL	3.7	1.9	0.4	0.3	0.3	4.3	5.6	6.6	12.8	10.9
	WHITE	3.5	1.4	0.3	0.2	0.2	3.6	4.9	5.6	10.2	9.2
	BLACK	4.4	2.9	0.7	0.5	0.5	6.1	7.3	9.0	19.0	15.1
	OTHER	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	ALL	4.5	2.2	0.6	0.5	0.2	5.2	6.7	8.0	21.6	13.1
	WHITE	4.5	1.3	0.3	0.3	-	4.5	5.8	6.5	21.1	11.0
	BLACK	4.6	3.1	0.9	0.6	0.3	5.8	7.6	9.5	22.3	15.3
	OTHER	-	-	-	-	-	-	-	-	-	-
SULPHUR*	ALL	2.4	2.4	0.6	0.6	0.6	3.6	4.8	6.6	13.1	10.2
	WHITE	2.6	2.6	0.7	0.7	0.7	3.3	5.2	7.2	14.2	10.4
	BLACK	-	-	-	-	-	8.0	-	-	-	8.0
	OTHER	-	-	-	-	-	-	-	-	-	-
CALDWELL	ALL	5.7	-	1.4	-	-	4.3	5.7	7.1	12.7	11.3
	WHITE	5.3	-	1.8	-	-	3.5	5.3	7.0	12.2	10.5
	BLACK	7.5	-	-	-	-	7.5	7.5	7.5	14.9	15.0
	OTHER	-	-	-	-	-	-	-	-	-	-
CAMERON	ALL	1.4	2.6	-	1.4	-	-	4.3	5.7	14.1	5.7
	WHITE	1.5	3.1	-	1.5	-	-	4.6	6.1	12.2	6.1
	BLACK	-	-	-	-	-	-	-	-	37.7	-
	OTHER	-	-	-	-	-	-	-	-	-	-
CATAHOULA	ALL	2.3	2.3	1.2	-	-	5.8	4.7	5.8	13.9	11.7
	WHITE	-	3.8	1.9	-	-	5.7	3.8	5.7	7.6	11.4
	BLACK	6.1	-	-	-	-	6.1	6.1	6.1	24.0	12.2
	OTHER	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	ALL	7.2	0.8	-	0.8	-	1.6	8.0	8.8	14.3	10.4
	WHITE	-	-	-	-	-	2.2	-	-	-	2.2
	BLACK	11.2	1.2	-	1.2	-	1.2	12.4	13.7	22.2	14.9
	OTHER	-	-	-	-	-	-	-	-	-	-
CONCORDIA	ALL	7.1	-	-	1.2	-	2.4	7.1	8.3	13.5	10.6
	WHITE	4.7	-	-	2.3	-	-	4.7	7.0	8.2	7.0
	BLACK	9.5	-	-	-	-	4.8	9.5	9.5	18.9	14.3
	OTHER	-	-	-	-	-	-	-	-	-	-
DESOTO	ALL	4.1	1.8	-	0.9	-	5.5	5.9	6.8	14.0	12.3
	WHITE	6.8	2.9	-	1.0	-	5.8	9.6	10.6	17.2	16.4
	BLACK	1.7	0.9	-	0.9	-	5.2	2.6	3.4	11.1	8.6
	OTHER	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	ALL	5.5	1.7	0.7	0.4	0.3	4.2	7.2	8.6	15.7	12.8
	WHITE	3.1	0.9	0.5	0.2	0.1	2.4	4.1	4.8	9.1	7.3
	BLACK	8.3	2.6	0.9	0.5	0.6	6.4	10.9	13.0	23.5	19.4
	OTHER	-	1.8	1.8	-	-	-	1.8	3.6	3.6	3.6
BATON ROUGE*	ALL	5.9	1.7	0.7	0.3	0.4	4.5	7.6	9.0	19.6	13.5
	WHITE	2.6	0.8	0.4	0.1	-	2.1	3.4	3.9	13.1	6.0
	BLACK	8.9	2.5	1.0	0.5	0.7	6.6	11.4	13.5	25.5	20.2
	OTHER	-	1.9	1.9	-	-	-	1.9	3.9	3.9	3.9
BAKER*	ALL	4.7	1.6	-	0.8	-	3.9	6.3	7.1	15.6	11.0
	WHITE	5.8	-	-	-	-	4.7	5.8	5.8	9.3	10.5
	BLACK	2.5	5.0	-	2.5	-	2.5	7.5	10.0	29.4	12.5
	OTHER	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	ALL	4.9	3.9	-	-	-	3.9	8.8	8.8	23.2	12.7
	WHITE	-	5.1	-	-	-	-	5.1	5.1	5.1	5.1
	BLACK	6.1	3.6	-	-	-	4.9	9.7	9.7	27.5	14.6
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
E FELICIANA	ALL	5.7	1.9	-	1.3	-	8.2	7.6	8.8	11.9	17.0
	WHITE	2.8	-	-	-	-	2.8	2.8	2.8	5.6	5.6
	BLACK	8.0	3.4	-	2.3	-	12.6	11.4	13.7	17.0	26.3
	OTHER	-	-	-	-	-	-	-	-	-	-
EVANGELINE	ALL	3.0	1.3	-	-	0.7	4.0	4.4	5.1	13.7	9.1
	WHITE	4.4	1.1	-	-	0.6	2.2	5.6	6.1	14.9	8.3
	BLACK	0.9	1.7	-	-	0.9	6.9	2.6	3.4	11.9	10.3
	OTHER	-	-	-	-	-	-	-	-	-	-
FRANKLIN	ALL	6.7	3.4	-	1.1	-	6.7	10.1	11.2	24.8	17.9
	WHITE	3.2	2.1	-	-	-	4.3	5.3	5.3	16.8	9.6
	BLACK	10.7	4.7	-	2.4	-	9.5	15.4	17.8	33.7	27.3
	OTHER	-	-	-	-	-	-	-	-	-	-
GRANT	ALL	3.1	1.6	-	-	-	4.7	4.7	4.7	12.5	9.4
	WHITE	4.0	2.0	-	-	-	5.0	6.0	6.0	12.9	11.0
	BLACK	-	-	-	-	-	3.8	-	-	11.2	3.8
	OTHER	-	-	-	-	-	-	-	-	-	-
IBERIA	ALL	3.5	1.3	0.6	-	0.2	3.9	4.7	5.5	14.4	9.5
	WHITE	2.4	1.3	0.5	-	-	2.9	3.7	4.2	12.1	7.1
	BLACK	5.2	1.2	0.8	-	0.4	5.6	6.4	7.6	18.2	13.2
	OTHER	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	ALL	2.4	0.6	0.6	-	0.3	4.2	3.0	3.9	18.4	8.1
	WHITE	1.1	0.5	0.5	-	-	3.2	1.6	2.1	17.8	5.3
	BLACK	4.3	0.7	0.7	-	0.7	5.8	5.0	6.5	19.8	12.2
	OTHER	-	-	-	-	-	-	-	-	-	-
IBERVILLE	ALL	3.1	1.4	0.7	0.3	-	3.1	4.5	5.6	7.3	8.7
	WHITE	3.4	1.7	-	-	-	0.8	5.1	5.1	6.7	5.9
	BLACK	3.0	1.2	1.2	0.6	-	4.8	4.2	6.0	7.7	10.7
	OTHER	-	-	-	-	-	-	-	-	-	-
JACKSON	ALL	8.2	4.5	1.8	-	0.9	1.8	12.7	15.4	21.6	17.2
	WHITE	5.5	6.9	-	-	1.4	1.4	12.3	13.7	15.0	15.1
	BLACK	13.4	-	5.4	-	-	2.7	13.4	18.8	34.2	21.5
	OTHER	-	-	-	-	-	-	-	-	-	-
JEFFERSON	ALL	3.1	2.0	0.5	0.4	0.3	3.0	5.1	6.3	13.5	9.3
	WHITE	2.6	1.8	0.5	0.4	0.2	2.8	4.4	5.6	11.0	8.4
	BLACK	4.6	2.7	0.5	0.4	0.6	3.9	7.2	8.6	20.9	12.5
	OTHER	1.8	1.2	-	-	-	-	3.0	3.0	7.7	3.0
KENNER*	ALL	2.1	0.6	0.5	0.5	0.2	3.0	2.7	3.8	9.6	6.8
	WHITE	1.4	0.9	0.7	0.5	0.2	2.1	2.3	3.7	7.4	5.8
	BLACK	4.1	-	-	0.6	-	5.9	4.1	4.7	17.0	10.7
	OTHER	-	-	-	-	-	-	-	-	-	-
GRETNA*	ALL	1.6	3.3	0.7	0.3	0.3	3.3	4.9	6.2	27.8	9.5
	WHITE	1.6	3.2	0.5	0.5	-	4.3	4.9	5.9	22.8	10.3
	BLACK	1.9	2.9	1.0	-	1.0	1.9	4.8	6.8	37.5	8.7
	OTHER	-	5.8	-	-	-	-	5.8	5.8	23.0	5.8
HARAHAN*	ALL	7.2	-	-	-	-	1.8	7.2	7.2	9.0	9.1
	WHITE	7.4	-	-	-	-	1.9	7.4	7.4	9.2	9.3
	BLACK	-	-	-	-	-	-	-	-	-	-
	OTHER	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	ALL	1.6	0.8	2.4	-	-	4.7	2.4	4.7	11.0	9.5
	WHITE	-	-	2.5	-	-	6.3	-	2.5	10.0	8.8
	BLACK	4.7	2.3	2.3	-	-	2.3	7.0	9.3	13.9	11.7
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
JEFF DAVIS	ALL	4.5	0.7	0.4	0.4	-	3.7	5.2	5.9	11.8	9.6
	WHITE	3.5	1.0	-	-	-	2.5	4.4	4.4	10.8	6.9
	BLACK	6.0	-	1.5	1.5	-	7.5	6.0	9.0	13.4	16.5
	OTHER	125.0	-	-	-	-	-	125.0	125.0	125.0	125.0
JENNINGS*	ALL	5.9	1.0	-	1.0	-	3.9	6.9	7.8	16.5	11.8
	WHITE	4.5	1.5	-	-	-	3.0	6.0	6.0	14.9	9.0
	BLACK	8.5	-	-	2.8	-	5.7	8.5	11.4	19.7	17.1
	OTHER	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	ALL	3.1	1.7	0.4	0.3	0.3	3.2	4.8	5.8	12.6	9.0
	WHITE	2.2	1.3	0.3	0.2	0.1	2.1	3.5	4.1	10.8	6.2
	BLACK	5.2	2.8	0.7	0.5	0.7	5.7	8.0	9.9	17.3	15.6
	OTHER	-	-	-	-	14.7	-	-	14.7	-	14.7
LAFAYETTE*	ALL	3.9	1.6	0.5	0.2	0.2	3.6	5.6	6.5	23.0	10.1
	WHITE	2.9	1.1	0.2	0.2	-	2.4	4.0	4.4	22.4	6.8
	BLACK	5.8	2.6	1.0	0.3	0.3	5.8	8.4	10.0	24.5	15.8
	OTHER	-	-	-	-	19.2	-	-	19.2	-	19.2
LAFOURCHE	ALL	3.2	1.1	0.7	0.6	-	4.2	4.3	5.6	12.0	9.7
	WHITE	2.7	0.9	0.5	0.5	-	4.0	3.6	4.7	11.2	8.7
	BLACK	5.4	2.0	1.4	0.7	-	5.4	7.4	9.5	16.7	14.9
	OTHER	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	ALL	4.7	1.3	1.3	1.3	-	4.7	6.0	8.7	26.2	13.4
	WHITE	4.2	-	-	1.4	-	5.6	4.2	5.6	27.6	11.3
	BLACK	5.2	2.6	2.6	1.3	-	3.9	7.7	11.6	25.3	15.5
	OTHER	-	-	-	-	-	-	-	-	-	-
LASALLE	ALL	3.3	1.1	1.1	1.1	1.1	1.1	4.3	7.6	14.0	8.7
	WHITE	2.6	1.3	1.3	1.3	1.3	1.3	4.0	7.9	13.1	9.3
	BLACK	6.3	-	-	-	-	-	6.3	6.3	18.8	6.3
	OTHER	-	-	-	-	-	-	-	-	-	-
LINCOLN	ALL	4.0	2.6	0.7	-	-	6.3	6.6	7.4	17.5	13.6
	WHITE	2.7	2.1	0.7	-	-	4.8	4.8	5.5	12.2	10.3
	BLACK	5.7	3.2	0.8	-	-	8.1	8.9	9.7	24.0	17.9
	OTHER	-	-	-	-	-	-	-	-	-	-
RUSTON*	ALL	2.4	1.6	0.8	-	-	8.0	4.0	4.8	24.3	12.8
	WHITE	-	3.3	-	-	-	9.9	3.3	3.3	14.6	13.2
	BLACK	4.9	-	1.6	-	-	6.5	4.9	6.5	34.6	13.0
	OTHER	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	ALL	4.5	1.2	0.3	0.2	0.2	3.8	5.7	6.4	10.8	10.1
	WHITE	4.1	1.1	0.4	0.2	0.2	3.8	5.3	6.0	10.3	9.8
	BLACK	8.0	2.0	-	-	-	4.0	10.0	10.0	15.9	14.0
	OTHER	-	-	-	-	-	-	-	-	-	-
MADISON	ALL	8.6	6.0	0.9	-	-	3.4	14.6	15.5	22.2	18.9
	WHITE	3.6	-	-	-	-	3.6	3.6	3.6	3.6	7.2
	BLACK	10.2	7.9	1.1	-	-	3.4	18.1	19.3	28.0	22.7
	OTHER	-	-	-	-	-	-	-	-	-	-
TALLULAH*	ALL	9.6	7.5	1.1	-	-	3.2	17.0	18.1	26.4	21.3
	WHITE	6.3	-	-	-	-	6.3	6.3	6.3	6.3	12.6
	BLACK	10.3	9.0	1.3	-	-	2.6	19.2	20.5	30.4	23.1
	OTHER	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	ALL	3.7	2.6	0.4	0.4	0.4	5.6	6.3	7.4	15.8	13.0
	WHITE	5.8	2.5	-	0.8	0.8	3.3	8.3	9.9	18.0	13.2
	BLACK	2.0	2.7	0.7	-	-	7.4	4.7	5.4	14.1	12.9
	OTHER	-	-	-	-	-	-	-	-	-	-
BASTROP*	ALL	3.5	1.4	-	-	0.7	5.7	5.0	5.7	18.9	11.3
	WHITE	6.8	-	-	-	2.3	4.5	6.8	9.0	26.5	13.5
	BLACK	2.1	2.1	-	-	-	6.2	4.1	4.1	15.3	10.3
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
NATCHITOCHES	ALL	1.7	-	-	0.3	1.0	3.4	1.7	3.1	10.5	6.5
	WHITE	2.6	-	-	-	-	2.1	2.8	2.8	11.7	4.9
	BLACK	0.7	-	-	0.7	2.0	4.8	0.7	3.4	9.5	8.2
	OTHER	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	ALL	2.0	-	-	0.7	1.3	3.9	2.0	3.9	13.6	7.9
	WHITE	3.9	-	-	-	-	1.9	3.9	3.9	21.1	5.8
	BLACK	1.0	-	-	1.0	2.0	5.0	1.0	4.0	9.8	8.9
	OTHER	-	-	-	-	-	-	-	-	-	-
ORLEANS	ALL	5.6	2.0	0.8	0.8	0.4	5.2	7.5	9.5	17.6	14.8
	WHITE	2.5	1.8	0.6	0.7	0.1	3.4	4.4	5.8	10.1	9.2
	BLACK	6.7	2.0	0.9	0.8	0.6	5.9	8.7	11.0	20.3	16.9
	OTHER	-	1.3	-	-	-	1.3	1.3	1.3	3.3	2.6
OUACHITA	ALL	4.8	1.8	0.7	0.2	0.2	5.1	6.6	7.7	11.8	12.8
	WHITE	4.2	1.9	0.6	0.2	0.2	3.2	6.0	7.0	10.0	10.2
	BLACK	5.6	1.8	0.7	0.4	0.2	7.4	7.4	8.6	13.9	16.0
	OTHER	-	-	-	-	-	-	-	-	-	-
MONROE*	ALL	5.7	1.4	0.6	0.5	0.3	6.0	7.1	8.7	20.9	14.7
	WHITE	4.1	1.2	1.8	0.6	0.6	1.8	5.3	8.2	26.4	10.0
	BLACK	6.3	1.5	0.4	0.4	0.2	7.6	7.8	8.9	19.0	16.6
	OTHER	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	ALL	2.8	0.6	0.6	-	-	3.4	3.4	4.0	14.1	7.4
	WHITE	3.7	0.7	-	-	-	3.0	4.4	4.4	15.3	7.4
	BLACK	-	-	2.5	-	-	5.1	-	2.5	10.0	7.6
	OTHER	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	ALL	4.9	3.1	-	-	-	2.7	8.1	8.1	14.2	10.7
	WHITE	3.3	3.3	-	-	-	2.6	6.6	6.6	11.8	9.2
	BLACK	9.5	3.2	-	-	-	3.2	12.6	12.6	21.9	15.8
	OTHER	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	ALL	4.5	2.8	-	-	-	1.7	7.4	7.4	12.4	9.0
	WHITE	1.2	-	-	-	-	1.2	1.2	1.2	6.0	2.4
	BLACK	7.5	5.4	-	-	-	2.2	12.9	12.9	18.2	15.1
	OTHER	-	-	-	-	-	-	-	-	-	-
RAPIDES	ALL	3.4	1.1	0.5	0.3	0.6	4.0	4.5	5.8	13.7	9.8
	WHITE	2.4	0.7	0.3	0.4	0.7	2.4	3.1	4.6	9.1	6.9
	BLACK	5.4	1.8	0.8	-	0.3	7.0	7.2	8.2	22.1	15.2
	OTHER	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	ALL	5.5	1.2	0.8	0.2	0.6	5.5	6.7	8.3	25.7	13.8
	WHITE	5.0	-	1.0	0.5	1.0	2.0	5.0	7.6	26.2	9.6
	BLACK	5.9	2.1	0.7	-	0.3	7.9	7.9	9.0	25.8	16.9
	OTHER	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	ALL	2.7	0.7	0.7	1.3	0.7	2.0	3.3	6.0	25.4	8.0
	WHITE	1.7	0.9	-	1.7	0.9	2.6	2.6	5.2	15.3	7.7
	BLACK	6.6	-	3.3	-	-	-	6.6	10.0	65.6	10.0
	OTHER	-	-	-	-	-	-	-	-	-	-
RED RIVER	ALL	5.1	3.9	1.3	-	-	6.4	9.0	10.3	15.3	16.7
	WHITE	7.1	-	2.4	-	-	4.7	7.1	9.4	14.0	14.1
	BLACK	2.9	8.6	-	-	-	8.6	11.4	11.4	17.0	20.0
	OTHER	-	-	-	-	-	-	-	-	-	-
RICHLAND	ALL	4.4	0.5	0.5	0.5	0.5	5.4	4.9	6.5	15.6	12.0
	WHITE	2.2	-	-	-	-	4.4	2.2	2.2	12.1	6.6
	BLACK	6.4	1.1	1.1	1.1	1.1	6.4	7.5	10.7	19.1	17.2
	OTHER	-	-	-	-	-	-	-	-	-	-
SABINE	ALL	4.0	0.6	-	1.7	-	2.9	4.6	6.3	13.6	9.2
	WHITE	4.0	0.8	-	2.4	-	2.4	4.9	7.3	12.0	9.7
	BLACK	4.0	-	-	-	-	4.0	4.0	4.0	17.6	7.9
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
ST BERNARD	ALL	2.8	1.2	1.2	0.2	0.4	3.6	4.0	5.8	13.6	9.3
	WHITE	2.6	1.1	1.1	-	0.4	3.1	3.8	5.3	12.5	8.4
	BLACK	5.1	2.5	2.5	2.5	-	10.1	7.6	12.7	29.7	22.8
	OTHER	-	-	-	-	-	-	-	-	-	-
ST CHARLES	ALL	2.2	2.2	0.7	0.5	-	4.0	4.5	5.7	11.7	9.7
	WHITE	2.2	2.2	0.4	0.7	-	4.4	4.4	5.5	9.1	9.9
	BLACK	2.4	2.4	1.6	-	-	3.2	4.8	6.4	17.4	9.6
	OTHER	-	-	-	-	-	-	-	-	-	-
ST HELENA	ALL	4.7	4.7	1.6	-	1.6	1.6	9.4	12.5	17.0	14.0
	WHITE	3.6	-	-	-	-	3.6	3.6	3.6	7.1	7.1
	BLACK	5.5	8.3	2.8	-	2.8	-	13.9	19.4	24.7	19.4
	OTHER	-	-	-	-	-	-	-	-	-	-
ST JAMES	ALL	3.6	0.5	-	0.5	-	3.6	4.1	4.6	17.1	8.2
	WHITE	2.5	-	-	1.2	-	3.7	2.5	3.7	16.0	7.5
	BLACK	4.3	0.9	-	-	-	3.4	5.2	5.2	17.9	8.6
	OTHER	-	-	-	-	-	-	-	-	-	-
ST JOHN	ALL	2.5	0.5	0.5	0.2	0.2	4.2	3.0	4.0	12.6	8.2
	WHITE	0.9	-	0.4	0.4	0.4	3.5	0.9	2.2	6.5	5.6
	BLACK	4.8	1.2	0.6	-	-	5.4	6.0	6.6	21.2	12.0
	OTHER	-	-	-	-	-	-	-	-	-	-
ST LANDRY	ALL	4.5	1.9	0.9	0.4	0.4	5.0	6.4	8.1	14.1	13.2
	WHITE	4.3	1.3	0.8	0.5	0.3	2.9	5.6	7.2	11.7	10.1
	BLACK	4.7	2.5	1.1	0.3	0.6	7.2	7.2	9.1	16.7	16.3
	OTHER	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	ALL	5.6	4.7	1.4	-	0.9	5.1	10.3	12.6	31.1	17.7
	WHITE	3.5	3.5	1.8	-	-	1.8	7.0	8.8	42.4	10.5
	BLACK	6.4	5.1	1.3	-	1.3	6.4	11.4	14.0	26.9	20.3
	OTHER	-	-	-	-	-	-	-	-	-	-
EUNICE*	ALL	5.7	0.8	-	-	-	6.5	6.5	6.5	17.0	13.1
	WHITE	6.5	1.3	-	-	-	6.5	7.8	7.8	21.7	14.2
	BLACK	4.5	-	-	-	-	6.7	4.5	4.5	8.9	11.2
	OTHER	-	-	-	-	-	-	-	-	-	-
ST MARTIN	ALL	3.0	1.3	0.3	-	-	5.6	4.3	4.6	11.3	10.2
	WHITE	1.8	0.4	-	-	-	2.2	2.2	2.2	8.4	4.4
	BLACK	4.8	2.4	0.6	-	-	9.6	7.2	7.8	15.5	17.4
	OTHER	-	-	-	-	-	62.5	-	-	-	62.5
ST MARY	ALL	3.6	1.3	0.9	-	0.2	3.6	4.9	6.0	13.2	9.6
	WHITE	2.8	0.6	0.6	-	0.3	2.5	3.4	4.3	9.6	6.8
	BLACK	5.2	2.4	1.4	-	-	5.7	7.6	9.0	19.3	14.8
	OTHER	-	-	-	-	-	-	-	-	5.8	-
MORGAN CITY*	ALL	2.5	1.9	1.3	-	-	5.7	4.5	5.7	15.1	11.5
	WHITE	1.9	1.0	-	-	-	3.8	2.9	2.9	9.6	6.7
	BLACK	4.1	4.1	4.1	-	-	10.3	8.3	12.4	26.4	22.7
	OTHER	-	-	-	-	-	-	-	-	20.4	-
ST TAMMANY	ALL	2.8	1.3	0.6	0.4	0.1	3.6	4.1	5.2	11.1	8.8
	WHITE	2.3	1.3	0.6	0.4	0.1	3.0	3.7	4.8	9.9	7.7
	BLACK	4.8	1.2	0.6	0.6	-	7.7	5.9	7.1	18.2	14.9
	OTHER	10.1	-	-	-	-	-	10.1	10.1	10.1	10.1
SLIDELL*	ALL	3.4	1.5	1.5	0.8	-	4.5	4.9	7.1	17.8	11.6
	WHITE	3.4	1.9	1.4	0.5	-	4.8	5.3	7.2	18.5	12.0
	BLACK	1.8	-	1.8	1.8	-	3.6	1.8	5.5	14.4	9.1
	OTHER	32.3	-	-	-	-	-	32.3	32.3	32.3	32.3

(CONTINUED)

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES BY AGE AT DEATH AND RACE LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TANGIPAHOA	ALL	3.5	1.8	0.4	0.3	0.5	6.7	5.3	6.5	15.2	13.2
	WHITE	2.7	1.1	0.4	-	-	6.1	3.8	4.3	10.7	10.3
	BLACK	4.7	2.6	0.3	0.6	1.2	7.6	7.3	9.4	21.1	17.0
	OTHER	-	-	-	-	-	-	-	-	-	-
HAMMOND*	ALL	5.7	1.3	0.6	0.6	1.3	7.5	6.9	9.4	19.2	17.0
	WHITE	3.4	1.7	1.7	-	-	6.7	5.1	6.7	11.7	13.5
	BLACK	7.1	1.0	-	1.0	2.0	8.2	8.2	11.2	24.1	19.4
	OTHER	-	-	-	-	-	-	-	-	-	-
TENSAS	ALL	8.3	3.3	-	-	-	3.3	11.6	11.6	14.9	15.0
	WHITE	4.7	-	-	-	-	4.7	4.7	4.7	4.7	9.3
	BLACK	10.3	5.2	-	-	-	2.6	15.5	15.5	20.5	18.0
	OTHER	-	-	-	-	-	-	-	-	-	-
TERREBONNE	ALL	3.6	1.4	0.3	0.4	0.1	3.-	5.0	5.9	12.5	9.6
	WHITE	2.8	0.8	0.5	0.3	-	3.0	3.6	4.4	11.4	7.4
	BLACK	6.1	3.3	-	0.9	0.5	7.0	9.3	10.7	16.7	17.8
	OTHER	3.1	1.6	-	-	-	-	4.7	4.7	9.4	4.7
HOUMA*	ALL	3.1	1.8	-	0.5	0.3	5.1	4.9	5.6	16.0	10.8
	WHITE	1.7	0.8	-	-	-	3.4	2.5	2.5	16.9	5.9
	BLACK	5.6	3.2	-	1.6	0.8	9.6	8.8	11.2	15.8	20.8
	OTHER	3.9	3.9	-	-	-	-	7.8	7.8	7.8	7.8
UNION	ALL	7.0	1.3	1.3	0.6	-	1.3	8.3	10.2	17.8	11.5
	WHITE	6.4	-	1.1	-	-	-	6.4	7.4	10.6	7.4
	BLACK	8.1	3.2	1.6	1.6	-	3.2	11.4	14.6	26.7	17.9
	OTHER	-	-	-	-	-	-	-	-	-	-
VERMILION	ALL	3.6	1.7	0.7	0.2	-	3.9	5.3	6.3	15.6	10.2
	WHITE	2.6	1.3	0.3	-	-	3.2	3.8	4.2	13.6	7.4
	BLACK	7.6	3.2	2.2	1.1	-	6.5	10.8	14.0	23.5	20.5
	OTHER	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	ALL	9.2	2.3	1.5	0.8	-	5.4	11.5	13.8	23.5	19.2
	WHITE	7.9	3.1	-	-	-	3.1	11.0	11.0	23.3	14.2
	BLACK	11.5	1.6	3.3	1.6	-	8.2	13.1	18.0	25.8	26.2
	OTHER	-	-	-	-	-	-	-	-	-	-
VERNON	ALL	4.2	0.9	0.3	0.1	0.3	3.4	5.1	5.7	13.2	9.1
	WHITE	3.5	0.7	-	-	0.4	3.1	4.2	4.6	11.3	7.7
	BLACK	6.4	1.6	1.1	0.5	-	4.8	8.0	9.6	18.4	14.4
	OTHER	2.6	-	-	-	-	-	2.6	2.6	12.9	3.6
WASHINGTON	ALL	3.1	0.3	0.6	0.3	1.6	5.0	3.4	5.9	15.0	10.9
	WHITE	3.6	-	1.0	-	1.5	3.1	3.6	6.1	14.1	9.2
	BLACK	2.4	0.8	-	0.8	1.6	7.9	3.2	5.6	16.4	13.5
	OTHER	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	ALL	2.7	-	-	-	-	4.6	2.7	2.7	33.5	7.3
	WHITE	5.1	-	-	-	-	5.1	5.1	5.1	39.2	10.1
	BLACK	-	-	-	-	-	4.0	-	-	27.0	4.0
	OTHER	-	-	-	-	-	-	-	-	-	-
WEBSTER	ALL	5.4	0.6	-	0.6	0.3	4.5	6.1	7.0	13.6	11.5
	WHITE	5.8	0.6	-	0.6	0.6	1.2	6.3	7.5	12.0	8.6
	BLACK	5.1	0.7	-	0.7	-	8.7	5.8	6.5	15.7	15.2
	OTHER	-	-	-	-	-	-	-	-	-	-
MINDEN*	ALL	4.0	-	-	-	-	4.0	4.0	4.0	15.8	8.0
	WHITE	2.0	-	-	-	-	4.0	2.0	2.0	14.0	6.1
	BLACK	5.3	-	-	-	-	4.0	5.3	5.3	17.1	9.3
	OTHER	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	ALL	5.0	1.1	-	0.6	1.1	2.2	6.1	7.8	12.1	10.0
	WHITE	5.8	1.9	-	-	1.9	1.0	7.7	9.7	11.6	10.6
	BLACK	3.9	-	-	1.3	-	3.9	3.9	5.2	13.0	9.2
	OTHER	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XIV-A
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, 1987 - 1991

PARISH AND CITIES OVER 10,000	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
WEST CARROLL	ALL	4.7	2.3	-	1.2	-	5.8	7.0	8.2	10.5	14.0
	WHITE	4.9	1.6	-	1.6	-	4.9	6.6	8.2	9.9	13.2
	BLACK	4.0	4.0	-	-	-	8.1	8.1	8.1	12.1	16.2
	OTHER	-	-	-	-	-	-	-	-	-	-
W FELICIANA	ALL	3.0	-	1.5	-	-	1.5	3.0	4.5	11.9	6.0
	WHITE	-	-	-	-	-	3.2	-	-	18.6	3.2
	BLACK	5.8	-	2.9	-	-	-	5.8	8.6	5.8	8.6
	OTHER	-	-	-	-	-	-	-	-	-	-
WINN	ALL	7.5	0.8	0.8	-	-	1.7	8.4	9.2	19.1	10.9
	WHITE	6.9	1.4	1.4	-	-	1.4	8.3	9.7	13.8	11.1
	BLACK	8.5	-	-	-	-	2.1	8.5	8.5	27.0	10.6
	OTHER	-	-	-	-	-	-	-	-	-	-

*CITIES INCLUDED IN PARISH TOTALS
**PERINATAL RATE PER 1000 DELIVERIES, ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XIV-B
FIVE YEAR AVERAGE INFANT MORTALITY RATES
BY AGE AT DEATH AND RACE
LOUISIANA RESIDENTS, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1987 - 1991

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES**			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
STATE	ALL	4.2	1.6	0.6	0.4	0.3	4.1	5.8	7.1	14.2	11.1
	WHITE	3.0	1.2	0.5	0.3	0.2	2.9	4.2	5.2	10.6	8.1
	BLACK	6.1	2.2	0.7	0.5	0.4	5.8	8.3	9.9	19.5	15.7
	OTHER	1.2	0.9	0.2	0	0.2	0.5	2.2	2.5	5.2	2.9
SPD 1	ALL	4.2	1.9	0.7	0.6	0.3	4.1	6.1	7.7	15.1	11.8
	WHITE	2.6	1.7	0.6	0.4	0.2	3.0	4.3	5.5	10.7	8.5
	BLACK	6.2	2.2	0.8	0.7	0.5	5.6	8.4	10.4	20.5	16.0
	OTHER	1.1	1.1	0	0	0	0.6	2.3	2.3	5.4	2.9
SPD 2	ALL	4.7	1.6	0.6	0.4	0.4	4.3	6.3	7.6	14.0	11.9
	WHITE	3.2	1.0	0.4	0.2	0.2	3.0	4.2	5.0	9.6	7.9
	BLACK	6.8	2.5	0.7	0.6	0.6	6.3	9.3	11.3	20.3	17.5
	OTHER	0	1.6	1.6	0	0	0	1.6	3.2	3.2	3.2
SPD 3	ALL	3.1	1.2	0.5	0.4	0.1	4.0	4.3	5.3	12.6	9.3
	WHITE	2.4	0.9	0.5	0.5	0.1	3.6	3.3	4.3	10.3	7.9
	BLACK	4.8	1.9	0.7	0.4	0.1	5.2	6.7	7.9	18.3	13.1
	OTHER	3.2	1.1	0	0	0	0	3.3	3.3	6.6	3.3
SPD 4	ALL	3.6	1.6	0.6	0.2	0.3	4.0	5.2	6.3	13.7	10.3
	WHITE	2.9	1.2	0.4	0.1	0.2	2.7	4.1	4.8	11.7	7.5
	BLACK	5.1	2.4	0.9	0.3	0.4	6.3	7.5	9.1	17.7	15.5
	OTHER	0	0	0	0	2.5	2.5	0	2.5	2.5	5.1
SPD 5	ALL	3.5	1.5	0.4	0.3	0.2	3.6	5.0	6.0	12.9	9.5
	WHITE	3.1	1.2	0.3	0.2	0.1	2.9	4.3	4.9	10.6	7.8
	BLACK	4.6	2.5	0.7	0.7	0.4	5.6	7.0	8.8	19.2	14.4
	OTHER	8.3	0	0	0	0	0	8.3	8.3	8.3	8.3
SPD 6	ALL	4.1	1.1	0.4	0.3	0.4	3.4	5.1	6.2	13.8	9.6
	WHITE	3.3	0.9	0.4	0.3	0.5	2.6	4.2	5.4	10.6	8.0
	BLACK	5.8	1.4	0.6	0.1	0.1	5.1	7.2	8.0	20.4	13.1
	OTHER	1.9	0	0	0	0	0	1.9	1.9	9.2	1.9
SPD 7	ALL	4.5	1.4	0.4	0.3	0.2	4.2	5.9	6.8	14.0	11.0
	WHITE	2.9	1.0	0.4	0.4	0.2	2.8	3.8	4.8	10.3	7.6
	BLACK	6.4	1.9	0.3	0.3	0.3	5.8	8.3	9.2	18.4	14.9
	OTHER	0	0	0	0	0	0	0	0	0	0
SPD 8	ALL	5.3	2.3	0.6	0.4	0.2	4.8	7.6	8.8	15.2	13.6
	WHITE	4.4	1.8	0.5	0.2	0.2	3.1	6.2	7.1	11.5	10.3
	BLACK	6.4	2.8	0.8	0.5	0.2	6.5	9.2	10.7	19.2	17.2
	OTHER	0	0	0	0	0	0	0	0	0	0
HSA 1	ALL	4.0	1.7	0.6	0.5	0.3	4.1	5.7	7.2	14.6	11.3
	WHITE	2.5	1.5	0.6	0.4	0.2	3.2	4.0	5.2	10.6	8.3
	BLACK	6.0	2.1	0.8	0.7	0.4	5.5	8.1	10.0	20.1	15.5
	OTHER	1.4	1.1	0	0	0	0.5	2.5	2.5	5.7	2.9
HSA 2	ALL	4.1	1.6	0.5	0.3	0.3	4.1	5.7	6.8	13.7	10.9
	WHITE	3.1	1.1	0.4	0.2	0.2	2.9	4.2	4.9	10.6	7.8
	BLACK	6.0	2.4	0.8	0.5	0.5	6.2	8.4	10.2	19.3	16.5
	OTHER	0.9	0.9	0.9	0	0.9	0.9	1.7	3.5	3.5	4.4
HSA 3	ALL	4.6	1.5	0.5	0.3	0.3	4.1	6.1	7.2	14.3	11.3
	WHITE	3.4	1.1	0.4	0.3	0.3	2.8	4.5	5.6	10.7	8.4
	BLACK	6.3	2.0	0.5	0.3	0.2	5.8	8.3	9.4	19.0	15.2
	OTHER	1.1	0	0	0	0	0	1.1	1.1	5.4	1.1

**PERINATAL RATE PER 1000 DELIVERIES, ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XIVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1046.1	ALL	754	300	88	36	30	20	280
	935.4	WM	194	78	27	11	8	5	65
	662.7	WF	131	55	16	4	5	4	47
	1624.0	BM	251	99	28	10	12	6	96
	1174.2	BF	175	66	17	10	5	5	72
	159.2	OM	1	1	-	-	-	-	-
	341.3	OF	2	1	-	1	-	-	-
CERTAIN INTESTINAL INFECTIONS-(008-009)	2.8	ALL	2	-	-	-	-	-	2
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	12.9	BM	2	-	-	-	-	-	2
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
WHOOPING COUGH-(033)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	2.8	ALL	2	-	-	-	-	-	2
	4.8	WM	1	-	-	-	-	-	1
	5.1	WF	1	-	-	-	-	-	1
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SEPTICEMIA-(038)	8.3	ALL	6	-	-	-	-	-	6
	14.5	WM	3	-	-	-	-	-	3
	5.1	WF	1	-	-	-	-	-	1
	6.5	BM	1	-	-	-	-	-	1
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
VIRAL DISEASES-(045-079)	4.2	ALL	3	-	-	-	-	-	3
	-	WM	-	-	-	-	-	-	-
	15.2	WF	3	-	-	-	-	-	3
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL SYPHILIS-(090)	1.4	ALL	1	-	-	-	-	-	1
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	-	1
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-044,080-088,091-139)	1.4	ALL	1	-	-	-	-	-	1
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	-	1
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CYSTIC FIBROSIS-(277.0)	1.4	ALL	1	-	-	1	-	-	-
	4.8	WM	1	-	-	1	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289)	1.4	ALL	1	-	-	-	-	-	1
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	-	1
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
MENINGITIS-(320-322)	5.5	ALL	4	-	-	1	-	-	3
	9.6	WM	2	-	-	1	-	-	1
	5.1	WF	1	-	-	-	-	-	1
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	15.3	ALL	11	-	-	1	-	-	10
	14.5	WM	3	-	-	-	-	-	3
	20.2	WF	4	-	-	-	-	-	4
	6.5	BM	1	-	-	-	-	-	1
	20.1	BF	3	-	-	1	-	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ACUTE UPPER RESPIRATORY INFECTIONS-(460-463)	1.4	ALL	1	-	-	-	-	-	1
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	-	1
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	5.5	ALL	4	-	-	-	-	-	4
	-	WM	-	-	-	-	-	-	-
	15.2	WF	3	-	-	-	-	-	3
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	34.7	ALL	25	-	1	1	-	-	23
	9.6	WM	2	-	-	1	-	-	1
	5.1	WF	1	-	-	-	-	-	1
	97.0	BM	15	-	-	-	-	-	15
	47.0	BF	7	-	1	-	-	-	6
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
PNEUMONIA-(480-486)	34.7	ALL	25	-	1	1	-	-	23
	9.6	WM	2	-	-	1	-	-	1
	5.1	WF	1	-	-	-	-	-	1
	97.0	BM	15	-	-	-	-	-	15
	47.0	BF	7	-	1	-	-	-	6
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
INFLUENZA-(487)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	13.9	ALL	10	-	-	-	-	1	9
	4.8	WM	1	-	-	-	-	-	1
	5.1	WF	1	-	-	-	-	-	1
	38.8	BM	6	-	-	-	-	1	5
	13.4	BF	2	-	-	-	-	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	1.4	ALL	1	1	-	-	-	-	-
	4.8	WM	1	1	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	5.5	ALL	4	-	1	-	1	-	2
	14.5	WM	3	-	1	-	-	-	2
	5.1	WF	1	-	-	-	1	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	1.4	ALL	1	-	-	-	-	-	1
	4.8	WM	1	-	-	-	-	-	1
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	220.6	ALL	159	58	29	15	9	5	43
	299.0	WM	62	28	12	4	3	3	12
	161.9	WF	32	11	6	2	2	1	10
	213.5	BM	33	11	6	6	2	-	8
	214.7	BF	32	8	5	3	2	1	13
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES-(740)	20.8	ALL	15	13	-	2	-	-	-
	33.8	WM	7	7	-	-	-	-	-
	15.2	WF	3	3	-	-	-	-	-
	19.4	BM	3	1	-	2	-	-	-
	13.4	BF	2	2	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SPINA BIFIDA-(741)	1.4	ALL	1	-	1	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	1	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
CONGENITAL HYDROCEPHALUS-(742.3)	4.2	ALL	3	1	1	-	-	1	-
	9.6	WM	2	1	-	-	-	1	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	1	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	15.3	ALL	11	1	1	4	-	1	4
	9.6	WM	2	-	-	-	-	1	1
	15.2	WF	3	1	-	2	-	-	-
	25.9	BM	4	-	-	1	-	-	3
	13.4	BF	2	-	1	1	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART-(745-746)	61.0	ALL	44	10	9	4	5	2	14
	91.6	WM	19	4	5	2	3	-	5
	60.7	WF	12	3	3	-	1	1	4
	38.8	BM	6	2	-	1	1	-	2
	47.0	BF	7	1	1	1	-	1	3
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	13.9	ALL	10	-	3	-	2	-	5
	14.5	WM	3	-	1	-	-	-	2
	5.1	WF	1	-	-	-	1	-	-
	12.9	BM	2	-	1	-	-	-	1
	26.8	BF	4	-	1	-	1	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	22.2	ALL	16	9	4	1	-	-	2
	33.8	WM	7	4	2	1	-	-	-
	15.2	WF	3	2	-	-	-	-	1
	25.9	BM	4	2	2	-	-	-	-
	13.4	BF	2	1	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	18.0	ALL	13	12	1	-	-	-	-
	33.8	WM	7	7	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	32.3	BM	5	4	1	-	-	-	-
	6.7	BF	1	1	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	12.5	ALL	9	2	1	1	1	-	4
	14.5	WM	3	1	-	-	-	-	2
	10.1	WF	2	-	-	-	-	-	2
	19.4	BM	3	1	-	1	1	-	-
	6.7	BF	1	-	1	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
DOWN'S SYNDROME-(758.0)	4.2	ALL	3	-	1	-	-	1	1
	4.8	WM	1	-	-	-	-	1	-
	5.1	WF	1	-	1	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	26.4	ALL	19	3	4	2	1	-	9
	24.1	WM	5	2	3	-	-	-	-
	25.3	WF	5	1	1	-	-	-	3
	12.9	BM	2	-	-	1	-	-	1
	47.0	BF	7	-	-	1	1	-	5
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	20.8	ALL	15	7	3	1	-	-	4
	28.9	WM	6	2	1	1	-	-	2
	10.1	WF	2	1	1	-	-	-	-
	12.9	BM	2	1	-	-	-	-	1
	33.5	BF	5	3	1	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	477.2	ALL	344	229	53	13	14	11	24
	332.7	WM	69	47	13	3	2	2	2
	293.4	WF	58	39	9	1	2	2	5
	802.3	BM	124	85	20	2	7	3	7
	603.9	BF	90	56	11	6	3	4	10
	159.2	OM	1	1	-	-	-	-	-
	341.3	OF	2	1	-	1	-	-	-
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)	8.3	ALL	6	5	-	-	1	-	-
	4.8	WM	1	1	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	12.9	BM	2	1	-	-	1	-	-
	20.1	BF	3	3	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761)	43.0	ALL	31	30	1	-	-	-	-
	28.9	WM	6	6	-	-	-	-	-
	30.4	WF	6	6	-	-	-	-	-
	64.7	BM	10	10	-	-	-	-	-
	60.4	BF	9	8	1	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES-(762)	6.9	ALL	5	5	-	-	-	-	-
	9.6	WM	2	2	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	12.9	BM	2	2	-	-	-	-	-
	6.7	BF	1	1	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763)	2.8	ALL	2	1	-	-	-	-	1
	-	WM	-	-	-	-	-	-	-
	5.1	WF	1	1	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765)	117.9	ALL	85	81	3	1	-	-	-
	57.9	WM	12	12	-	-	-	-	-
	50.6	WF	10	10	-	-	-	-	-
	258.8	BM	40	36	3	1	-	-	-
	147.6	BF	22	22	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	170.6	OF	1	1	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767)	8.3	ALL	6	3	1	1	-	1	-
	4.8	WM	1	-	1	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	12.9	BM	2	2	-	-	-	-	-
	13.4	BF	2	1	-	-	-	1	-
	-	OM	-	-	-	-	-	-	-
	170.6	OF	1	-	-	1	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)	9.7	ALL	7	4	2	-	-	-	1
	14.5	WM	3	1	2	-	-	-	-
	5.1	WF	1	-	-	-	-	-	1
	19.4	BM	3	3	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)	2.8	ALL	2	1	1	-	-	-	-
	4.8	WM	1	-	1	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	1	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9)	6.9	ALL	5	3	1	-	-	-	1
	9.6	WM	2	1	1	-	-	-	-
	5.1	WF	1	-	-	-	-	-	1
	12.9	BM	2	2	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME-(769)	97.1	ALL	70	32	20	2	6	3	7
	106.1	WM	22	11	6	1	2	1	1
	70.8	WF	14	9	3	-	1	-	1
	116.5	BM	18	6	6	-	2	1	3
	107.4	BF	16	6	5	1	1	1	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)	80.5	ALL	58	31	12	1	1	1	12
	67.5	WM	14	9	3	1	-	-	1
	50.6	WF	10	3	3	-	-	1	3
	116.5	BM	18	12	3	-	-	-	3
	107.4	BF	16	7	3	-	1	-	5
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)	34.7	ALL	25	7	6	2	3	5	2
	24.1	WM	5	4	-	-	-	1	-
	30.4	WF	6	2	2	-	1	1	-
	51.8	BM	8	1	4	-	1	1	1
	40.3	BF	6	-	-	2	1	2	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
NEONATAL HEMORRHAGE-(772)	9.7	ALL	7	3	2	1	1	-	-
	4.8	WM	1	-	-	1	-	-	-
	5.1	WF	1	1	-	-	-	-	-
	19.4	BM	3	1	1	-	1	-	-
	13.4	BF	2	1	1	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)	2.8	ALL	2	2	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	5.1	WF	1	1	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	1	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS-(775.0-775.1)	-	ALL	-	-	-	-	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)	1.4	ALL	1	-	-	1	-	-	-
	-	WM	-	-	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	1	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)	54.1	ALL	39	25	6	4	2	1	1
	9.6	WM	2	1	1	-	-	-	-
	40.5	WF	8	6	1	1	-	-	-
	116.5	BM	18	11	3	1	2	1	-
	67.1	BF	10	6	1	2	-	-	1
	159.2	OM	1	1	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	148.4	ALL	107	5	-	2	3	-	97
	154.3	WM	32	-	-	1	1	-	30
	65.8	WF	13	1	-	1	-	-	11
	258.8	BM	40	2	-	-	2	-	36
	147.6	BF	22	2	-	-	-	-	20
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME-(798.0)	134.6	ALL	97	-	-	1	3	-	93
	144.7	WM	30	-	-	-	1	-	29
	60.7	WF	12	-	-	1	-	-	11
	232.9	BM	36	-	-	-	2	-	34
	127.5	BF	19	-	-	-	-	-	19
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)	13.9	ALL	10	5	-	1	-	-	4
	9.6	WM	2	-	-	1	-	-	1
	5.1	WF	1	1	-	-	-	-	-
	25.9	BM	4	2	-	-	-	-	2
	20.1	BF	3	2	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	33.3	ALL	24	2	1	1	1	1	18
	28.9	WM	6	1	-	-	1	-	4
	15.2	WF	3	-	-	-	-	-	3
	71.2	BM	11	1	1	1	-	1	7
	26.8	BF	4	-	-	-	-	-	4
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	5.5	ALL	4	1	-	-	1	-	2
	14.5	WM	3	1	-	-	1	-	1
	-	WF	-	-	-	-	-	-	-
	-	BM	-	-	-	-	-	-	-
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH AND ICD-9 LIST NUMBER	RATE*	RACE SEX	TOTAL	AGE AT DEATH IN DAYS					
				UNDER 1	1-6	7-13	14-20	21-27	28-365
ACCIDENTAL MECHANICAL SUFFOCATION-(E913)	11.1	ALL	8	-	-	-	-	1	7
	4.8	WM	1	-	-	-	-	-	1
	-	WF	-	-	-	-	-	-	-
	38.8	BM	6	-	-	-	-	1	5
	6.7	BF	1	-	-	-	-	-	1
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)	16.6	ALL	12	1	1	1	-	-	9
	9.6	WM	2	-	-	-	-	-	2
	15.2	WF	3	-	-	-	-	-	3
	32.3	BM	5	1	1	1	-	-	2
	13.4	BF	2	-	-	-	-	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
HOMICIDE-(E960-E969)	8.3	ALL	6	1	-	-	-	1	4
	9.6	WM	2	1	-	-	-	-	1
	-	WF	-	-	-	-	-	-	-
	12.9	BM	2	-	-	-	-	1	1
	13.4	BF	2	-	-	-	-	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	5.5	ALL	4	-	-	-	-	-	4
	4.8	WM	1	-	-	-	-	-	1
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	-	1
	13.4	BF	2	-	-	-	-	-	2
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
OTHER HOMICIDE-(E960-E966,E968-E969)	2.8	ALL	2	1	-	-	-	1	-
	4.8	WM	1	1	-	-	-	-	-
	-	WF	-	-	-	-	-	-	-
	6.5	BM	1	-	-	-	-	1	-
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL)	49.9	ALL	36	4	3	1	2	1	25
	24.1	WM	5	-	1	-	1	-	3
	45.5	WF	9	4	1	-	-	1	3
	77.6	BM	12	-	1	1	1	-	9
	67.1	BF	10	-	-	-	-	-	10
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

TABLE XXVII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1991

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE	RACE	AGE IN YEARS												
					LT 15	15	16	17	18	19	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK.
STATE	12	12	16.6	ALL	-	1	-	-	-	1	2	2	2	4	2	-	-	-
	6	6	14.8	WHITE	-	-	-	-	-	1	1	1	1	2	1	-	-	-
	6	6	19.8	BLACK	-	1	-	-	-	-	1	1	1	2	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACADIA	1	1	101.8	ALL	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	1	140.3	WHITE	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	1	1	69.6	ALL	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	1	1	99.1	WHITE	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	3	2	48.6	ALL	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	2	1	54.0	WHITE	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	1	1	44.7	BLACK	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	2	2	30.4	ALL	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	1	1	30.1	WHITE	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	1	1	31.8	BLACK	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	1	1	438.6	ALL	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	518.1	BLACK	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	1	1	13.9	ALL	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	1	1	20.5	WHITE	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	1	2	21.6	ALL	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	27.6	BLACK	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	1	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	1	133.8	ALL	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	318.5	BLACK	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	1	-	-	ALL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	WHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	1	87.2	ALL	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	1	97.4	WHITE	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	BLACK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-	-

RATE PER 100,000 LIVE BIRTHS

TABLE XIVIII
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1991

CAUSE OF DEATH	RATE	RACE	TOTAL	AGE							
				LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TOTAL	16.6	ALL	12	-	2	2	2	4	2	-	-	-
	14.8	WHITE	6	-	1	1	1	2	1	-	-	-
	19.8	BLACK	6	-	1	1	1	2	1	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	2.8	ALL	2	-	-	1	-	1	-	-	-	-
	4.9	WHITE	2	-	-	1	-	1	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
ECTOPIC PREGNANCY-(633)	2.8	ALL	2	-	-	1	-	1	-	-	-	-
	4.9	WHITE	2	-	-	1	-	1	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
SPONTANEOUS ABORTION-(634)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	9.7	ALL	7	-	2	1	2	1	1	-	-	-
	7.4	WHITE	3	-	1	-	1	-	1	-	-	-
	13.2	BLACK	4	-	1	1	1	1	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	2.8	ALL	2	-	-	1	-	1	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	6.6	BLACK	2	-	-	1	-	1	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	2.8	ALL	2	-	1	-	1	-	-	-	-	-
	2.5	WHITE	1	-	1	-	-	-	-	-	-	-
	3.3	BLACK	1	-	-	-	1	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OBSTRUCTED LABOR-(660)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	1.4	ALL	1	-	-	-	1	-	-	-	-	-
	2.5	WHITE	1	-	-	-	1	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-(642.0-642.3, 644-646,651-659,661-665,667-669)	2.8	ALL	2	-	1	-	-	-	1	-	-	-
	2.5	WHITE	1	-	-	-	-	-	1	-	-	-
	3.3	BLACK	1	-	1	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	4.2	ALL	3	-	-	-	-	2	1	-	-	-
	2.5	WHITE	1	-	-	-	-	1	-	-	-	-
	6.6	BLACK	2	-	-	-	-	1	1	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	ALL	-	-	-	-	-	-	-	-	-	-
	-	WHITE	-	-	-	-	-	-	-	-	-	-
	-	BLACK	-	-	-	-	-	-	-	-	-	-
	-	OTHER	-	-	-	-	-	-	-	-	-	-

RATE PER 100,000 LIVE BIRTHS

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	ACTINOMYCOSIS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BOTULISM (INFANT)	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS	DENGUE
STATE	-	1	-	145	5	-	-	-	-	-	1	1	1	-
ACADIA				1										
CROWLEY*														
ALLEN														
ASCENSION				5	1									
ASSUMPTION														
AVOYELLES				1										
BEAUREGARD				1										
DE RIDDER*														
BIENVILLE				1										
BOSSIER				4										
BOSSIER CITY*				3										
CADDO				22										
SHREVEPORT*				24										
CALCASIEU				1										
LAKE CHARLES*				1										
SULPHUR*				1										
CALDWELL				1										
CAMERON				1										
CATAHOULA				1										
CLAIBORNE				1										
CONCORDIA				1										
DESOTO				1										
E BATON ROUGE		1		4	1									
BATON ROUGE*				4										
BAKER*				1										
EAST CARROLL				1										
E FELICIANA				1										
EVANGELINE				2										
FRANKLIN				1										
GRANT				1										
IBERIA				14										
NEW IBERIA*				8										
IBERVILLE				1										
JACKSON				1										
JEFFERSON				9	1									
KENNER*				1										
GRETNA*				1										
HARAHAN*				1										
WESTWEGO*				1										
JEFF DAVIS				1										
JENNINGS*				1										
LAFAYETTE				2										
LAFAYETTE*				1										
LAFOURCHE				1	1									
THIBODAUX*				1										
LASALLE				1										
LINCOLN				1										
RUSTON*				1										
LIVINGSTON				5										
MADISON				1										
TALLULAH*				1										
MOREHOUSE				1										
BASTROP*				1										
NATCHITOCHES				1										
NATCHITOCHES*				1										
ORLEANS				9	1									
OUACHITA				1										
MONROE*				1										
WEST MONROE*				1										
PLAQUEMINES				1										
POINTE COUPEE				1										
RAPIDES				1										
ALEXANDRIA*				1										
PINEVILLE*				1										
RED RIVER				1										
RICHLAND				1										
SABINE				1										
ST BERNARD				1										
ST CHARLES				1										
ST HELENA				1										
ST JAMES				1										
ST JOHN				1										
ST LANDRY				1										
OPELOUSAS*				1										
EUNICE*				1										
ST MARTIN				2										
ST MARY				1										
MORGAN CITY*				1										
ST TAMMANY				1										
SLIDELL*				1										
TANGIPAHOA				1										
HAMMOND*				1										
TENSAS				1										
TERREBONNE				1										
HOUMA*				1										
UNION				1										
VERMILION				1										
ABBEVILLE*				1										
VERNON				1										
WASHINGTON				1										
BOGALUSA*				1										
WEBSTER				1										
MINDEN*				1										
W BATON ROUGE				1										
WEST CARROLL				1										
W FELICIANA				1										
WINN				1										
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HAEMOPHILUS TYPE B MENINGITIS	HEPATITIS, TYPE A	HEPATITIS, TYPE B	HEPATITIS, NON A, NON B	HEPATITIS, TYPE UNSPECIFIED
STATE	-	-	-	-	19	-	-	15759	-	22	137	371	102	10
ACADIA								33			1	2		
CROWLEY*								12						
ALLEN								3						
ASCENSION					1			34						
ASSUMPTION								3						
AVOYELLES								33						
BEAUREGARD								6						
DE RIDDER*								1						
BIENVILLE								1						
BOSSIER								10						
BOSSIER CITY*								2						
CADDO								167			1	3		
SHREVEPORT*								165				37	11	
CALCASIEU								51						
LAKE CHARLES*								46				5		
SULPHUR*								8						
CALDWELL								14						
CAMERON														
CATAHOULA								1						
CLAIBORNE								3						
CONCORDIA								6						
DESOTO								3						
E BATON ROUGE					1			142			1	10	1	
BATON ROUGE*					1			139						
BAKER*								2						
EAST CARROLL								1						
E FELICIANA								6						
EVANGELINE								9						
FRANKLIN								7						
GRANT								3						
IBERIA								137						
NEW IBERIA*								114		2				
IBERVILLE								14						
JACKSON								5						
JEFFERSON					1			1007			17	3	37	
KENNER*								124					9	
GRETNA*								70						
MARRERO*								72						
WESTWEGO*								22						
JEFF DAVIS								23						
JENNINGS*								7						
LAFAYETTE								155				12		
LAFAYETTE*								138						
LAFOURCHE								14						
THIBODAUX*								9						
LASALLE								8						
LINCOLN								148						
RUSTON*								80						
LIVINGSTON								30						
MADISON								7						
TALLULAH*								6						
MOREHOUSE								17						
BASTROP*								8						
NATCHITOCHES								9						
NATCHITOCHES*								5						
ORLEANS								611		5	1	8		
OUACHITA								7						
MONROE*								52						
WEST MONROE*								5						
PLAQUEMINES								7						
POINTE COUPEE								3			1			
RAPIDES								4						
ALEXANDRIA*								4						
PINEVILLE*								1						
RED RIVER								0						
RICHLAND								4						
SABINE								3						
ST BERNARD								4						
ST CHARLES								5						
ST HELENA								0						
ST JAMES								8						
ST JOHN								7						
ST LANDRY								20						
OPELOUSAS*								15						
EUNICE*								9						
ST MARTIN								8						
ST MARY								9						
MORGAN CITY*								4						
ST TAMMANY								14					1	
SLIDELL*								5						
TANGIPAHOA								15					1	
HAMMOND*								11						
TENSAS								0						
TERREBONNE								27						
HOUMA*								25						
UNION								2						
VERMILION								22						
ABBEVILLE*								4						
VERNON								10						
WASHINGTON								19						
BOGALUSA*								5						
WEBSTER								11						
MINDEN*								7						
W BATON ROUGE								24						
WEST CARROLL								10						
W FELICIANA								2						
WINN								3					1	
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	1	-	-	-

(CONTINUED)
2

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTEROSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTEROSIS, ATYPICAL	CRYPTOSPORIDIOSIS
STATE	5	-	10	1	1	-	-	-	17	-	34	37	83	
ACADIA														
CROWLEY*														
ALLEN														
ASCENSION														
ASSUMPTION														
AVOYELLES														
BEAUREGARD														
DE RIDDER*														
BIENVILLE														
BOSSIER														
BOSSIER CITY*														
CADDO														
SHREVEPORT*														
CALCASIEU														
LAKE CHARLES*														
SULPHUR*														
CALDWELL														
CAMERON														
CATAHOULA														
CLAIBORNE														
CONCORDIA														
DESOTO														
E BATON ROUGE														
BATON ROUGE*														
BAKER*														
EAST CARROLL														
E FELICIANA														
EVANGELINE														
FRANKLIN														
GRANT														
IBERIA														
NEW IBERIA*														
IBERVILLE														
JACKSON														
JEFFERSON														
KENNER*														
GRETNA*														
MARAHAN*														
WESTWEGO*														
JEFF DAVIS														
JENNINGS*														
LAFAYETTE														
LAFAYETTE*														
LAFOURCHE														
THIBODAUX*														
LASALLE														
LINCOLN														
RUSTON*														
LIVINGSTON														
MADISON														
TALLULAH*														
MOREHOUSE														
BASTROP*														
NATCHITOCHES														
NATCHITOCHES*														
ORLEANS														
OUACHITA														
MONROE*														
WEST MONROE*														
PLAQUEMINES														
POINTE COUPEE														
RAPIDES														
ALEXANDRIA*														
PINEVILLE*														
RED RIVER														
RICHLAND														
SABINE														
ST BERNARD														
ST CHARLES														
ST HELENA														
ST JAMES														
ST JOHN														
ST LANDRY														
OPELOUSAS*														
EUNICE*														
ST MARTIN														
ST MARY														
MORGAN CITY*														
ST TAMMANY														
SLIDELL*														
TANGIPAHOA														
HAMMOND*														
TENSAS														
TERREBONNE														
HOUMA*													1	
UNION														
VERMILION														
ABBEVILLE*														
VERNON														
WASHINGTON														
BOGALUSA*														
WEBSTER														
MINDEN*														
W BATON ROUGE														
WEST CARROLL														
W FELICIANA														
WINN														
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	

(CONTINUED)

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS NON PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	REYES SYNDROME	ROCKY MOUNTAIN SPOTTED FEVER
STATE	14	-	-	-	-	-	6	-	-	-	-	-	-	-
ACADIA														
CROWLEY*														
ALLEN														
ASCENSION	1													
ASSUMPTION														
AVOYELLES														
BEAUREGARD														
DE RIDDER*														
BIENVILLE														
BOSSIER														
BOSSIER CITY*														
CADDO														
SHREVEPORT*														
CALCASIEU														
LAKE CHARLES*														
SULPHUR*														
CALDWELL														
CAMERON														
CATAHOULA														
CLAIBORNE														
CONCORDIA														
DESOTO														
E BATON ROUGE	1													
BATON ROUGE*														
BAKER*														
EAST CARROLL														
E FELICIANA														
EVANGELINE														
FRANKLIN														
GRANT														
IBERIA														
NEW IBERIA*														
IBERVILLE														
JACKSON														
JEFFERSON	2													
KENNER*														
GRETNA*														
HARAHAN*														
WESTWEGO*														
JEFF DAVIS														
JENNINGS*														
LAFAYETTE														
LAFAYETTE*														
LAFOURCHE														
THIBODAUX*														
LASALLE														
LINCOLN														
RUSTON*														
LIVINGSTON														
MADISON														
TALLULAH*														
MOREHOUSE	1													
BASTROP*														
NATCHITOCHES														
NATCHITOCHES*														
ORLEANS														
OUACHITA														
MONROE*														
WEST MONROE*														
PLAQUEMINES														
POINTE COUPEE														
RAPIDES														
ALEXANDRIA*														
PINEVILLE*														
RED RIVER														
RICHLAND	1													
SABINE														
ST BERNARD														
ST CHARLES														
ST HELENA														
ST JAMES														
ST JOHN														
ST LANDRY														
OPELOUSAS*														
EUNICE*														
ST MARTIN														
ST MARY														
MORGAN CITY*														
ST TAMMANY	2						1							
SLIDELL*														
TANGIPAHOA														
HAMMOND*														
TENSAS														
TERREBONNE														
HOUMA*														
UNION														
VERMILION														
ABBEVILLE*														
VERNON	2													
WASHINGTON														
BOGALUSA*														
WEBSTER														
MINDEN*														
W BATON ROUGE														
WEST CARROLL														
W FELICIANA														
WINN														
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	RUBELLA	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	SHIGELLOSIS (DISENTERY - BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA	TYPHOID FEVER
STATE	1	-	804	221	-	6354	-	-	-	-	310	58	-	5
ACADIA			4	2		35					5			
CROWLEY*						8								
ALLEN						32								
ASCENSION						91								
ASSUMPTION						19								
AVOYELLES						40								
BEAUREGARD						4								
DE RIDDER*						4								
BIENVILLE						3								
BOSSIER			3			74								
BOSSIER CITY*			1			30								
CADDO			10	4		460								
SHREVEPORT*			5	1		448								
CALCASIEU			4	3		118								
LAKE CHARLES*			2			106								
SULPHUR*						2								
CALDWELL				2		2								
CAMERON						-								
CATAHOULA						14								
CLAIBORNE						17								
CONCORDIA						9								
DESOTO						17								
E BATON ROUGE			5			741					1			
BATON ROUGE*			3	5		712					1			
BAKER*						4								
EAST CARROLL						18								
E FELICIANA						25								
EVANGELINE			1			55								
FRANKLIN						26								
GRANT						8								
IBERIA				10		43								
NEW IBERIA*						35								
IBERVILLE						35								
JACKSON						9								
JEFFERSON			78	18		485					2			
KENNER*						97								
GRETNA*						67								
HARAHAN*						-								
WESTWEGO*						16								
JEFF DAVIS				2		18								
JENNINGS*						8								
LAFAYETTE			6	4		257								
LAFAYETTE*			14	10		229								
LAFOURCHE						65								
THIBODAUX*						47								
LASALLE						11								
LINCOLN						55								
RUSTON*						28								
LIVINGSTON						66								
MADISON						16								
TALLULAH*						38								
MOREHOUSE						31								
BASTROP*						24								
NATCHITOCHES						15								
NATCHITOCHES*						8								
ORLEANS			14	33		1425					1	1		
OUACHITA			16	16		104								
MONROE*			4	1		269								
WEST MONROE*						10								
PLAQUEMINES						55								
POINTE COUPEE						21								
RAPIDES			16			243								
ALEXANDRIA*						207								
PINEVILLE*			5			14								
RED RIVER						8								
RICHLAND						25								
SABINE						7								
ST BERNARD			10			19								
ST CHARLES				2		40								
ST HELENA						11								
ST JAMES						20								
ST JOHN						22								
ST LANDRY						106								
OPELOUSAS*						77								
EUNICE*						7								
ST MARTIN						30								
ST MARY						44					1			
MORGAN CITY*						16								
ST TAMMANY			3			88								
SLIDELL*						38								
TANGIPAHOA						460								
HAMMOND*						190								
TENSAS						1								
TERREBONNE			3			141								
HOUMA*			1			107								
UNION						19								
VERMILION			1			40								
ABBEVILLE*						40								
VERNON			1			15								
WASHINGTON			1			135								
BOGALUSA*						50								
WEBSTER						90								
MINDEN*						42								
W BATON ROUGE						22								
WEST CARROLL						8								
W FELICIANA						8								
WINN						37								
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	1	-	-	-

(CONTINUED)

TABLE XXIX
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1991

PARISH AND CITIES OVER 10,000	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
STATE	-	-	1373	-	-
ACADIA			26		
CROWLEY*			13		
ALLEN			19		
ASCENSION			-		
ASSUMPTION			7		
AVOYELLES			11		
BEAUREGARD			2		
DE RIDDER*			1		
BIENVILLE			0		
BOSSIER			4		
BOSSIER CITY*			1		
CADDO			120		
SHREVEPORT*			86		
CALCASIEU			58		
LAKE CHARLES*			8		
SULPHUR*			4		
CALDWELL			0		
CAMERON			0		
CATAHOULA			0		
CLAIBORNE			0		
CONCORDIA			0		
DESOTO			1		
E BATON ROUGE			50		
BATON ROUGE*			38		
BAKER*			1		
EAST CARROLL			0		
E FELICIANA			7		
EVANGELINE			6		
FRANKLIN			10		
GRANT			0		
IBERIA			3		
NEW IBERIA*			24		
IBERVILLE			0		
JACKSON			2		
JEFFERSON			2		
KENNER*			1		
GRETNA*			2		
HARAHAN*			-		
WESTWEGO*			-		
JEFF DAVIS			22		
JENNINGS*			8		
LAFAYETTE			24		
LAFAYETTE*			15		
LAFOURCHE			37		
THIBODAUX*			-		
LASALLE			0		
LINCOLN			4		
RUSTON*			2		
LIVINGSTON			3		
MADISON			1		
TALLULAH*			1		
MOREHOUSE			5		
BASTROP*			5		
NATCHITOCHES			6		
NATCHITOCHES*			0		
ORLEANS			0		
OUACHITA			17		
MONROE*			25		
WEST MONROE*			2		
PLAQUEMINES			-		
POINTE COUPEE			-		
RAPIDES			30		
ALEXANDRIA*			9		
PINEVILLE*			4		
RED RIVER			1		
RICHLAND			1		
SABINE			1		
ST BERNARD			21		
ST CHARLES			8		
ST HELENA			1		
ST JAMES			1		
ST JOHN			10		
ST LANDRY			1		
OPELOUSAS*			1		
EUNICE*			1		
ST MARTIN			1		
ST MARY			1		
MORGAN CITY*			-		
ST TAMMANY			-		
SLIDELL*			28		
TANGIPAHOA			6		
HAMMOND*			19		
TENSAS			0		
TERREBONNE			6		
HOUMA*			3		
UNION			1		
VERMILION			14		
ABBEVILLE*			11		
VERNON			4		
WASHINGTON			3		
BOGALUSA*			1		
WEBSTER			1		
MINDEN*			1		
W BATON ROUGE			10		
WEST CARROLL			4		
W FELICIANA			-		
WINN			0		
OUT OF STATE**	-	-	-	-	-

* CITIES ARE INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE XXX
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1991

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ACTINOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AMEBIASIS	1	0.0	W	1	-	-	-	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ASEPTIC MENINGITIS	145	2.2	W	94	19	10	6	5	6	6	25	6	5	1	-	5
			NW	46	10	5	9	3	2	3	5	3	1	1	3	1
			UNK	5	1	-	2	-	-	-	1	-	-	-	-	1
BLASTOMYCOSIS	5	0.0	W	2	-	-	-	-	-	1	-	-	-	-	1	-
			NW	2	-	-	-	1	-	-	-	-	1	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	1	-	-
BOTULISM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM (INFANT)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS (UNDULANT FEVER)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CAT SCRATCH FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHANCROID	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHOLERA	1	0.0	W	1	-	-	-	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	1	0.0	W	1	-	-	-	-	-	-	-	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOCOCCOSIS	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	1	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ECHINOCOCCOSIS (HYDATID DISEASE)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXX
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1991

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ENCEPHALITIS, ARTHROPOD-BORNE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST-INFECTIOUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, OTHER AND UNSPECIFIED	19	0.3	W	11	-	-	2	-	-	-	4	-	2	-	3	-
			NW	7	-	-	2	1	1	1	1	1	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1
FOOD POISONING	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GLANDERS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GONORRHEA	15759	27.7	W	1179	-	5	2	32	294	485	271	63	17	7	3	-
			NW	14375	4	32	16	241	4607	4707	3522	988	186	42	24	8
			UNK	205	-	3	-	3	46	86	42	9	2	-	1	13
GRANULOMA INGUINALE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HAEMOPHILUS TYPE B MENINGITIS	22	0.1	W	6	1	1	1	-	2	-	-	-	-	-	1	-
			NW	13	9	2	-	-	-	-	-	-	-	-	-	2
			UNK	3	-	3	-	-	-	-	-	-	-	-	-	-
HEPATITIS, TYPE A	137	1.7	W	74	-	2	9	5	4	4	23	10	8	3	6	-
			NW	58	-	3	6	6	2	3	18	8	1	4	3	4
			UNK	5	-	-	-	1	-	2	-	1	1	-	-	-
HEPATITIS, TYPE B	371	3.5	W	150	2	2	4	3	8	21	47	25	15	10	10	5
			NW	214	-	3	3	5	18	44	65	35	18	7	8	8
			UNK	7	-	-	-	-	-	-	3	1	1	1	-	1
HEPATITIS, NON A, NON B	102	1.4	W	59	-	1	-	1	-	2	13	18	5	6	12	1
			NW	41	-	-	1	-	-	2	15	13	6	1	2	1
			UNK	2	-	-	-	-	-	-	-	1	1	-	-	-
HEPATITIS, TYPE UNSPECIFIED	10	0.2	W	8	-	-	-	-	-	1	2	1	1	1	2	-
			NW	2	-	-	-	-	-	-	1	-	-	-	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HISTOPLASMOSIS	5	0.1	W	5	-	-	-	-	-	-	-	-	2	2	1	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS MONONUCLEOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONNAIRE'S DISEASE	10	0.2	W	8	-	-	-	-	-	-	-	2	2	-	4	-
			NW	2	-	-	-	-	-	-	1	-	-	1	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	1	0.0	W	1	-	-	-	-	-	-	-	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS (WEIL'S DISEASE)	1	0.0	W	1	-	-	-	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXX
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1991

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LYMPHOCYTIC CHORIO-MENINGITIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOPATHIA VENEREUM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	17	0.1	W	4	-	-	-	-	-	-	1	1	1	-	-	1
			NW	10	-	2	-	1	1	3	1	-	1	1	-	-
			UNK	3	-	-	-	-	-	1	1	-	-	-	-	1
MEASLES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS	34	0.5	W	22	5	7	1	5	-	-	-	-	3	-	1	-
			NW	11	2	3	3	-	3	-	-	-	-	-	-	-
			UNK	1	1	-	-	-	-	-	-	-	-	-	-	-
MUMPS	37	0.7	W	28	-	6	13	7	-	1	-	-	-	-	-	1
			NW	4	-	-	3	1	-	-	-	-	-	-	-	-
			UNK	5	-	1	1	2	-	1	-	-	-	-	-	-
MYCOBACTERIOSIS, ATYPICAL	83	1.4	W	60	-	-	-	-	-	-	5	4	11	15	21	4
			NW	23	-	-	-	-	-	-	2	5	3	6	7	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
OPHTHALMIA NEONATORUM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS (WHOOPING COUGH)	14	0.2	W	8	6	1	-	1	-	-	-	-	-	-	-	-
			NW	3	2	-	1	-	-	-	-	-	-	-	-	-
			UNK	3	3	-	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS NON-PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES IN ANIMALS	6	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	6	-	-	-	-	-	-	-	-	-	-	-	6
RABIES IN MAN	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RAT BITE FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXX
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1991

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAT BITES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
REYES SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	1	0.0	W	1	-	1	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	804	4.7	W	201	56	46	12	4	4	7	9	13	9	11	25	5
			NW	122	43	25	4	5	4	3	8	5	5	3	6	11
			UNK	481	107	89	28	17	21	13	26	25	13	23	32	87
SHIGELLOSIS (DYSENTERY-BACILLARY)	221	1.4	W	58	1	14	10	4	-	3	13	6	1	3	1	2
			NW	51	4	23	13	2	1	2	2	-	1	1	1	1
			UNK	112	2	42	16	5	5	6	9	6	1	1	2	17
SMALLPOX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS	6394	8.0	W	339	-	2	-	1	31	61	125	57	28	16	17	1
			NW	5991	-	37	2	61	1006	1458	2202	819	226	82	83	35
			UNK	24	-	-	-	-	2	2	7	5	1	2	1	4
TETANUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRACHOMA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, PULMONARY	311	3.2	W	134	-	-	1	-	-	5	18	20	25	23	39	3
			NW	177	1	2	-	-	2	11	49	35	19	23	32	3
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, OTHER FORMS	58	0.4	W	17	-	-	-	-	2	1	2	4	2	1	5	-
			NW	41	1	6	1	1	-	-	8	8	5	2	10	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXX
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1991

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TULAREMIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	5	0.0	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	4	-	-	-	1	1	-	-	1	-	1	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, ENDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, EPIDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDERNUTRITION, SEVERE	1373	10.7	W	454	8	324	8	2	-	-	-	-	-	-	-	112
			NW	897	15	606	15	-	1	-	-	-	-	-	-	260
			UNK	22	1	12	-	-	-	-	-	-	-	-	-	9
VISCERAL LARVA MIGRANS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXXI
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1991

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	39161	39161	13552	-
ACADIA	472	510	233	-
ALLEN	195	221	43	-
ASCENSION	670	629	259	-
ASSUMPTION	176	194	45	-
AVOYELLES	342	353	8	8
BEAUREGARD	381	332	153	-
BIENVILLE	85	125	39	-
BOSSIER	833	884	470	-
CADDO	2320	2011	1361	-
CALCASIEU	2069	1987	1108	-
CALDWELL	99	88	49	-
CAMERON	86	99	37	-
CATAHOULA	102	115	38	-
CLAIBORNE	97	105	58	-
CONCORDIA	219	222	108	-
DESOTO	164	169	8	8
E BATON ROUGE	3812	3516	2153	-
EAST CARROLL	61	77	25	-
E FELICIANA	105	178	65	-
EVANGELINE	348	384	8	8
FRANKLIN	211	212	91	-
GRANT	130	181	8	8
IBERIA	610	628	8	8
IBERVILLE	274	316	1	-
JACKSON	158	156	21	-
JEFFERSON	3711	3739	808	-
JEFF DAVIS	313	327	84	-
LAFAYETTE	1642	1498	8	8
LAFOURCHE	812	774	366	-
LASALLE	169	169	73	-
LINCOLN	366	324	155	-
LIVINGSTON	703	849	238	-
MADISON	73	71	1	-
MOREHOUSE	173	193	2	-
NATCHITOCHES	314	322	155	-
ORLEANS	5252	4959	1224	-
OUACHITA	1332	1261	843	-
PLAQUEMINES	100	168	104	-
POINTE COUPEE	143	165	53	-
RAPIDES	1305	1272	715	-
RED RIVER	104	98	8	8
RICHLAND	145	165	4	-
SABINE	206	233	31	-
ST BERNARD	579	720	399	-
ST CHARLES	348	339	173	-
ST HELENA	79	79	8	8
ST JAMES	131	157	8	8
ST JOHN	259	284	37	-
ST LANDRY	721	750	277	-
ST MARTIN	292	322	78	-
ST MARY	542	557	8	8
ST TAMMANY	1295	1305	8	8
TANGIPAHOA	820	836	351	-
TENSAS	47	51	8	8
TERREBONNE	808	829	558	-
UNION	136	149	11	-
VERMILION	378	413	218	-
VERNON	773	824	1	-
WASHINGTON	382	396	1	-
WEBSTER	359	323	126	-
W BATON ROUGE	238	192	8	8
WEST CARROLL	129	129	8	8
W FELICIANA	66	87	30	-
WINN	97	113	79	-
OUT OF STATE	-	17	2	-

8 NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

TABLE XXXII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1991

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	39161	100.0	107
JANUARY	2333	6.0	75
FEBRUARY	2711	6.9	97
MARCH	3079	7.9	99
APRIL	3176	8.1	106
MAY	3484	8.9	112
JUNE	4313	11.0	144
JULY	3411	8.7	110
AUGUST	3902	10.0	126
SEPTEMBER	2779	7.1	93
OCTOBER	2726	7.0	88
NOVEMBER	3340	8.5	111
DECEMBER	3495	8.9	113
UNKNOWN	412	-	-

TABLE XXXIII
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1991

RACE OF GROOM	TOTAL	RACE OF BRIDE			
		WHITE	BLACK	OTHER	UNKNOWN
ALL RACES	39161	29083	9667	326	85
WHITE	28967	28553	145	130	39
BLACK	9800	287	9495	13	5
OTHER	299	101	14	183	1
UNKNOWN	95	42	13	-	40

TABLE XXXIV
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1991

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
ALL	39161	24251	1197	12880	33	800
NEVER MARRIED	24473	19791	194	4313	21	154
WIDOWED	1086	134	422	521	1	8
DIVORCED	12856	4208	575	7878	9	86
MARRIAGE ANNULLED	37	21	1	12	2	1
UNKNOWN	709	97	5	56	-	551

TABLE XXIV
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1991

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	39161	39	136	392	784	2018	2287	2476	2483	2457	2260	2173	1886	1823	1551	1452	1306
LT 15	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
15	4	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
16	29	-	5	8	8	6	1	1	-	-	-	-	-	-	-	-	-
17	179	9	14	23	47	48	15	8	6	5	1	1	-	-	1	1	-
18	716	6	37	61	101	209	149	59	34	25	13	4	6	3	1	-	2
19	1309	5	25	90	164	337	256	186	94	50	30	17	12	9	8	-	6
20	1917	3	17	66	164	414	409	351	169	103	58	41	36	24	7	9	12
21	2163	4	14	47	103	339	380	417	316	185	107	63	42	39	26	18	14
22	2245	4	7	19	22	209	305	359	362	315	204	123	87	45	36	28	18
23	2302	3	3	21	39	133	208	283	371	370	294	188	106	70	49	37	26
24	2292	2	4	10	30	88	148	209	262	358	329	274	157	111	77	40	33
25	2123	2	2	7	19	44	109	149	208	263	257	308	217	163	103	59	55
26	2073	1	2	11	8	43	88	124	172	193	210	248	255	187	136	103	63
27	1830	-	1	8	5	30	56	77	117	141	203	188	188	201	155	106	75
28	1667	-	2	5	8	31	41	75	69	90	128	151	182	180	146	131	87
29	1515	-	3	3	2	20	27	42	81	69	84	123	116	151	119	140	117
30-34	5741	-	1	7	8	37	59	84	131	201	214	289	335	413	429	457	441
35-39	3651	-	1	2	4	9	12	25	36	47	67	79	108	145	152	186	208
40-44	2551	-	-	-	-	6	7	9	15	18	32	37	36	48	62	76	84
45-49	1543	-	-	1	-	-	-	3	7	7	10	15	14	18	24	24	34
50-54	908	-	-	-	-	1	2	1	3	3	2	1	4	7	9	11	11
55-59	595	-	-	-	-	1	-	1	2	-	1	1	1	3	2	1	3
60-64	417	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	2
65-69	304	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2
70-74	193	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-
75 +	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNK	716	-	-	2	1	11	14	14	8	12	6	12	4	4	5	12	3

TABLE XXIV (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1991

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
5042	3117	2149	1173	588	327	240	151	100	76	695	TOTAL
1	-	-	-	-	-	-	-	-	-	-	LT 15
1	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
1	-	-	-	-	-	-	-	-	-	1	17
2	-	1	-	-	-	-	-	-	-	3	18
10	6	2	-	-	-	-	-	-	-	2	19
22	3	1	1	-	-	-	-	-	-	7	20
31	8	2	2	-	-	-	-	-	-	6	21
48	13	4	1	-	-	-	-	-	-	6	22
76	16	5	-	-	-	-	-	-	-	4	23
105	35	8	1	-	1	1	-	-	-	9	24
119	25	7	-	2	-	-	1	-	-	4	25
158	46	16	2	-	-	-	-	-	-	9	26
193	63	13	3	-	1	-	-	-	-	6	27
238	71	22	4	3	1	-	-	-	-	2	28
272	94	29	6	2	-	1	-	-	-	4	29
1664	619	245	61	8	5	3	-	-	-	20	30-34
1152	860	394	110	27	5	-	-	-	-	12	35-39
563	698	583	187	49	9	3	5	-	-	14	40-44
219	317	405	320	91	18	4	1	-	-	11	45-49
86	121	217	218	145	44	14	2	2	-	4	50-54
33	65	105	140	113	86	22	10	-	2	3	55-59
14	32	44	66	77	75	73	15	7	3	2	60-64
4	7	26	27	46	49	65	44	19	9	3	65-69
5	3	8	11	16	24	36	44	27	15	1	70-74
1	5	7	8	8	7	18	29	44	47	2	75 +
24	10	5	5	1	2	-	-	1	-	560	UNK

Appendix

HEALTHY PEOPLE 2000

Healthy People 2000 is a national initiative to improve the health of all Americans through prevention. It is driven by 300 specific national health promotion and disease prevention objectives targeted for achievement by the year 2000.

Healthy People 2000's overall goals are to: increase the span of healthy life for Americans, reduce health disparities among Americans, and achieve access to preventive services for all Americans.

In July 1991 CDC released a set of Health Status Indicators and encouraged their use by public health officials nationwide (1). Those indicators were developed in response to Healthy People 2000, Objective 22.1 (2), which is "to develop a set of health status indicators appropriate for Federal, State and local health agencies and to establish use of the set in at least 40 States".

It has been considered opportune at the time of completing the Vital Statistics Report of Louisiana 1991 to include information on some of those health indicators. Thus, the following bar charts for some Health Status Indicators in Louisiana were prepared in accordance to Healthy People 2000 Objectives.

For most of the health status objectives, Louisiana's rates are showing average data for 1990 higher than year 2000 target. These are:

Objective 6.1 -Suicides
Objective 7.1 -Homicide and Legal Intervention
Objective 9.1 -Accidental Deaths
Objective 9.3 -Motor Vehicle Accidental Deaths
Objective 14.1 -Infant Deaths
Objective 14.2 -Fetal Deaths
Objective 14.3 -Maternal Deaths
Objective 14.5 -Low Birth Weight and Very Low Birth Weight
Objective 15.1 -Coronary Disease Deaths
Objective 15.2 -Stroke Deaths
Objective 16.1 -All Cancer Deaths
Objective 16.2 -Lung, Trachea, and bronchus Cancer Deaths
Objective 16.3 -Women Breast Cancer Deaths
Objective 16.4 -Uterine Cervix Deaths
Objective 16.5 -Colorectal Cancer Deaths

For some of the remaining objectives, Louisiana's rates show an increasing trend between 1980 and 1990, which indicates that year 2000 target might not be reached. These are:

Objective 3.3 -Chronic Obstructive Pulmonary Diseases Deaths
Objective 4.3 -Drug Related Deaths

And finally, 1980 data for the two following objectives were not available:

Objective 14.8 -Cesarean Deliveries
Objective 17.9 -Diabetes Related Deaths

however, 1990 data for them are higher than year 2000 target.

(1) CDC, Consensus set of health status indicators for the general assessment of community health status, United States, MMWR 40 (27):449-51. 1991.

(2) U.S. Department of Health and Human Services. Healthy People 2000: National health promotion and disease prevention objectives for the nation. Washington: Public Health Service. 1991.

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 3.3

CHRONIC OBSTRUCTIVE PULMONARY DISEASES



HEALTH STATUS OBJECTIVE 16.2

LUNG, TRACHEA, BRONCHUS, CANCER DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 4.2

LIVER DISEASE & CIRRHOSIS DEATHS



HEALTH STATUS OBJECTIVE 4.3

DRUG RELATED DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 6.1

SUICIDE



HEALTH STATUS OBJECTIVE 7.1

HOMICIDE AND LEGAL INTERVENTION



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 9.1

ACCIDENT DEATHS



HEALTH STATUS OBJECTIVE 9.3

MOTOR VEHICLE ACCIDENT DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 14.1

INFANT DEATHS



HEALTH STATUS OBJECTIVE 14.2

FETAL DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 14.3

MATERNAL DEATHS



HEALTH STATUS OBJECTIVE 14.11

PRENATAL CARE



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 14.5

LOW BIRTH WEIGHT



HEALTH STATUS OBJECTIVE 14.5

VERY LOW BIRTH WEIGHT



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 15.1

CORONARY HEART DISEASE DEATHS



HEALTH STATUS OBJECTIVE 15.2

STROKE DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 16.1

ALL CANCER DEATHS



HEALTH STATUS OBJECTIVE 16.5

COLORECTAL CANCER DEATHS



Louisiana 1980 and 1990 are averages of
1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940).

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 16.3

BREAST CANCER DEATHS



HEALTH STATUS OBJECTIVE 16.4

UTERINE CERVIX DEATHS



Louisiana 1980 and 1990 are averages of 1979-81 and 1989-91 data.
Rates are age-adjusted (US 1940)

HEALTHY PEOPLE 2000

HEALTH STATUS OBJECTIVE 17.9

DIABETES RELATED DEATHS



Louisiana 1990 data is average of 1989-91.
Rates are age-adjusted (US 1940)

This public document was published at a total cost of $4,980.00. One thousand copies of this public document were published in this first printing at a cost of $4,980.00. The total cost of all printings of this document including reprints is $4,980.00. This document was published by Department of Public Safety and Corrections, Prison Enterprises Division, P.O. Box 44314, Baton Rouge, LA, to supply data needed for health planning and program activities in accordance with standards for printing by State Agencies established pursuant to R.S. 43:31.